

中華民國 104 年

# 出生通報統計年報

## 2015 Statistics of Birth Reporting System



衛生福利部國民健康署 編印

中華民國 105 年

Health Promotion Administration,

Ministry of Health and Welfare, R.O.C (TAIWAN), 2016



中華民國 104 年

# 出生通報統計年報

2015 Statistics of Birth Reporting System

衛生福利部國民健康署 編印

中華民國 105 年

Health Promotion Administration,

Ministry of Health and Welfare, R.O.C (TAIWAN), 2016



## 編輯說明

健康事件與健康狀態的統計監測係為公共衛生之礎石，早在民國 20 年戶籍法公布時即有戶籍登記之規定，舉凡人口特徵發生變動或生命事件確定後，如出生、認領、收養、結婚、監護、死亡、遷徙等皆須向所屬戶籍單位辦理登記。「出生登記」係由父母、戶長、同居人或撫養人為申請人，於新生兒出生後根據接生人員出具之出生證明書至戶政單位辦理出生登記。

民國 82 年修訂公布之兒童福利法，規定兒童出生後，接生者應將相關資料通報至戶政及衛生主管機關備查。自此，接生單位除須開立出生證明書予申請人執往戶政單位辦理出生登記外，亦須將紙本出生證明書通報至衛生主管機關，以作為後續提供婦幼衛生保健服務之依據。此為「出生通報」之發端。

民國 92 年為能迅速、正確、完整掌握人口出生動態，有效提升出生通報率，時值網路通訊技術發展已趨成熟，乃開發建置網路出生通報系統，至 93 年達成全面網路通報之目標。透過有效的管理，相較以往的紙本通報結果，資料之正確性與完整性已有明顯的進步。

為提高出生通報資料之應用，本署(暨前身機關「行政院衛生署國民健康局」)自 93 年起特出版出生通報統計年報，就新生兒之醫療與健康相關資訊等進行分析整理；另為利於歷年統計資料比較，於 99 年新增 93 年起之歷年活產新生兒之性比例、出生體重、懷孕週數、有無先天缺陷及缺陷類別、產婦原始國籍別等統計資料，以提供醫療衛生各界作為研擬生育保健政策、策略及規劃服務之參考。

衛生福利部國民健康署

105 年 6 月 30 日

# Introduction

Statistical monitoring of health events and conditions is the foundation of public health. Timely and accurate information is critical to the formulation of policies. In the ROC, household registration dates back to 1931, when *The Household Registration Act* was promulgated. Change to demographics and confirmation of life events had to be registered with the local household registration office, including birth, identified adoption, acknowledgement of parentage, marriage and divorce, guardianship, death and death announcement, alteration of residence. “Birth registration” must be registered after the childbirth by a parent, head of the household, cohabitant, or foster parent by submitting to the household registration office the birth certificate issued by the birth deliverer.

*The Child Welfare Act* was prescribed and promulgated in 1993. The person who delivers the baby shall notify the household registration office and the health authority concerned of the new birth’s information. In addition to issuing a birth certificate for the applicant to register a new birth with the household registration office, medical organizations shall send a paper-form birth certificate to the health authority for the follow-up health care of the mother and the newborn. This was the initial phase of “birth reporting.”

As Internet communication technology developed and became more widespread, an online birth reporting system was introduced in 2003 in order to fully take hold of the immediate population dynamics in a fast manner and effectively increase the rate of birth reporting. In 2004, a nation-wide online reporting system was launched. With proper and effective management, the level of accuracy and completeness of information conveyed through the Internet has been greatly improved compared with the past when reporting was conducted through the paper medium.

To enhance the application of the birth reporting data, the Health Promotion Administration (including the predecessor agency : Bureau of Health Promotion) has published an annual report on The Statistics of Birth Reporting System, in which medical and health-related data of the newborn are compiled and analyzed. To facilitate the comparison of data from previous years, this year’s annual report includes an additional section of annual statistics on live births from 2004 to 2015 by sex ratio, birth weight, weeks of pregnancy, presence of any birth defects and type, and original nationality of the parturient. It can serve as valuable reference materials for medical and health professionals in making eugenic policies, strategies and service plans.

Health Promotion Administration,  
Ministry of Health and Welfare,  
2016/6/30

# 目 錄

## 編輯說明

統計分析結果摘要 .....	1
----------------	---

統計表 .....	23
-----------	----

## 壹 104 年出生通報統計

### 一、活產及死產比例

表 1.1a 民國 104 年出生通報活產、死產按出生月份分-【直欄加總】 .....	25
表 1.1b 民國 104 年出生通報活產、死產按出生月份分-【橫列加總】 .....	25
表 1.2 民國 104 年出生通報活產、死產按產婦現住地之縣市別分 .....	26
表 1.3 民國 104 年出生通報活產、死產按產婦戶籍地之縣市別分 .....	27
表 1.4 民國 104 年出生通報活產、死產按產婦配偶戶籍地之縣市別分 .....	28
表 1.5 民國 104 年出生通報活產、死產按新生兒出生地之縣市別分 .....	29
表 1.6 民國 104 年出生通報數(含活產、死產)按產婦原始國籍及產婦現住地之縣市別分	30
表 1.7a 民國 104 年出生通報活產、死產按產婦現住地城鄉別分-【直欄加總】 .....	31
表 1.7b 民國 104 年出生通報活產、死產按產婦現住地城鄉別分-【橫列加總】 .....	31
表 1.8a 民國 104 年出生通報活產、死產按產婦年齡分-【直欄加總】 .....	32
表 1.8b 民國 104 年出生通報活產、死產按產婦年齡分-【橫列加總】 .....	32
表 1.9a 民國 104 年出生通報活產、死產按產婦原始國籍分-【直欄加總】 .....	33
表 1.9b 民國 104 年出生通報活產、死產按產婦原始國籍分-【橫列加總】 .....	33
表 1.10a 民國 104 年出生通報活產、死產按出生場所及接生者分-【直欄加總】 .....	34
表 1.10b 民國 104 年出生通報活產、死產按出生場所及接生者分-【橫列加總】 .....	34
表 1.11a 民國 104 年出生通報活產、死產按生產方式分-【直欄加總】 .....	35
表 1.11b 民國 104 年出生通報活產、死產按生產方式分-【橫列加總】 .....	35

表 1.12a	民國 104 年出生通報活產、死產按出生體重分-【直欄加總】	36
表 1.12b	民國 104 年出生通報活產、死產按出生體重分-【橫列加總】	36
表 1.13a	民國 104 年出生通報活產、死產按懷孕週數分-【直欄加總】	37
表 1.13b	民國 104 年出生通報活產、死產按懷孕週數分-【橫列加總】	37
表 1.14a	民國 104 年出生通報活產、死產按有無先天缺陷分-【直欄加總】	38
表 1.14b	民國 104 年出生通報活產、死產按有無先天缺陷分-【橫列加總】	38
表 1.15a	民國 104 年出生通報活產、死產按第一分鐘 APGAR SCORE 分-【直欄加總】	39
表 1.15b	民國 104 年出生通報活產、死產按第一分鐘 APGAR SCORE 分-【橫列加總】	39
表 1.16a	民國 104 年出生通報活產、死產按第五分鐘 APGAR SCORE 分-【直欄加總】	40
表 1.16b	民國 104 年出生通報活產、死產按第五分鐘 APGAR SCORE 分-【橫列加總】	40

## 二、活產新生兒特性

### (一) 性比例

表 2.1	民國 104 年出生通報活產性比例按活產胎次分	41
表 2.2	民國 104 年出生通報活產性比例按產婦現住地之縣市別分	42
表 2.3	民國 104 年出生通報活產性比例按產婦配偶戶籍地之縣市別分	43
表 2.4	民國 104 年出生通報活產性比例按產婦年齡分	44
表 2.5	民國 104 年出生通報活產性比例按出生場所及接生者分	45

### (二) 出生體重

表 3.1	民國 104 年出生通報活產出生體重按活產胎次分	46
表 3.2	民國 104 年出生通報活產出生體重按產婦現住地之縣市別分	47
表 3.3	民國 104 年出生通報活產出生體重按產婦配偶戶籍地之縣市別分	48
表 3.4	民國 104 年出生通報活產出生體重按產婦年齡分	49

表 3.5	民國 104 年出生通報活產出生體重按出生場所及接生者分	50
表 3.6	民國 104 年出生通報活產出生體重按生產方式分	51

### (三) 懷孕週數

表 4.1	民國 104 年出生通報活產懷孕週數按活產胎次分	52
表 4.2	民國 104 年出生通報活產懷孕週數按產婦現住地之縣市別分	53
表 4.3	民國 104 年出生通報活產懷孕週數按產婦配偶戶籍地之縣市別分	54
表 4.4	民國 104 年出生通報活產懷孕週數按產婦年齡分	55
表 4.5	民國 104 年出生通報活產懷孕週數按出生場所及接生者分	56
表 4.6	民國 104 年出生通報活產懷孕週數按生產方式分	57

### (四) 有無先天缺陷

表 5.1	民國 104 年出生通報活產有無先天缺陷按活產胎次分	58
表 5.2	民國 104 年出生通報活產有無先天缺陷按產婦現住地之縣市別分	59
表 5.3	民國 104 年出生通報活產有無先天缺陷按產婦配偶戶籍地之縣市別分	60
表 5.4	民國 104 年出生通報活產有無先天缺陷按產婦年齡分	61
表 5.5	民國 104 年出生通報活產有無先天缺陷按出生場所及接生者分	62
表 5.6	民國 104 年出生通報活產有無先天缺陷按生產方式分	63

### (五) 缺陷類別

表 6.1	民國 104 年出生通報活產缺陷類別按產婦現住地之縣市別分	64
表 6.2	民國 104 年出生通報活產缺陷類別按產婦配偶戶籍地之縣市別分	65

### 三、產婦原始國籍別

表 7.1	民國 104 年出生通報活產產婦年齡按產婦原始國籍分	66
表 7.2	民國 104 年出生通報活產生產方式按產婦原始國籍分	67
表 7.3	民國 104 年出生通報活產性比例按產婦原始國籍分	68
表 7.4	民國 104 年出生通報活產出生體重按產婦原始國籍分	69
表 7.5	民國 104 年出生通報活產懷孕週數按產婦原始國籍分	70
表 7.6	民國 104 年出生通報活產有無先天缺陷按產婦原始國籍分	71

### 貳 歷年全國統計

表 8.1	民國 93 至 104 年出生通報活產新生兒性比例	72
表 8.2	民國 93 至 104 年出生通報活產新生兒出生體重	73
表 8.3	民國 93 至 104 年出生通報活產新生兒懷孕週數	74
表 8.4	民國 93 至 104 年出生通報活產新生兒有無先天缺陷	75
表 8.5	民國 93 至 104 年出生通報活產新生兒缺陷類別	76
表 8.6	民國 93 至 104 年出生通報活產產婦原始國籍別	77

### 附錄

附錄 1	統計變項說明	79
附錄 2	出生通報背景與發展	87
附錄 3	出生通報作業流程與通報表單	95

# Contents

Compilation	
Summary of Statistics .....	12
Tables .....	23

## Part 1 The Statistics of Birth Reporting System 2015

### I Live Births and Still Births

Table 1.1a	Live Births and Still Births by Month of Birth, 2015 (Column percentage) .....	25
Table 1.1b	Live Births and Still Births by Month of Birth, 2015 (Row Percentage) .....	25
Table 1.2	Live Births and Still Births by City/County (Current Residence of the Parturient), 2015 .....	26
Table 1.3	Live Births and Still Births by City/County (Registered Household of the Parturient), 2015 .....	27
Table 1.4	Live Births and Still Births by City/County (Registered Household of the Spouse of the Parturient), 2015.....	28
Table 1.5	Live Births and Still Births by City/County (Birthplace), 2015 .....	29
Table 1.6	Number of Reportings (Including Live and Still Births) by Original Nationality and Current Residence of the Parturient by City/County, 2015.....	30
Table 1.7a	Live Births and Still Births by Urban/Rural Areas of the Current Residence of the Parturient, 2015 (Column Percentage) .....	31
Table 1.7b	Live Births and Still Births by Urban/Rural Areas of the Current Residence of the Parturient, 2015 (Row Percentage) .....	31
Table 1.8a	Live Births and Still Births by Age of the Parturient, 2015 (Column Percentage) .....	32
Table 1.8b	Live Births and Still Births by Age of the Parturient, 2015 (Row Percentage) .....	32
Table 1.9a	Live Births and Still Births by Original Nationality of the Parturient, 2015 (Column Percentage) .....	33
Table 1.9b	Live Births and Still Births by Original Nationality of the Parturient, 2015 (Row Percentage) .....	33
Table 1.10a	Live Births and Still Births by Birth Delivery Place and Medical Professional, 2015 (Column Percentage) .....	34

Table 1.10b	Live Births and Still Births by Birth Delivery Place and Medical Professional, 2015 (Row Percentage) .....	34
Table 1.11a	Live Births and Still Births by Method of Delivery, 2015 (Column Percentage) .....	35
Table 1.11b	Live Births and Still Births by Method of Delivery, 2015 (Row Percentage) .....	35
Table 1.12a	Live Births and Still Births by Birth Weight, 2015 (Column Percentage) .....	36
Table 1.12b	Live Births and Still Births by Birth Weight, 2015 (Row Percentage) .....	36
Table 1.13a	Live Births and Still Births by Weeks of Pregnancy, 2015 (Column Percentage) .....	37
Table 1.13b	Live Births and Still Births by Weeks of Pregnancy, 2015 (Row Percentage) .....	37
Table 1.14a	Live Births and Still Births by Presence of Birth Defects, 2015 (Column Percentage) ..	38
Table 1.14b	Live Births and Still Births by Presence of Birth Defects, 2015 (Row Percentage) .....	38
Table 1.15a	Live Births and Still Births by First Minute APGAR SCORE, 2015 (Column Percentage) .....	39
Table 1.15b	Live Births and Still Births by First Minute APGAR SCORE, 2015 (Row Percentage)	39
Table 1.16a	Live Births and Still Births by Fifth Minute APGAR SCORE, 2015 (Column Percentage) .....	40
Table 1.16b	Live Births and Still Births by Fifth Minute APGAR SCORE, 2015 (Row Percentage)	40

## **II Characteristics of Live Births**

### **(1) Sex Ratio**

Table 2.1	Sex Ratio of Live Births by Live Birth Order, 2015 .....	41
Table 2.2	Sex Ratio of Live Births by City/County (Current Residence of the Parturient), 2015...	42
Table 2.3	Sex Ratio of Live Births by City/County (Registered Household of the Spouse of the Parturient), 2015 .....	43
Table 2.4	Sex Ratio of Live Births by Age of the Parturient, 2015.....	44
Table 2.5	Sex Ratio of Live Births by Birth Delivery Place and Medical Professional, 2015.....	45

## **(2) Birth Weight**

Table 3.1	Birth Weight of Live Births by Live Birth Order, 2015.....	46
Table 3.2	Birth Weight of Live Births by City/County (Current Residence of the Parturient), 2015.....	47
Table 3.3	Birth Weight of Live Births by City/County (Registered Household of the Spouse of the Parturient), 2015.....	48
Table 3.4	Birth Weight of Live Births by Age of the Parturient, 2015.....	49
Table 3.5	Birth Weight of Live Births by Birth Delivery Place and Medical Professional, 2015...	50
Table 3.6	Birth Weight of Live Births by Method of Delivery, 2015.....	51

## **(3) Weeks of Pregnancy**

Table 4.1	Weeks of Pregnancy of Live Births by Live Birth Order, 2015 .....	52
Table 4.2	Weeks of Pregnancy of Live Births by City/County (Current Residence of the Parturient), 2015 .....	53
Table 4.3	Weeks of Pregnancy of Live Births by City/County (Registered Household of the Spouse of the Parturient), 2015 .....	54
Table 4.4	Weeks of Pregnancy of Live Births by Age of the Parturient, 2015.....	55
Table 4.5	Weeks of Pregnancy of Live Births by Birth Delivery Place and Medical Professional, 2015.....	56
Table 4.6	Weeks of Pregnancy of Live Births by Method of Delivery, 2015.....	57

## **(4) Presence of Birth Defects**

Table 5.1	Presence of Birth Defects of Live Births by Live Birth Order, 2015 .....	58
Table 5.2	Presence of Birth Defects of Live Births by City/County (Current Residence of the Parturient), 2015.....	59
Table 5.3	Presence of Birth Defects of Live Births by City/County (Registered Household of the Spouse of the Parturient), 2015.....	60
Table 5.4	Presence of Birth Defects of Live Births by Age of the Parturient, 2015.....	61

Table 5.5	Presence of Birth Defects of Live Births by Birth Delivery Place and Medical Professional, 2015.....	62
Table 5.6	Presence of Birth Defects of Live Births by Method of Delivery, 2015 .....	63

### **(5) Types of Birth Defects**

Table 6.1	Types of Birth Defects of Live Births by City/County (Current Residence of the Parturient), 2015.....	64
Table 6.2	Types of Birth Defects of Live Births by City/County (Registered Household of the Spouse of the Parturient), 2015.....	65

### **III Original Nationality of the Parturient**

Table 7.1	Age of the Parturient of Live Births by Original Nationality of the Parturient, 2015.....	66
Table 7.2	Method of Delivery of Live Births by Original Nationality of the Parturient, 2015.....	67
Table 7.3	Sex Ratio of Live Births by Original Nationality of the Parturient, 2015.....	68
Table 7.4	Birth Weight of Live Births by Original Nationality of the Parturient, 2015 .....	69
Table 7.5	Weeks of Pregnancy of Live Births by Original Nationality of the Parturient, 2015 ...	70
Table 7.6	Presence of Birth Defects of Live Births by Original Nationality of the Parturient, 2015 .....	71

### **Part 2 Annual National Statistics**

Table 8.1	Sex Ratio of Live Births, 2004-2015.....	72
Table 8.2	Live Births by Birth Weight, 2004-2015 .....	73
Table 8.3	Live Births by Weeks of Pregnancy, 2004-2015 .....	74
Table 8.4	Live Births Presence of Birth Defects, 2004-2015 .....	75
Table 8.5	Live Births by Type of Birth Defects, 2004-2015 .....	76

Table 8.6 Original Nationality of the Parturient, 2004-2015..... 77

## Appendixes

I . Definition of Variables ..... 82

II . Birth Reporting Background and Development ..... 91

III . Birth Reporting Procedures and Forms Used for Birth Reporting..... 97



## 統計分析結果摘要

本統計年報係分成二部分，第一部分為 104 年出生通報統計，第二部分為歷年全國統計(活產)，其中第一部分分為三大類：一、活產及死產的比例，二、活產新生兒特性，三、產婦原始國籍等，分別與出生月份、新生兒性別、活產胎次、出生體重、懷孕週數、有無先天缺陷、缺陷類別、第一分鐘 APGAR SCORE、第五分鐘 APGAR SCORE、產婦現住地縣市別、產婦戶籍地縣市別、產婦配偶戶籍地縣市別、新生兒出生地縣市別、產婦現住地城鄉別、產婦年齡、產婦原始國籍、出生場所及接生者、生產方式等若干項交叉統計。

### 壹、104 年出生通報統計

#### 一、活產及死產的比例

##### (一)出生月份

本年總出生通報人數(含活產及死產)有 216,229 人。由出生月份觀察，以十月份共 19,810 人，占 9.16%，為最多；十一月份共 19,536 人，占 9.03%，次之；十二月份共 18,903 人，占 8.74%，居第三位。出生數最少之出生月份為二月份共 16,152 人，占 7.47% (表 1.1a)。

在總通報人數 216,229 人中，有 1.16% 為死產，其餘 98.84% 為活產。另就死產人數占該月份總通報人數來看，死產比例較高的月份為六月份(1.44%)及四月份(1.42%) (表 1.1b)。

##### (二)產婦現住地縣市別(表 1.2)

產婦現住地縣市別中，出生通報人數最多依序為(1)新北市共 39,542 人，其中活產人數占 98.83%，死產人數占 1.17%；(2)台中市共 27,870 人，其中活產人數占 98.78%，死產人數占 1.22%；(3)台北市共 25,165 人，其中活產人數占 99.07%，死產人數占 0.93%。

另就死產人數占產婦現住地之各縣市通報人數來看，死產比例較高的縣市為澎湖縣(1.54%)，其次為宜蘭縣(1.47%)、台南市(1.43%)。另連江縣出生通報人數僅 75 人，均為活產。而嘉義市通報 2,147 人，死產為 0.84%，死產比例最低。

### (三)產婦戶籍地縣市別(表 1.3)

產婦戶籍地縣市別中，出生通報人數最多依序為(1)新北市共 35,891 人，活產人數占 98.88%，死產人數占 1.12%；(2)台北市共 29,389 人，活產人數占 98.99%，死產人數占 1.01%；(3)台中市共 27,149 人，活產人數占 98.77%，死產人數占 1.23%。

產婦戶籍地縣市別中，出生通報人數最少依序為(1)連江縣共 132 人；(2)澎湖縣共 963 人；(3)金門縣共 1,515 人。

產婦戶籍地縣市別中，在死產數比例上，以宜蘭縣(1.46%)、台南市(1.39%)及台東縣(1.33%)等縣市較高。

### (四)產婦配偶戶籍地縣市別(表 1.4)

產婦配偶戶籍地縣市別中，出生通報人數最多依序為(1) 新北市共 34,222 人，活產人數占 98.90%，死產人數占 1.10%；(2) 台北市共 27,848 人，活產人數占 99.03%，死產人數占 0.97%；(3) 台中市共 26,794 人，活產人數占 98.77%，死產人數占 1.23%。

產婦配偶戶籍地縣市別中，出生通報人數最少依序為(1)連江縣共 159 人，活產人數占 99.37%，死產人數占 0.63%；(2)澎湖縣共 962 人，活產人數占 98.54%，死產人數占 1.46%；(3)金門縣共 1,418 人，活產人數占 98.45%，死產人數占 1.55%。

產婦配偶戶籍地縣市別中，在死產數比例上，以金門縣(1.55%)、澎湖縣(1.46%)、花蓮縣 (1.43%)等縣市較高，而以連江縣之 0.63%最低，嘉義市之 0.68%次低。

### (五)新生兒出生地縣市別(表 1.5)

新生兒出生地縣市別中，出生通報人數最多依序為(1)台北市共 33,650 人，活產人數占 98.62%，死產人數占 1.38%；(2)台中市共 30,430 人，活產人數占 98.76%，死產人數占 1.24%；(3)新北市共 29,465 人，活產人數占 99.24%，死產人數占 0.76%。

新生兒出生地縣市別中，出生通報人數最少依序為(1)連江縣共 14 人，均為活產；(2)澎湖縣共 447 人，活產人數占 99.11%，死產人數占

0.89%；(3)金門縣共 492 人，活產人數占 99.39%，死產人數占 0.61%。

死產數比例，則以台南市(1.45%)、桃園市(1.42%)及台北市(1.38%)較高。

#### (六)產婦現住地縣市別及產婦原始國籍別(表 1.6)

產婦現住地縣市別中，本國籍產婦所生者為 203,081 人(占 93.92%)，非本國籍產婦所生者為 13,144 人，其中最多的是大陸(含港澳)籍產婦所生者共 6,918 人，占通報數的 3.20%；其次則為越南籍產婦所生者共 3,638 人，占全部通報數的 1.68%；印尼籍產婦所生者共 959 人，占 0.44%；其他外籍產婦所生者共 1,629 人，占 0.75%。

以產婦原始國籍在產婦現住地縣市中之分布情形而言，有下列發現：(1)外籍產婦比例最低的是台東縣，僅占該縣出生通報數的 3.81%，其次則為花蓮縣，占 4.54%；最多的則為連江縣 21.33%，金門縣 10.13%及雲林縣 8.43%。(2)大陸(含港澳)籍產婦比例最高的是連江縣 18.67%，金門縣 9.11%及基隆市 4.32%。(3)越南籍產婦的比例最高的是澎湖縣 3.24%，雲林縣 2.95%及嘉義縣 2.95%。(4)印尼籍產婦比例最高的是新竹縣 0.97%及澎湖縣 0.93%。

#### (七)產婦現住地城鄉別

產婦現住地城鄉別中，總出生通報數為 216,229 人，其中人數最多依序為(1)直轄市共 155,208 人，占總通報人數 71.78%；(2)鄉共 22,104 人，占總通報人數 10.22%；(3)鎮共 16,157 人，占總通報人數 7.47% (表 1.7a)。

另外，產婦現住地城鄉別中活產及死產的比例並未顯示有明顯的差異 (表 1.7b)。

#### (八)產婦年齡

產婦年齡中，出生通報人數最多依序為(1)30-34 歲產婦所生者 89,334 人，占總通報人數 41.32%；(2) 25-29 歲產婦所生者 51,979 人，占總通報人數 24.04%；(3)35-39 歲產婦所生者 46,972 人，占總通報人數 21.72%。另外，由未滿 20 歲產婦所生的有 3,230 人，占總通報人數的 1.49%，而由 35 歲以上的高齡產婦所生的有 54,164 人，占總通報人數的 25.05% (表 1.8a)。

另外各產婦年齡的死產人數占各該年齡總通報數的比例中，以年齡 $\geq 50$ 歲產婦中最高，為6.25%，相較總通報數之死產比例1.16%高許多。其次，為45-49歲產婦，占3.45%，再其次為40-44歲產婦之2.46%及未滿20歲產婦之2.11% (表 1.8b)。

### (九)產婦原始國籍

產婦原始國籍中，本國籍產婦所生者為203,081人，占總通報數93.92%。外籍產婦所生者為13,144人，占總通報人數6.08%。外籍產婦所生者最多依序為(1)大陸(含港澳)籍產婦所生者共6,918人，占總通報人數3.20%；(2)越南籍產婦所生者共3,638人，占總通報人數1.68%；(3)印尼籍產婦所生者共959人，占總通報人數0.44%。除上述所提之外籍產婦外，其他外籍產婦所生者共1,629人，占總通報人數的0.75%。另外各產婦原始國籍所生之活產及死產人數占總活產及死產人數的比例多寡順序與上述相同 (表 1.9a)。

本國籍產婦所生之死產數占其總通報人數比例(1.19%)比外籍產婦所生之死產數占其總通報人數比例(0.75%)高。此外，為外籍產婦所生之死產比例以泰國籍較高，達1.99% (表 1.9b)。

### (十)出生場所及接生者

出生場所中，出生通報人數最多依序為(1)醫院共155,534人，占總通報數71.93%；(2)診所共60,316人，占總通報數27.89%；(3)助產所、自宅或其他地方生產者共379人，占總通報數0.18%。接生者中，為醫師接生者，共215,983人，占總通報數99.89% (表 1.10a)。

此外，出生場所為自宅者，其死產數占其總通報數比例為1.81%，為出生場所類別中最高者(其他場所出生者2.50%不計) (表 1.10b)。

### (十一)生產方式

生產方式中，出生通報人數最多為(1)陰道生產，共121,017人，占總通報數55.97%；(2)第一次剖腹產，共46,522人，占總通報數21.52%；(3)有剖腹產史之剖腹產，共30,622人，占總通報數14.16%。另採自然產方式生產者占總通報數64.32%，採剖腹產方式生產者占總通報數35.68% (表 1.11a)。

至於各類生產方式的死產比例以有剖腹產史之陰道生產(7.69%)最高，其次則為陰道生產(1.73%) (表 1.11b)。

## (十二)出生體重

出生體重中，出生通報人數最多依序為(1)2500-3999 公克者共 191,627 人，占總通報數 88.62%；(2)1500-2499 公克者共 17,595 人，占總通報數 8.14%；(3) <1500 克者共 4,067 人，占總通報數 1.88%。另出生體重  $\geq 4000$  公克之新生兒有 2,940 人，占總通報人數之 1.36% (表 1.12a)。

至於死產數於各出生體重所占比例，在 <1500 公克中達 52.27%；在 1500-2499 公克中，占 1.30%。至於在超過 2500 公克以上的死產比例較低 (表 1.12b)。

## (十三)懷孕週數

懷孕週數中，出生通報人數最多依序為(1) 39-40 週者共 95,490 人，占總通報數 44.16%；(2) 37-38 週者共 93,998 人，占總通報數 43.47%；(3) 未滿 37 週者共 22,383 人，占總通報數 10.35% (表 1.13a)。

至於死產數占該懷孕週數的總通報數中，在未滿 37 週者占 10.50% 最高 (表 1.13b)。

## (十四)有無先天缺陷

有無先天缺陷中，出生通報人數中無缺陷者共 214,675 人(99.28%)；有缺陷者，共 1,554 人(0.72%) (表 1.14a)。

至於死產的比例，有先天缺陷之死產比例為 34.04%，而無先天缺陷者中，則占 0.93% (表 1.14b)。

## (十五)出生第一分鐘 APGAR SCORE

出生通報人數中，出生第一分鐘 APGAR SCORE 小於 7 分者，共 7,508 人，占總通報人數的 3.47%。在 7,508 人中，2,507 人或 33.39% 係死產。(表 1.15a 及 1.15b)。

## (十六)出生第五分鐘 APGAR SCORE

出生通報人數中出生第五分鐘 APGAR SCORE 小於 7 分者，共 3,511 人，占總通報人數的 1.62%。在 3,511 人中有 2,507 人或 71.40% 是死產。(表 1.16a 及 1.16b)。

### 二、活產新生兒特性

#### (一)性比例

依活產胎次(表 2.1)呈現，活產性比例最高依序為第三胎(114.45)，第二胎(108.35)，第一胎 (107.36)，第四胎及以上(107.04)。

依產婦現住地縣市別(表 2.2)呈現，性比例最高前三名依序為澎湖縣(126.24)，連江縣(120.59)，基隆市(114.01)。

依產婦配偶戶籍地縣市別(表 2.3)呈現，性比例最高前三名依序為金門縣(116.77)，基隆市(114.02)，新竹縣(111.47)。

依產婦年齡(表 2.4)呈現，性比例最高前三名依序為產婦年齡 45-49 歲(143.48)，產婦年齡 40-44 歲(109.56)，產婦年齡 35-39 歲(109.45)。

依出生場所(表 2.5)呈現，性比例較高者依序為自宅(110.08)及診所(108.50)。

#### (二)出生體重

依活產胎次(表 3.1)所示，總通報活產數為 213,710 人。活產出生體重未滿 2500 公克的低體重新生兒占百分比最高為第四胎及以上(14.50%)，其次為第三胎(10.32%)。出生體重為 4000 公克或以上者占百分比最高為第三胎 (2.03%)，其次為第四胎及以上 (1.95%)。

依產婦現住地縣市別(表 3.2)呈現，活產出生體重小於 2500 公克者占百分比最高為台東縣(10.71%)，其次為金門縣(10.36%)及南投縣(9.93%)。

依產婦配偶戶籍地縣市別(表 3.3)呈現，活產出生體重小於 2500 公克者占百分比最高為台東縣(10.74%)，其次為金門縣(10.53%)及南投縣(9.95%)。

依產婦年齡(表 3.4)呈現，活產出生體重小於 2500 公克者占百分比最高為產婦年齡 $\geq 50$  歲者(60.00%)，其次為產婦年齡 45-49 歲者(22.77%)。

依出生場所及接生者(表 3.5)呈現，出生體重小於 2500 公克者所占百分比最高為在其他場所生產者(29.49%)，其次為在自宅生產者(21.77%)。

依生產方式(表 3.6)呈現，第一次剖腹產出生體重小於 2500 公克者所占百分比最高，占 17.66%，其次為有剖腹產史之陰道生產出生體重小於 2500 公克者占 17.34%。

### (三)懷孕週數

總活產通報數之 213,710 人中，懷孕週數未滿 37 週之早產兒占 9.37%，而懷孕週數在 42 週或以上的比例占 0.05% (表 4.1)。

依活產胎次(表 4.1)呈現，活產懷孕週數未滿 37 週之早產兒所占百分比最高的是第四胎及以上者(17.40%)，次為第三胎(13.15%)，再次為第二胎(10.25%)，最低的是第一胎(7.72%)。

依產婦現住地縣市別(表 4.2)呈現，活產懷孕週數未滿 37 週之早產兒所占百分比最高的是南投縣(10.98%)，次為基隆市(10.92%)，再次為連江縣(10.67%)。最低的是澎湖縣(7.05%)，次低者為苗栗縣(8.75%)。

依產婦配偶戶籍地縣市別(表 4.3)呈現，活產懷孕週數未滿 37 週之早產兒所占百分比最高的是連江縣(11.39%)，次為南投縣(10.99%)，再次為基隆市(10.69%)。最低的是澎湖縣(8.33%)，次低者為台北市(8.60%)。

依產婦年齡(表 4.4)呈現，活產懷孕週數小於 37 週之早產兒的百分比來看，最高為 $\geq 50$  歲產婦所生者，占 46.67%，次為 45-49 歲產婦所生者，占 31.25%，再其次則為 40-44 歲產婦所生者占 14.00%及  $< 20$  歲產婦所生者占 11.92%。

依出生場所(表 4.5)呈現，懷孕週數小於 37 週之早產兒所占百分比以在自宅出生者最高，為 21.03% (其他場所出生者 24.36%不計)。按接生者身分來看(表 4.5)，懷孕週數小於 37 週者所占百分比以由醫師接生者 9.37%最高。(其他接生者 25.00%不計)。

依生產方式(表 4.6)呈現，懷孕週數小於 37 週者的百分比來看，最多為有剖腹產史之陰道生產所生者，占 18.55%，次者為第一次剖腹產所生者占 17.80%，再次為有剖腹產史之剖腹產所生者占 10.97%。

#### (四)有無先天缺陷

就總活產通報數之 213,710 人中，有先天缺陷者占 0.48%。依活產胎次(表 5.1)呈現，有先天缺陷之百分比以第四胎及以上占 0.59%最高，次為第三胎之 0.53%，再次為第一胎之 0.49%，最低為第二胎之 0.45%。

依產婦現住地縣市別(表 5.2)呈現，有先天缺陷之百分比以連江縣 2.67%最高，次為台南市 0.94%，再次為南投縣的 0.84%。最低的是基隆市 0.08%，次低的是金門縣 0.13%。

依產婦配偶戶籍地縣市別(表 5.3)呈現，有先天缺陷之百分比以連江縣 1.27%最高，次為台南市 0.80%，再次為宜蘭縣 0.75%。最低的是金門縣 0.07%，次低的是基隆市 0.22%，再次為新竹市 0.30%。

依產婦年齡(表 5.4)呈現，新生兒有先天缺陷百分比以產婦年齡 45-49 歲者最高占 0.89%，次為產婦年齡 40-44 歲者占 0.87%，再次為 <20 歲者占 0.51%。產婦年齡在  $\geq 50$  歲之活產新生兒均無先天缺陷，而 25-29 歲者有先天缺陷百分比相對最低。

依出生場所(表 5.5)呈現，有先天缺陷百分比中，助產所為 4.35%，次為醫院 0.61%。(其他場所出生者不計)

依生產方式(表 5.6)呈現，有先天缺陷百分比中有剖腹產史之陰道生產所生者最高占 1.61%，次為第一次剖腹產占 0.61%，再次為陰道真空吸引生產占 0.49%。

#### (五)缺陷類別

依產婦現住地縣市別及產婦配偶戶籍地縣市別(表 6.1、6.2)呈現，缺陷類別中人數最多依序為(1) 骨骼肌肉系統；(2) 眼顏面系統；(3)心臟血管系統；(4) 泌尿生殖系統；(5) 消化系統。最少的是呼吸系統缺陷。

### 三、產婦原始國籍

#### (一)產婦年齡(表 7.1)

產婦年齡中，就本國籍產婦來看，最高為 30-34 歲產婦所生者占 41.60%，次為 25-29 歲產婦所生者占 23.56%，再次為 35-39 歲產婦所生者占 21.98%。就外籍產婦來看，最高為 30-34 歲產婦所生者占 37.74%，次為 25-29 歲產婦所生者占 32.37%，再次為 35-39 歲產婦所生者占 16.78%。

另就外籍產婦來看，產婦年齡介於 25-29 歲者占該外籍產婦之比例，其中大陸(含港澳)籍產婦為 38.02%、菲律賓籍產婦為 29.71%、越南籍產婦為 28.93%。此外產婦年齡未滿 20 歲者，以印尼籍最高，占 1.80%。相對的，35 歲以上產婦所生者，外籍產婦則以柬埔寨籍 41.18% 最高，次為泰國籍的 33.11%，再次為緬甸籍的 32.80%。

#### (二)生產方式(表 7.2)

生產方式中，採陰道生產方式生產之比例，外籍產婦(66.46%)較本國籍產婦(63.91%)高。採第一次剖腹產方式生產之比例，本國籍產婦(21.78%)較外籍產婦(19.91%)高。有剖腹產史之剖腹產方式之比例，亦為本國籍產婦(14.31%)較外籍產婦(13.63%)高。另外籍產婦中，不論國籍別，多採陰道生產方式生產，其中印尼籍產婦占 72.59%、越南籍產婦占 69.24%、柬埔寨籍產婦占 66.67%、馬來西亞籍產婦占 64.91%、大陸(含港澳)籍產婦占 64.14%、菲律賓籍產婦之陰道生產比例占 63.93%、泰國籍產婦占 62.16%、緬甸籍產婦占 55.03%。(其他外籍產婦占 73.16%)。

#### (三)性比例(表 7.3)

新生兒性比例中，本國籍產婦所生之新生兒性比例為 108.25，外籍產婦所生之新生兒性比例為 109.88。

#### (四)出生體重(表 7.4)

出生體重中，本國籍產婦所生者出生體重未滿 2500 公克者為 9.20%，高於所有外籍產婦合計的 6.51%。如將外籍產婦按國籍別分開，則其生出低體重兒之百分比以馬來西亞籍產婦的 15.20% 最高，其次依序為緬甸籍產婦 7.41%，菲律賓籍產婦 7.16%，大陸(含港澳)籍產婦 6.69%，

越南籍產婦 5.90%，柬埔寨籍產婦 5.88%，印尼籍產婦 5.71%及泰國籍產婦 5.41%。(其他外籍產婦 6.55%)。

### (五)懷孕週數(表 7.5)

懷孕週數中，本國籍產婦所生者懷孕週數不到 37 週者占 9.47%，高於所有外籍產婦合計的 7.96%。如將外籍產婦按國籍別區分，則其出生早產兒百分比由高而低排列，以馬來西亞籍產婦的 14.62%最高，次為柬埔寨籍產婦 12.75%，再次為菲律賓籍產婦 9.02%，印尼籍產婦 8.57%，大陸(含港澳)籍產婦 7.97%，越南籍產婦 7.53%，緬甸籍產婦 7.41%，最低的為泰國籍產婦 4.73%。(其他外籍產婦 7.19%)。

### (六)有無先天缺陷(表 7.6)

有無缺陷中，本國籍產婦先天缺陷之百分比為 0.48%，低於所有外籍產婦所生者先天缺陷之百分比的 0.51%。如將外籍產婦按國籍別，依其生出先天缺陷兒之百分比由高而低排序，則以泰國籍產婦 1.35%最高，其次依序為馬來西亞籍產婦 0.58%，大陸(含港澳)籍產婦 0.55%，菲律賓籍產婦 0.53%，越南籍產婦 0.47%，印尼籍產婦 0.32%，柬埔寨籍產婦 0.00%，緬甸籍產婦為 0.00%。(其他外籍產婦 0.48%)。

## 貳、歷年全國統計(活產)

### (一) 新生兒性比例(表 8.1)

歷年活產性比例呈階段式下降趨勢。相較於 93 年之活產新生兒性比例 110.76，94-97 年介於 109.12-109.77 間，有微幅下降的現象，而 98-99 年則介於 108.50-108.95 間，較 94-97 年微幅下降；100-102 年則介於 107.38-107.87 間，雖較 98-99 年下降，唯性比例仍在 107 以上，與正常出生性比例 106 比較，仍有偏高的現象。而 103 年之活產新生兒性比例為 106.93，為近年新生兒性比例首次低於 107。唯 104 年之活產新生兒性比例上升至 108.35。

### (二) 新生兒出生體重(表 8.2)

歷年活產新生兒出生體重中，出生體重<2500 克者，歷年活產數維持在總通報數 7-9%之間，有逐年微幅上升之趨勢；出生體重 $\geq$ 4000 克者，歷年活產數維持在總通報數 1.3-2.4%之間，有逐年下降之趨勢。

### (三) 新生兒懷孕週數(表 8.3)

歷年活產新生兒懷孕週數中，懷孕週數<37 週者，歷年活產數維持在總通報數 8.4-9.4%之間，逐年無明顯一致之變化；懷孕週數 $\geq$ 42 週者，歷年活產數維持在總通報數 0.4%以下，有逐年下降之趨勢。

### (四) 新生兒有無先天缺陷及缺陷類別

有缺陷之活產新生兒(表 8.4)，歷年活產數比例維持在總通報數 0.7%以下，有逐年微幅減少的現象；缺陷類別中(表 8.5)，歷年均以骨骼肌肉系統及眼顏面系統等兩類缺陷人次較高，其次為心臟血管系統、泌尿生殖系統、消化系統等缺陷，再其次為神經系統及染色體異常，最少者為呼吸系統。

### (五) 產婦原始國籍別(表 8.6)

歷年活產新生兒產婦原始國籍別中，外籍產婦所生之新生兒所占比例，有逐年下降的現象，由 93 年佔 13.78%，逐年下降為 104 年的 6.10%；其中越南籍產婦所生者下降最多，由 93 年的 6.13%，下降為 104 年的 1.69%。

# Summary of Statistics

This annual report is composed of two parts: The Statistics of Birth Reporting System 2015 and Annual National Statistics (Live Births). The Statistics of Birth Reporting System 2015 is included into three categories: I. Live and Still Birth Percentages, II. Characteristics of Live Births, and III. Original Nationality of the Parturient. Cross analyses between the three categories and the following factors were further examined: birth by month, sex, live birth order, weight at birth, weeks of pregnancy, presence of birth defects, types of birth defects, first minute APGAR SCORE, fifth minute APGAR SCORE, current residence of the parturient by city/county, registered household of the parturient by city/county, registered household of the spouse of the parturient by city/county, birth place by city/county, residence of the parturient by urban/rural areas, age of the parturient, original nationality of the parturient, place of birth delivery and types of medical professionals, and method of delivery.

## Part 1 Live and Still Birth Percentages

### 1. The Statistics of Birth Reporting System 2015

#### (1) Births by Month of Birth

The total number of birth reporting of the Year 2015 reached 216,229, including all the live and still births. The following three months scored the highest numbers of births: 19,810 in October, which was 9.16% of all; 19,536 in November, 9.03%; 18,903 in December, 8.74%. The least number of births fell in February, totaling 16,152, which was 7.47% of all. (Table 1.1a)

Among the total 216,229 birth reporting, 1.16% births were still births, and the rest 98.84% were live births. In terms of the percentage of still births in the total births by month, June (1.44%) and April (1.42%) scored the highest ratio. (Table 1.1b)

#### (2) Births by Current Residence of the Parturient (Table 1.2)

When we look at the births by current residence of the parturient, birth reporting records illustrated the following concentration: (1) 39,542 births were in New Taipei City, 98.83% live births, 1.17% still births; (2) 27,870 in Taichung City, 98.78% live births, 1.22% still births; (3) 25,165 in Taipei City, 99.07% live births, 0.93% still births.

In terms of the percentage of still births by the current residence of the parturient, the highest ratio of still births fell in Penghu County (1.54%), followed by Ilan County (1.47%), and Tainan City (1.43%). In addition, a mere 75 births were notified from Lianjiang County, all of them were live births, whereas Chiai City notified 2,147 births, and only 0.84% of them were still births, the lowest among all cities and counties.

### **(3) Births by Registered Household of the Parturient (Table 1.3)**

In terms of births by registered household of the parturient, the highest numbers of births were ranked in the following order: (1) 35,891 in New Taipei City, 98.88% live births, 1.12% still births; (2) 29,389 in Taipei City, 98.99% live births, 1.01% still births; (3) 27,149 in Taichung City, live births 98.77%, still births 1.23%.

In the same analysis, the lowest figures of births were in the following places: (1) 132 in Lianjiang County; (2) 963 in Penghu County; (3) 1,515 in Kinmen County.

The highest ratio of still births fell in Ilan County (1.46%), followed by Tainan City (1.39%) and Taitung County (1.33%).

### **(4) Births by Registered Household of the Spouse of the Parturient (Table 1.4)**

When we look at births by registered household of the spouse of the parturient, the highest figures of births were in the following three places: (1) 34,222 in New Taipei City, live births 98.90%, still births 1.10%; (2) 27,848 in Taipei City, live births 99.03%, still births 0.97%; (3) 26,794 in Taichung City, live births 98.77%, still births 1.23%.

In the same analysis, the lowest figures were in the following three places: (1) 159 in Lianjiang County, live births 99.37%, still births 0.63%; (2) 962 in Penghu County, live births 98.54%, still births 1.46%; (3) 1,418 in Kinmen County, live births 98.45%, still births 1.55%.

In terms of the ratio of still births, Kinmen County (1.55%), Penghu County (1.46%), Hualien County (1.43%) had higher figures, whereas Lianjiang County (0.63%) marked the lowest, and the second to the lowest was Chiai City (0.68%).

### **(5) Births by Birth Place (Table 1.5)**

According to birth reporting records, statistics of the birth place showed the three highest numbers as follows: (1) 33,650 in Taipei City, live births 98.62%, still

births 1.38%; (2) 30,430 in Taichung City, live births 98.76%, still births 1.24%; (3) 29,465 in New Taipei City, live births 99.24%, still births 0.76%.

In the same analysis, the lowest figures were in the following order: (1) 14 in Lianjiang County, all of them were live births; (2) 447 in Penghu County, live births 99.11%, still births 0.89%; (3) 492 in Kinmen County, live births 99.39%, still births 0.61%.

In terms of the ratio of still births, Tainan City (1.45%), Taoyuan City (1.42%) and Taipei City (1.38%) had higher percentages.

#### **(6) Births by Current Residence of the Parturient and Original Nationality of the Parturient (Table 1.6)**

Among all the births notified in 2015, a total of 203,081 (93.92%) were born by the parturient of the ROC nationality. The other 13,144 births were born by those of a foreign nationality, among them Mainland Chinese citizens (including those from HK and Macao) and Vietnamese citizens contributed the two highest figures, 6,918 births (3.20%) and 3,638 births (1.68%) respectively, followed by 959 births by Indonesian citizens (0.44%), and 1,629 by other nationalities (0.75%).

Analysis of the distribution of original nationality and current residence of the parturient confirmed the following findings: (1) Taitung County had the lowest number of births born by the foreign parturient, accounting for 3.81% of the births in that city, followed by Hualien County, 4.54%. The highest ratios were found in Lianjiang County (21.33%), Kinmen County (10.13%), and Yunlin County (8.43%); (2) Among the parturient from Mainland China (including those from HK and Macao), most of them were in Lianjiang County (18.67%) and Kinmen County (9.11%), followed by Keelung City (4.32%), the third largest; (3) For the Vietnamese parturient, the following places had the highest ratios of their presence: Penghu County (3.24%), Yunlin County (2.95%), and Chiai County (2.95%); (4) For the Indonesian parturient, the following places had the highest ratios of their presence: Hsinchu County (0.97%), and Penghu County (0.93%).

#### **(7) Births by Urban/Rural Areas of the Current Residence of the Parturient**

In terms of the parturient whose residence was in urban or rural areas notified in 2015, totaling 216,229, the highest numbers of urban/rural distribution were in the following order: (1) 155,208 births in Municipalities under the Central Government, 71.78% of all births; (2) 22,104 in villages, 10.22% of all; (3) 16,157 in townships, 7.47% of all. (Table 1.7a)

In addition, the ratios of live and still births under each rural and urban category did not demonstrate any clear distinction. **(Table 1.7b)**

### **(8) Births by Age of the Parturient**

In terms of age of the parturient, birth numbers were distributed as follows: (1) 89,334 were born by the parturient age 30-34, 41.32% of all births; (2) 51,979 by age 25-29, 24.04%; (3) 46,972 by age 35-39, 21.72%. Besides, 3,230 births were born by the parturient below 20 years of age, 1.49% of all births; 54,164 by those older than 35 years of age, 25.05%. Rankings of ratios of live births and still births in different age brackets remained the same as above. **(Table 1.8a)**

When we look at each age bracket of the parturient, age bracket  $\geq 50$  had the highest ratio of still births (6.25%), a lot higher than the average 1.16% of all births. Those age bracket 45-49 had the second highest percentage of still births (3.45%), followed by age bracket 40-44 (2.46%) and those under 20 years of age (2.11%). **(Table 1.8b)**

### **(9) Births by Original Nationality of the Parturient**

In terms of original nationality of the parturient, 203,081 were born by the ROC parturient, 93.92% of all births; 13,144 were born by non-ROC parturient, 6.08%. The highest numbers of births by the foreign parturient were ranked as follows: (1) 6,918 births by Mainland China (including those from HK and Macao) citizens, 3.20% of all births; (2) 3,638 by Vietnam citizens, 1.68% of all; (3) 959 births by Indonesian citizens, 0.44% of all. The rest 1,629 births were by the parturient of other nationalities, 0.75%. In addition, ratios of live births and still births by the parturient of different nationalities were ranked in the same order as above. **(Table 1.9a)**

The ratio of still births to the total births by the ROC parturient (1.19%) was higher than that by the foreign parturient (0.75%). Moreover, the Thailand parturient had 1.99% of still births, the highest among all the foreign parturient. **(Table 1.9b)**

### **(10) Births by Birth Delivery Place and Medical Professional**

In terms of birth delivery place, the numbers of births delivered were in the following order: (1) 155,534 births were delivered in hospitals, 71.93% of all births; (2) 60,316 births were delivered in clinics, 27.89% of all births; (3) 379 births (0.18%) at the midwife clinics, home of the parturient, and others. Among medical professionals delivering the newborn, 215,983 births were delivered by physicians, contributing to 99.89% of all. **(Table 1.10a)**

Birth delivery home of the parturient had the highest still birth ratio of 1.81%, the highest among all the birth delivery place (without giving consideration to the 2.50% in the category of “Others”). **(Table 1.10b)**

### **(11) Births by Method of Delivery**

In method of delivery, the numbers of births were delivered by different methods as follows: (1) 121,017 births by vaginal delivery, 55.97% of all; (2) 46,522 births by cesarean section, 21.52%; (3) 30,622 births by previous cesarean section, 14.16%. All in all, 64.32% of births were delivered through spontaneous delivery, and 35.68% by cesarean section. **(Table 1.11a)**

In terms of still birth ratio, vaginal birth after cesarean had the highest percentage (7.69%), followed by vaginal delivery (1.73%). **(Table 1.11b)**

### **(12) Births by Birth Weight**

The births were distributed in the following weight ranges: (1) 191,627 births had a weight between 2500-3999 grams, 88.62% of all births; (2) 17,595 births between 1500-2499 grams, 8.14%; (3) 4,067 births weighed less than 1500 grams, 1.88%. Besides, 2,940 births weighed more than 4000 grams, 1.36% of all births. **(Table 1.12a)**

When we look at the ratio of still births in each weight range, 52.27% of those under 1500 grams were still births; 1.30% of those in the 1500-2499 grams range were still births. For births weighing more than 2500 grams, the ratios of still births were very low. **(Table 1.12b)**

### **(13) Births by Weeks of Pregnancy**

In terms of weeks of pregnancy, the highest numbers of births had the following weeks of pregnancy: (1) 95,490 births had a length of pregnancy of 39-40 weeks, 44.16% of all births; (2) 93,998 births had a length of pregnancy of 37-38 weeks, 43.47% of all births; (3) 22,383 births less than 37 weeks, 10.35%. **(Table 1.13a)**

As for the ratio of still births, 10.50% of those whose pregnancy was less than 37 weeks were still births. **(Table 1.13b)**

### **(14) Births by Presence of Birth Defects**

Most births, a total of 214,675, were not born with any birth defect (99.28%),

whereas 1,554 births had at least one birth defect (0.72%). (**Table 1.14a**)

As for the ratio of still births, 34.04% of births with at least one birth defect were still births, whereas 0.93% of births without any birth defect were still births. (**Table 1.14b**)

### **(15) Births by First Minute APGAR SCORE**

In all the births, 7,508 births or 3.47% of them had a First Minute Apgar Score lower than 7, among them 2,507 births or 33.39% were still births. (**Table 1.15a and Table 1.15b**)

### **(16) Births by Fifth Minute APGAR SCORE**

In all the births, 3,511 births or 1.62% of them had a Fifth Minute Apgar Score lower than 7, among them 2,507 or 71.40% were still births. (**Table 1.16a and Table 1.16b**)

## **2. Characteristics of Live Births**

### **(1) Sex Ratio**

In the sex ratio of live births by live birth order (**Table 2.1**), the third live birth had the highest sex ratio (114.45), followed by the second live birth (108.35), the first (107.36), and the fourth and above (107.04).

When we look at the current residence of the parturient (**Table 2.2**), statistics showed the top three highest sex ratios in the following order: Penghu County (126.24), Lianjiang County (120.59), and Keelung City (114.01).

In terms of the registered household of the spouse of the parturient (**Table 2.3**), the top three highest sex ratios were Kinmen County (116.77), Keelung City (114.02), and Hsinchu County (111.47).

When we look at age of the parturient (**Table 2.4**), those age 45-49 had the highest sex ratio (143.48), followed by those age 40-44 (109.56), and age 35-39 (109.45).

In terms of the birth delivery place (**Table 2.5**), the highest sex ratio was in home of the parturient (110.08), followed by clinics (108.50).

## **(2) Birth Weight**

In birth weight of live births by live birth order (**Table 3.1**), among the total 213,710 live births, in weight groups less than 2500 grams, the fourth birth order and above had the highest ratio (14.50%), followed by the third birth order (10.32%). In the weight group not less than 4000 grams, the third birth order had the highest ratio (2.03%), followed by the fourth birth order and above (1.95%).

In the current residence of the parturient (**Table 3.2**), the highest percentage of live births weighing less than 2500 grams was in Taitung County (10.71%), followed by Kinmen County (10.36%) and Nantou County (9.93%).

In the registered household of the spouse of the parturient (**Table 3.3**), the highest percentage of live births weighing less than 2500 grams was in Taitung County (10.74%), followed by Kinmen County (10.53%) and Nantou County (9.95%).

In the age of the parturient (**Table 3.4**), for live births weighing less than 2500 grams, the parturient  $\geq 50$  years of age had the highest percentage (60.00%), followed by those between 45-49 years old (22.77%).

In birth delivery place and medical professional (**Table 3.5**), for live births weighing less than 2500 grams, the highest ratio of them were born at other places (29.49%), followed by the home of the parturient (21.77%).

In terms of method of delivery (**Table 3.6**), in birth weight less than 2500 grams, cesarean section had the highest percentage (17.66%), followed by vaginal birth after cesarean (17.34%).

## **(3) Weeks of Pregnancy**

Among the total 213,710 live births, 9.37% of them had a pregnancy less than 37 weeks whereas 0.05% had a pregnancy not less than 42 weeks. (**Table 4.1**)

In terms of live birth order, for those whose pregnancy is less than 37 weeks, the fourth birth order and above had the highest ratio (17.40%), followed by the third (13.15%), the second (10.25%), and the first (7.72%). (**Table 4.1**)

In the current residence of the parturient (**Table 4.2**), the highest percentage of live birth pregnancy less than 37 weeks was found in Nantou County (10.98%), followed by Keelung City (10.92%), and Lianjiang County (10.67%). The lowest percentage fell in Penghu County (7.05%), and the second to the lowest was Miaoli County (8.75%).

In terms of the registered household of the spouse of the parturient (**Table 4.3**), the highest percentage of live birth pregnancy less than 37 weeks was found in Lianjiang County (11.39%), followed by Nantou County (10.99%) and Keelung City (10.69%). The lowest percentage fell in Penghu County (8.33%), and the second to the lowest was Taipei City (8.60%).

When we look at the age of the parturient (**Table 4.4**), for live birth pregnancy less than 37 weeks, the parturient those older than 50 years of age had the highest percentage (46.67%), followed by age 45-49 (31.25%), age 40-44 (14.00%), and those under 20 years of age (11.92%).

As for the birth delivery place (**Table 4.5**), the highest percentage of live birth pregnancy less than 37 weeks was found to be the home of the parturient (21.03%), without giving consideration to the 24.36% in the category of “Others”. In terms of types of medical professional (**Table 4.5**), 9.37% of births whose pregnancy was less than 37 weeks were delivered by physicians, which was the highest percentage. (without giving consideration to the 25.00% in the category of “Others”).

In terms of the method of delivery (**Table 4.6**), for live birth pregnancy less than 37 weeks, vaginal birth after cesarean had the highest ratio of 18.55%, followed by cesarean section (17.80%), and previous cesarean section (10.97%).

#### **(4) Presence of Birth Defects**

Among the 213,710 live births, 0.48% had at least a birth defect. When we look at the live birth order (**Table 5.1**), the fourth birth and above were most likely to have a birth defect (0.59%), followed by the third birth (0.53%) and the first birth (0.49%), and the least likelihood was the second birth (0.45%).

In the current residence of the parturient (**Table 5.2**), the highest percentage of births with at least a birth defect was found in Lianjiang County (2.67%), followed by Tainan City (0.94%), and Nantou County (0.84%). The lowest percentage was found in Keelung City (0.08%), second to the lowest in Kinmen County (0.13%).

In the registered household of the spouse of the parturient (**Table 5.3**), the highest percentage of live births with at least a birth defect was found in Lianjiang County (1.27%), followed by Tainan City (0.80%) and Ilan County (0.75%). The lowest percentage was found in Kinmen County (0.07%), second to the lowest in Keelung City (0.22%) and Hsinchu City (0.30%).

As for the age of the parturient (**Table 5.4**), those in the age bracket 45-49 were most likely to give birth with at least a birth defect (0.89%), followed by age bracket 40-44 (0.87%) and those under 20 years old (0.51%). The parturient age

$\geq 50$  years of age had no births with a birth defect, and age bracket 25-29 were relatively less likely to have births with a birth defect.

In terms of the birth delivery place (**Table 5.5**), the highest percentage of live births with a birth defect was found at Midwifery Clinics (4.35%), followed by in hospitals (0.61%).(without giving consideration in the category of “Others”).

In the method of birth delivery (**Table 5.6**), among births with a birth defect, vaginal birth after cesarean had the highest percentage (1.61%), followed by cesarean section (0.61%), and Vacuum Extractor Delivery (0.49%).

### **(5) Types of Birth Defects**

When we look at the current residence of the parturient and the registered household of the spouse of the parturient (**Table 6.1 and Table 6.2**), percentages of defect occurrence from high to low were found in the following order: (1) musculoskeletal system; (2) the eye and face system; (3) the heart and circulatory system; (4) the urogenital system; (5) the digestive system. Respiratory system defects had the least likelihood of occurrence.

## **3. Original Nationality of the Parturient**

### **(1) Age of the Parturient (Table 7.1)**

For the births born by the ROC parturient, 41.60% were by the parturient in the age group 30-34, 23.56% by age 25-29, and 21.98% by age 35-39. As for the births born by the non-ROC parturient, 37.74% were by the parturient age 30-34, followed by age 25-29 (32.37%), age 35-39 (16.78%).

For the non-ROC parturient, the following nationalities had a high percentage of birth concentration in the 25-29 age group: Mainland China (including HK, Macao) (38.02%), Philippines (29.71%), and Vietnam (28.93%). As for the parturient younger than 20 years of age, the Indonesia had the highest ratio of 1.80%. By contrast, the following nationalities had higher percentages of the parturient over 35 years of age: Cambodia (41.18%), Thailand (33.11%), and Myanmar(32.80%).

### **(2) Method of Birth Delivery (Table 7.2)**

The non-ROC parturient (66.46%) had a higher percentage of vaginal delivery than the ROC parturient (63.91%). As for the cesarean section, the ROC parturient (21.78%) had a higher ratio than their non-ROC counterparts (19.91%). It was the same with previous cesarean section; the ROC parturient (14.31%) had a higher

ratio than their non-ROC counterparts (13.63%). Most of the non-ROC parturient had a high percentage of vaginal delivery regardless of nationality: Indonesia (72.59%), Vietnam (69.24%), Cambodia (66.67%), Malaysia (64.91%), Mainland China (including HK, Macao) (64.14%), Philippines (63.93%), Thailand (62.16%), and Myanmar (55.03%).(73.16% of other nationalities).

### **(3) Sex Ratio (Table 7.3)**

Sex ratio of births born by the ROC parturient was 108.25, whereas that by the non-ROC parturient was 109.88.

### **(4) Birth Weight (Table 7.4)**

Among the births delivered by the ROC parturient, 9.20% weighed less than 2500 grams, higher than the percentage of 6.51% by all of the non-ROC parturient. When we look at the non-ROC parturient, the Malaysia marked the highest percentage of lower weight births (15.20%), followed by 7.41% of Myanmar, 7.16% of Philippines, 6.69% of Mainland China (including HK, Macao), 5.90% of Vietnam, 5.88% of Cambodia, 5.71% of Indonesia and 5.41% of Thailand. (6.55% of other nationalities).

### **(5) Weeks of Pregnancy (Table 7.5)**

Among the births delivered by the ROC parturient, 9.47% of them had a pregnancy shorter than 37 weeks, higher than the percentage of 7.96% by all non-citizens. When we look at the non-ROC parturient, the percentages of premature births from high to low ranked as follows: 14.62% of the Malaysia parturient, 12.75% of the Cambodia parturient, 9.02% of the Philippines parturient, 8.57% of the Indonesia parturient, 7.97% of the Mainland China (including HK, Macao) parturient, 7.53% of the Vietnam parturient, 7.41% of the Myanmar parturient, with the lowest of 4.73% of the Thailand parturient (7.19% of other nationalities).

### **(6) Birth Defects (Table 7.6)**

Among the births delivered by the ROC parturient, 0.48% of them had at least a birth defect, lower than the percentages of 0.51% by non-ROC parturient. The percentages of births with at least a birth defect delivered by non-citizens from high to low ranked as follows: 1.35% by Thailand, 0.58% by Malaysia, 0.55% by Mainland China (including HK, Macao), 0.53% by Philippines, 0.47% by Vietnam, 0.32% by Indonesia, 0.00% by Cambodia, and 0.00% by Myanmar (0.48% of other nationalities).

## **Part 2 Annual National Statistics (Live Births) Over the Years**

### **(1) Sex Ratio (Table 8.1)**

As a whole, the sex ratio of live births showed a stage downward trend over the years. Compared to the sex ratio of 110.76 in 2004, the sex ratio from 2005 to 2008 declined slightly to 109.12-109.77, and decreased slightly to 108.50-108.95 during 2009-2010. The sex ratio was decreased to 107.38-107.87 during 2011-2013. However, the sex ratio during year 2004-2013 remained over 107, which was still higher than the normal sex ratio of 106. The sex ratio was 106.93 in 2014, which was lower than 107 for the first time in recent years. However, the sex ratio was increased to 108.35 in 2015.

### **(2) Birth Weight (Table 8.2)**

Live births with birth weights less than 2500 grams consisted of 7-9% of the annual reported birth, and it showed a gradual increase during the years. On the other hand, live births with birth weights not less than 4000 grams consisted of 1.3-2.4% of the annual reported births, which showed a downward trend.

### **(3) Weeks of Pregnancy (Table 8.3)**

The number of live births with the period of pregnancy less than 37 weeks remained at 8.4-9.4% of the annual reported births, indicating no apparent change in trend over the years. For those with the period of pregnancy not less than 42 weeks, the number of live births remained less than 0.4% of the annual reported births, showing a decline in trend.

### **(4) Birth Defects and Type**

For live births with birth defects (**Table 8.4**), the number remained under 0.7% of the annual reported births and showed a slight decline in trend over the years. Among the types of birth defects over the years (**Table 8.5**), defect occurrence from high to low were usually as follows: (1) musculoskeletal system, (2) the eye and face system, (3) the heart and circulatory system, (4) the urogenital system, (5) the digestive system, and (6) the nervous system and the chromosomal abnormality. Usually the defects with the lowest occurrences was respiratory system defects.

### **(5) Original Nationality of the Parturient (Table 8.6)**

As a whole, the percentage of live births born by the foreign parturient declined from 13.78% in 2004 to 6.10% in 2015 over the years, and the percentage of live births born by Vietnamese nationality declined from 6.13% in 2004 to 1.69% in 2015.

統計表

**Tables of Statistics**



表1.1a 民國104年出生通報活產、死產按出生月份分-【直欄加總】

Table 1.1a Live Births and Still Births by Month of Birth, 2015 (Column Percentage)

出生月份 Month of Birth		合計 Total		活產 Live Births		死產 Still Births	
		人數	百分比	人數	百分比	人數	百分比
		Number	Percentage	Number	Percentage	Number	Percentage
<b>合計</b>	<b>Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>100.00</b>	<b>2,515</b>	<b>100.00</b>
一月	January	18,891	8.74	18,658	8.73	233	9.26
二月	February	16,152	7.47	15,989	7.48	163	6.48
三月	March	17,573	8.13	17,396	8.14	177	7.04
四月	April	16,724	7.73	16,486	7.71	238	9.46
五月	May	17,104	7.91	16,872	7.89	232	9.22
六月	June	16,705	7.73	16,465	7.70	240	9.54
七月	July	17,837	8.25	17,594	8.23	243	9.66
八月	August	18,491	8.55	18,277	8.55	214	8.51
九月	September	18,503	8.56	18,321	8.57	182	7.24
十月	October	19,810	9.16	19,594	9.17	216	8.59
十一月	November	19,536	9.03	19,334	9.05	202	8.03
十二月	December	18,903	8.74	18,728	8.76	175	6.96

表1.1b 民國104年出生通報活產、死產按出生月份分-【橫列加總】

Table 1.1b Live Births and Still Births by Month of Birth, 2015 (Row Percentage)

出生月份 Month of Birth		合計 Total		活產 Live Births		死產 Still Births	
		人數	百分比	人數	百分比	人數	百分比
		Number	Percentage	Number	Percentage	Number	Percentage
<b>合計</b>	<b>Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>
一月	January	18,891	100.00	18,658	98.77	233	1.23
二月	February	16,152	100.00	15,989	98.99	163	1.01
三月	March	17,573	100.00	17,396	98.99	177	1.01
四月	April	16,724	100.00	16,486	98.58	238	1.42
五月	May	17,104	100.00	16,872	98.64	232	1.36
六月	June	16,705	100.00	16,465	98.56	240	1.44
七月	July	17,837	100.00	17,594	98.64	243	1.36
八月	August	18,491	100.00	18,277	98.84	214	1.16
九月	September	18,503	100.00	18,321	99.02	182	0.98
十月	October	19,810	100.00	19,594	98.91	216	1.09
十一月	November	19,536	100.00	19,334	98.97	202	1.03
十二月	December	18,903	100.00	18,728	99.07	175	0.93

表1.2 民國104年出生通報活產、死產按產婦現住地之縣市別分

Table 1.2 Live Births and Still Births by City/County (Current Residence of the Parturient), 2015

產婦現住地 Current Residence of the Parturient		合計 Total		活產 Live Births		死產 Still Births	
		人數	百分比	人數	百分比	人數	百分比
		Number	Percentage	Number	Percentage	Number	Percentage
<b>合計</b>	<b>Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>
台北市	Taipei City	25,165	100.00	24,931	99.07	234	0.93
新北市	New Taipei City	39,542	100.00	39,078	98.83	464	1.17
桃園市	Taoyuan City	22,692	100.00	22,422	98.81	270	1.19
台中市	Taichung City	27,870	100.00	27,530	98.78	340	1.22
原台中市	Former Taichung City	11,734	100.00	11,599	98.85	135	1.15
原台中縣	Former Taichung County	16,136	100.00	15,931	98.73	205	1.27
台南市	Tainan City	16,448	100.00	16,213	98.57	235	1.43
原台南市	Former Tainan City	7,134	100.00	7,042	98.71	92	1.29
原台南縣	Former Tainan County	9,314	100.00	9,171	98.46	143	1.54
高雄市	Kaohsiung City	23,491	100.00	23,208	98.80	283	1.20
原高雄市	Former Kaohsiung City	12,541	100.00	12,385	98.76	156	1.24
原高雄縣	Former Kaohsiung County	10,950	100.00	10,823	98.84	127	1.16
基隆市	Keelung City	2,568	100.00	2,536	98.75	32	1.25
新竹市	Hsinchu City	5,453	100.00	5,386	98.77	67	1.23
嘉義市	Chiai City	2,147	100.00	2,129	99.16	18	0.84
新竹縣	Hsinchu County	6,387	100.00	6,309	98.78	78	1.22
苗栗縣	Miaoli County	5,421	100.00	5,363	98.93	58	1.07
彰化縣	Changhua County	11,639	100.00	11,515	98.93	124	1.07
南投縣	Nantou County	3,744	100.00	3,696	98.72	48	1.28
雲林縣	Yunlin County	4,945	100.00	4,893	98.95	52	1.05
嘉義縣	Chiai County	3,462	100.00	3,432	99.13	30	0.87
屏東縣	Pingtung County	5,995	100.00	5,935	99.00	60	1.00
宜蘭縣	Ilan County	3,400	100.00	3,350	98.53	50	1.47
花蓮縣	Hualien County	2,710	100.00	2,678	98.82	32	1.18
台東縣	Taitung County	1,628	100.00	1,606	98.65	22	1.35
澎湖縣	Penghu County	648	100.00	638	98.46	10	1.54
金門縣	Kinmen County	790	100.00	782	98.99	8	1.01
連江縣	Lianjiang County	75	100.00	75	100.00	0	0.00
其他	Others	9	100.00	8	88.89	1	11.11

表1.3 民國104年出生通報活產、死產按產婦戶籍地之縣市別分

Table 1.3 Live Births and Still Births by City/County (Registered Household of the Parturient), 2015

產婦戶籍地 Registered Household of the Parturient		合計 Total		活產 Live Births		死產 Still Births	
		人數	百分比	人數	百分比	人數	百分比
		Number	Percentage	Number	Percentage	Number	Percentage
<b>合計</b>	<b>Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>
台北市	Taipei City	29,389	100.00	29,091	98.99	298	1.01
新北市	New Taipei City	35,891	100.00	35,490	98.88	401	1.12
桃園市	Taoyuan City	21,905	100.00	21,653	98.85	252	1.15
台中市	Taichung City	27,149	100.00	26,814	98.77	335	1.23
原台中市	Former Taichung City	11,067	100.00	10,934	98.80	133	1.20
原台中縣	Former Taichung County	16,082	100.00	15,880	98.74	202	1.26
台南市	Tainan City	16,237	100.00	16,012	98.61	225	1.39
原台南市	Former Tainan City	6,963	100.00	6,875	98.74	88	1.26
原台南縣	Former Tainan County	9,274	100.00	9,137	98.52	137	1.48
高雄市	Kaohsiung City	23,371	100.00	23,079	98.75	292	1.25
原高雄市	Former Kaohsiung City	12,547	100.00	12,392	98.76	155	1.24
原高雄縣	Former Kaohsiung County	10,824	100.00	10,687	98.73	137	1.27
基隆市	Keelung City	2,372	100.00	2,345	98.86	27	1.14
新竹市	Hsinchu City	5,063	100.00	4,996	98.68	67	1.32
嘉義市	Chiai City	2,166	100.00	2,149	99.22	17	0.78
新竹縣	Hsinchu County	5,547	100.00	5,479	98.77	68	1.23
苗栗縣	Miaoli County	5,843	100.00	5,784	98.99	59	1.01
彰化縣	Changhua County	11,904	100.00	11,775	98.92	129	1.08
南投縣	Nantou County	3,757	100.00	3,714	98.86	43	1.14
雲林縣	Yunlin County	5,310	100.00	5,253	98.93	57	1.07
嘉義縣	Chiai County	3,413	100.00	3,371	98.77	42	1.23
屏東縣	Pingtung County	5,987	100.00	5,924	98.95	63	1.05
宜蘭縣	Ilan County	3,569	100.00	3,517	98.54	52	1.46
花蓮縣	Hualien County	2,818	100.00	2,785	98.83	33	1.17
台東縣	Taitung County	1,810	100.00	1,786	98.67	24	1.33
澎湖縣	Penghu County	963	100.00	951	98.75	12	1.25
金門縣	Kinmen County	1,515	100.00	1,499	98.94	16	1.06
連江縣	Lianjiang County	132	100.00	131	99.24	1	0.76
其他	Others	118	100.00	116	98.31	2	1.69

表1.4 民國104年出生通報活產、死產按產婦配偶戶籍地之縣市別分

Table 1.4 Live Births and Still Births by City/County (Registered Household of the Spouse of the Parturient), 2015

產婦配偶戶籍地 Registered Household of the Spouse of the Parturient		合計 Total		活產 Live Births		死產 Still Births	
		人數	百分比	人數	百分比	人數	百分比
		Number	Percentage	Number	Percentage	Number	Percentage
<b>合計</b>	<b>Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>
台北市	Taipei City	27,848	100.00	27,579	99.03	269	0.97
新北市	New Taipei City	34,222	100.00	33,844	98.90	378	1.10
桃園市	Taoyuan City	21,754	100.00	21,500	98.83	254	1.17
台中市	Taichung City	26,794	100.00	26,465	98.77	329	1.23
原台中市	Former Taichung City	10,706	100.00	10,577	98.80	129	1.20
原台中縣	Former Taichung County	16,088	100.00	15,888	98.76	200	1.24
台南市	Tainan City	16,555	100.00	16,329	98.63	226	1.37
原台南市	Former Tainan City	7,013	100.00	6,925	98.75	88	1.25
原台南縣	Former Tainan County	9,542	100.00	9,404	98.55	138	1.45
高雄市	Kaohsiung City	23,560	100.00	23,264	98.74	296	1.26
原高雄市	Former Kaohsiung City	12,363	100.00	12,210	98.76	153	1.24
原高雄縣	Former Kaohsiung County	11,197	100.00	11,054	98.72	143	1.28
基隆市	Keelung City	2,717	100.00	2,686	98.86	31	1.14
新竹市	Hsinchu City	4,686	100.00	4,622	98.63	64	1.37
嘉義市	Chiai City	2,045	100.00	2,031	99.32	14	0.68
新竹縣	Hsinchu County	5,790	100.00	5,716	98.72	74	1.28
苗栗縣	Miaoli County	5,670	100.00	5,611	98.96	59	1.04
彰化縣	Changhua County	12,144	100.00	12,012	98.91	132	1.09
南投縣	Nantou County	4,359	100.00	4,303	98.72	56	1.28
雲林縣	Yunlin County	5,813	100.00	5,749	98.90	64	1.10
嘉義縣	Chiai County	4,165	100.00	4,127	99.09	38	0.91
屏東縣	Pingtung County	6,832	100.00	6,755	98.87	77	1.13
宜蘭縣	Ilan County	3,790	100.00	3,741	98.71	49	1.29
花蓮縣	Hualien County	2,944	100.00	2,902	98.57	42	1.43
台東縣	Taitung County	1,961	100.00	1,936	98.73	25	1.27
澎湖縣	Penghu County	962	100.00	948	98.54	14	1.46
金門縣	Kinmen County	1,418	100.00	1,396	98.45	22	1.55
連江縣	Lianjiang County	159	100.00	158	99.37	1	0.63
其他	Others	41	100.00	40	97.56	1	2.44

表1.5 民國104年出生通報活產、死產按新生兒出生地之縣市別分  
Table 1.5 Live Births and Still Births by City/County (Birthplace), 2015

新生兒出生地 Birthplace		合計 Total		活產 Live Births		死產 Still Births	
		人數	百分比	人數	百分比	人數	百分比
		Number	Percentage	Number	Percentage	Number	Percentage
<b>合計</b>	<b>Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>
台北市	Taipei City	33,650	100.00	33,186	98.62	464	1.38
新北市	New Taipei City	29,465	100.00	29,240	99.24	225	0.76
桃園市	Taoyuan City	23,732	100.00	23,394	98.58	338	1.42
台中市	Taichung City	30,430	100.00	30,053	98.76	377	1.24
原台中市	Former Taichung City	18,345	100.00	18,075	98.53	270	1.47
原台中縣	Former Taichung County	12,085	100.00	11,978	99.11	107	0.89
台南市	Tainan City	17,860	100.00	17,601	98.55	259	1.45
原台南市	Former Tainan City	12,821	100.00	12,627	98.49	194	1.51
原台南縣	Former Tainan County	5,039	100.00	4,974	98.71	65	1.29
高雄市	Kaohsiung City	24,822	100.00	24,520	98.78	302	1.22
原高雄市	Former Kaohsiung City	20,181	100.00	19,979	99.00	202	1.00
原高雄縣	Former Kaohsiung County	4,641	100.00	4,541	97.85	100	2.15
基隆市	Keelung City	2,598	100.00	2,568	98.85	30	1.15
新竹市	Hsinchu City	10,222	100.00	10,121	99.01	101	0.99
嘉義市	Chiai City	5,127	100.00	5,087	99.22	40	0.78
新竹縣	Hsinchu County	2,846	100.00	2,825	99.26	21	0.74
苗栗縣	Miaoli County	2,714	100.00	2,687	99.01	27	0.99
彰化縣	Changhua County	11,774	100.00	11,648	98.93	126	1.07
南投縣	Nantou County	2,727	100.00	2,696	98.86	31	1.14
雲林縣	Yunlin County	3,597	100.00	3,569	99.22	28	0.78
嘉義縣	Chiai County	1,609	100.00	1,594	99.07	15	0.93
屏東縣	Pingtung County	4,669	100.00	4,638	99.34	31	0.66
宜蘭縣	Ilan County	3,324	100.00	3,283	98.77	41	1.23
花蓮縣	Hualien County	2,641	100.00	2,607	98.71	34	1.29
台東縣	Taitung County	1,469	100.00	1,451	98.77	18	1.23
澎湖縣	Penghu County	447	100.00	443	99.11	4	0.89
金門縣	Kinmen County	492	100.00	489	99.39	3	0.61
連江縣	Lianjiang County	14	100.00	14	100.00	0	0.00

表1.6 民國104年出生通報數(含活產、死產)按產婦原始國籍及產婦現住地之縣市別分  
 Table 1.6 Number of Reportings (Including Live and Still Births) by Original Nationality and Current Residence of the Parturient by City/County, 2015

產婦現住地 Parturient Current Residence of the	合計 Total		本國 ROC Citizens		非本國 Foreign Nationality									
	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	小計 Total		大陸(含港澳) Mainland China (HK, Macao)		越南 Vietnam		印尼 Indonesia		其他 Others	
					人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>合計</b>	<b>216,225</b>	<b>100.00</b>	<b>203,081</b>	<b>93.92</b>	<b>13,144</b>	<b>6.08</b>	<b>6,918</b>	<b>3.20</b>	<b>3,638</b>	<b>1.68</b>	<b>959</b>	<b>0.44</b>	<b>1,629</b>	<b>0.75</b>
台北市	25,165	100.00	23,806	94.60	1,359	5.40	817	3.25	160	0.64	61	0.24	321	1.28
新北市	39,542	100.00	36,866	93.23	2,676	6.77	1,498	3.79	651	1.65	158	0.40	369	0.93
桃園市	22,692	100.00	21,028	92.67	1,664	7.33	793	3.49	477	2.10	182	0.80	212	0.93
台中市	27,870	100.00	26,440	94.87	1,430	5.13	791	2.84	369	1.32	93	0.33	177	0.64
原台中市	11,734	100.00	11,152	95.04	582	4.96	349	2.97	111	0.95	25	0.21	97	0.83
原台中縣	16,136	100.00	15,288	94.74	848	5.26	442	2.74	258	1.60	68	0.42	80	0.50
台南市	16,448	100.00	15,595	94.81	853	5.19	469	2.85	274	1.67	37	0.22	73	0.44
原台南市	7,134	100.00	6,782	95.07	352	4.93	209	2.93	91	1.28	13	0.18	39	0.55
原台南縣	9,314	100.00	8,813	94.62	501	5.38	260	2.79	183	1.96	24	0.26	34	0.37
高雄市	23,491	100.00	22,273	94.82	1,218	5.18	651	2.77	386	1.64	53	0.23	128	0.54
原高雄市	12,541	100.00	11,901	94.90	640	5.10	351	2.80	171	1.36	30	0.24	88	0.70
原高雄縣	10,950	100.00	10,372	94.72	578	5.28	300	2.74	215	1.96	23	0.21	40	0.37
基隆市	2,568	100.00	2,373	92.41	195	7.59	111	4.32	62	2.41	12	0.47	10	0.39
新竹市	5,453	100.00	5,165	94.72	288	5.28	153	2.81	49	0.90	21	0.39	65	1.19
嘉義市	2,147	100.00	2,026	94.36	121	5.64	73	3.40	35	1.63	6	0.28	7	0.33
新竹縣	6,387	100.00	5,974	93.53	413	6.47	172	2.69	116	1.82	62	0.97	63	0.99
苗栗縣	5,421	100.00	4,981	91.88	440	8.12	200	3.69	147	2.71	45	0.83	48	0.89
彰化縣	11,639	100.00	10,986	94.39	653	5.61	334	2.87	237	2.04	44	0.38	38	0.33
南投縣	3,744	100.00	3,469	92.65	275	7.35	129	3.45	101	2.70	25	0.67	20	0.53
雲林縣	4,945	100.00	4,528	91.57	417	8.43	200	4.04	146	2.95	45	0.91	26	0.53
嘉義縣	3,462	100.00	3,205	92.58	257	7.42	115	3.32	102	2.95	27	0.78	13	0.38
屏東縣	5,995	100.00	5,649	94.23	346	5.77	134	2.24	138	2.30	39	0.65	35	0.58
宜蘭縣	3,400	100.00	3,190	93.82	210	6.18	85	2.50	92	2.71	20	0.59	13	0.38
花蓮縣	2,710	100.00	2,587	95.46	123	4.54	62	2.29	38	1.40	17	0.63	6	0.22
台東縣	1,628	100.00	1,566	96.19	62	3.81	25	1.54	30	1.84	3	0.18	4	0.25
澎湖縣	648	100.00	605	93.36	43	6.64	15	2.31	21	3.24	6	0.93	1	0.15
金門縣	790	100.00	710	89.87	80	10.13	72	9.11	5	0.63	3	0.38	0	0.00
連江縣	75	100.00	59	78.67	16	21.33	14	18.67	2	2.67	0	0.00	0	0.00
其他	5	100.00	0	0.00	5	100.00	5	100.00	0	0.00	0	0.00	0	0.00

備註：產婦原始國籍及產婦現住地不詳共4案。

Note: Original nationality and current residence of the parturient unknown: 4 cases.

表1.7a 民國104年出生通報活產、死產按產婦現住地城鄉別分-【直欄加總】

Table 1.7a Live Births and Still Births by Urban/Rural Areas of the Current Residence of the Parturient, 2015 (Column Percentage)

產婦現住地城鄉別 Urban/Rural Areas of the Current Residence of the Parturient		合計 Total		活產 Live Births		死產 Still Births	
		人數	百分比	人數	百分比	人數	百分比
		Number	Percentage	Number	Percentage	Number	Percentage
<b>合計</b>	<b>Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>100.00</b>	<b>2,515</b>	<b>100.00</b>
直轄市	Municipalities under the Central Government	155,208	71.78	153,382	71.77	1,826	72.60
省轄市	Municipalities under the Provincial Government	10,168	4.70	10,051	4.70	117	4.65
縣轄市	Counties	12,583	5.82	12,449	5.83	134	5.33
鎮	Townships	16,157	7.47	15,966	7.47	191	7.59
鄉	Villages	22,104	10.22	21,857	10.23	247	9.82
其他	Others	9	0.00	9	0.00	0	0.00

表1.7b 民國104年出生通報活產、死產按產婦現住地城鄉別分-【橫列加總】

Table 1.7b Live Births and Still Births by Urban/Rural Areas of the Current Residence of the Parturient, 2015 (Row Percentage)

產婦現住地城鄉別 Urban/Rural Areas of the Current Residence of the Parturient		合計 Total		活產 Live Births		死產 Still Births	
		人數	百分比	人數	百分比	人數	百分比
		Number	Percentage	Number	Percentage	Number	Percentage
<b>合計</b>	<b>Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>
直轄市	Municipalities under the Central Government	155,208	100.00	153,382	98.82	1,826	1.18
省轄市	Municipalities under the Provincial Government	10,168	100.00	10,051	98.85	117	1.15
縣轄市	Counties	12,583	100.00	12,449	98.94	134	1.06
鎮	Townships	16,157	100.00	15,966	98.82	191	1.18
鄉	Villages	22,104	100.00	21,857	98.88	247	1.12
其他	Others	9	100.00	9	100.00	0	0.00

表1.8a 民國104年出生通報活產、死產按產婦年齡分-【直欄加總】

Table 1.8a Live Births and Still Births by Age of the Parturient, 2015 (Column Percentage)

產婦年齡 Age of the Parturient	合計 Total		活產 Live Births		死產 Still Births	
	人數	百分比	人數	百分比	人數	百分比
	Number	Percentage	Number	Percentage	Number	Percentage
<b>合計 Total</b>	<b>216,225</b>	<b>100.00</b>	<b>213,710</b>	<b>100.00</b>	<b>2,515</b>	<b>100.00</b>
<20	3,230	1.49	3,162	1.48	68	2.70
20-24	17,518	8.10	17,354	8.12	164	6.52
25-29	51,979	24.04	51,504	24.10	475	18.89
30-34	89,334	41.32	88,391	41.36	943	37.50
35-39	46,972	21.72	46,287	21.66	685	27.24
40-44	6,944	3.21	6,773	3.17	171	6.80
45-49	232	0.11	224	0.10	8	0.32
≥50	16	0.01	15	0.01	1	0.04

備註：產婦年齡不詳共4案，為活產4案。

Note: Age of the parturient unknown: 4 cases, which were live births.

表1.8b 民國104年出生通報活產、死產按產婦年齡分-【橫列加總】

Table 1.8b Live Births and Still Births by Age of the Parturient, 2015 (Row Percentage)

產婦年齡 Age of the Parturient	合計 Total		活產 Live Births		死產 Still Births	
	人數	百分比	人數	百分比	人數	百分比
	Number	Percentage	Number	Percentage	Number	Percentage
<b>合計 Total</b>	<b>216,225</b>	<b>100.00</b>	<b>213,710</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>
<20	3,230	100.00	3,162	97.89	68	2.11
20-24	17,518	100.00	17,354	99.06	164	0.94
25-29	51,979	100.00	51,504	99.09	475	0.91
30-34	89,334	100.00	88,391	98.94	943	1.06
35-39	46,972	100.00	46,287	98.54	685	1.46
40-44	6,944	100.00	6,773	97.54	171	2.46
45-49	232	100.00	224	96.55	8	3.45
≥50	16	100.00	15	93.75	1	6.25

備註：產婦年齡不詳共4案，為活產4案。

Note: Age of the parturient unknown: 4 cases, which were live births.

表1.9a 民國104年出生通報活產、死產按產婦原始國籍分-【直欄加總】

Table 1.9a Live Births and Still Births by Original Nationality of the Parturient, 2015 (Column Percentage)

產婦原始國籍 Original Nationality of the Parturient		合計 Total		活產 Live Births		死產 Still Births	
		人數	百分比	人數	百分比	人數	百分比
		Number	Percentage	Number	Percentage	Number	Percentage
<b>合計</b>	<b>Total</b>	<b>216,225</b>	<b>100.00</b>	<b>213,710</b>	<b>100.00</b>	<b>2,515</b>	<b>100.00</b>
本國	ROC Citizens	203,081	93.92	200,664	93.90	2,417	96.10
外籍	Foreign Nationality	13,144	6.08	13,046	6.10	98	3.90
大陸 (含港澳)	Mainland China (including HK, Macao)	6,918	3.20	6,876	3.22	42	1.67
越南	Vietnam	3,638	1.68	3,612	1.69	26	1.03
印尼	Indonesia	959	0.44	945	0.44	14	0.56
柬埔寨	Cambodia	103	0.05	102	0.05	1	0.04
菲律賓	Philippines	382	0.18	377	0.18	5	0.20
泰國	Thailand	151	0.07	148	0.07	3	0.12
緬甸	Myanmar	190	0.09	189	0.09	1	0.04
馬來西亞	Malaysia	172	0.08	171	0.08	1	0.04
其他	Others	631	0.29	626	0.29	5	0.20

備註：產婦原始國籍不詳共4案，為活產4案。

Note: Original nationality of the parturient unknown: 4 cases, which were live births.

表1.9b 民國104年出生通報活產、死產按產婦原始國籍分-【橫列加總】

Table 1.9b Live Births and Still Births by Original Nationality of the Parturient, 2015 (Row Percentage)

產婦原始國籍 Original Nationality of the Parturient		合計 Total		活產 Live Births		死產 Still Births	
		人數	百分比	人數	百分比	人數	百分比
		Number	Percentage	Number	Percentage	Number	Percentage
<b>合計</b>	<b>Total</b>	<b>216,225</b>	<b>100.00</b>	<b>213,710</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>
本國	ROC Citizens	203,081	100.00	200,664	98.81	2,417	1.19
外籍	Foreign Nationality	13,144	100.00	13,046	99.25	98	0.75
大陸 (含港澳)	Mainland China (including HK, Macao)	6,918	100.00	6,876	99.39	42	0.61
越南	Vietnam	3,638	100.00	3,612	99.29	26	0.71
印尼	Indonesia	959	100.00	945	98.54	14	1.46
柬埔寨	Cambodia	103	100.00	102	99.03	1	0.97
菲律賓	Philippines	382	100.00	377	98.69	5	1.31
泰國	Thailand	151	100.00	148	98.01	3	1.99
緬甸	Myanmar	190	100.00	189	99.47	1	0.53
馬來西亞	Malaysia	172	100.00	171	99.42	1	0.58
其他	Others	631	100.00	626	99.21	5	0.79

備註：產婦原始國籍不詳共4案，為活產4案。

Note: Original nationality of the parturient unknown: 4 cases, which were live births.

表1.10a 民國104年出生通報活產、死產按出生場所及接生者分-【直欄加總】

Table 1.10a Live Births and Still Births by Birth Delivery Place and Medical Professional, 2015 (Column Percentage)

出生場所及接生者 Birth Delivery Place and Medical Professional			合計 Total		活產 Live Births		死產 Still Births	
			人數	百分比	人數	百分比	人數	百分比
			Number	Percentage	Number	Percentage	Number	Percentage
<b>合計 Total</b>			<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>100.00</b>	<b>2,515</b>	<b>100.00</b>
出生場所	醫院	Hospitals	155,534	71.93	153,394	71.78	2,140	85.09
Birth Delivery Place	診所	Clinics	60,316	27.89	59,948	28.05	368	14.63
	助產所	Midwife Clinics	23	0.01	23	0.01	0	0.00
	自宅	Home of the Parturient	276	0.13	271	0.13	5	0.20
	其他	Others	80	0.04	78	0.04	2	0.08
接生者	醫師	Physicians	215,983	99.89	213,468	99.88	2,515	100.00
Medical Professional	助產師(士)	Midwives	126	0.06	126	0.06	0	0.00
	其他	Others	120	0.06	120	0.06	0	0.00

表1.10b 民國104年出生通報活產、死產按出生場所及接生者分-【橫列加總】

Table 1.10b Live Births and Still Births by Birth Delivery Place and Medical Professional, 2015 (Row Percentage)

出生場所及接生者 Birth Delivery Place and Medical Professional			合計 Total		活產 Live Births		死產 Still Births	
			人數	百分比	人數	百分比	人數	百分比
			Number	Percentage	Number	Percentage	Number	Percentage
<b>合計 Total</b>			<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>
出生場所	醫院	Hospitals	155,534	100.00	153,394	98.62	2,140	1.38
Birth Delivery Place	診所	Clinics	60,316	100.00	59,948	99.39	368	0.61
	助產所	Midwife Clinics	23	100.00	23	100.00	0	0.00
	自宅	Home of the Parturient	276	100.00	271	98.19	5	1.81
	其他	Others	80	100.00	78	97.50	2	2.50
接生者	醫師	Physicians	215,983	100.00	213,468	98.84	2,515	1.16
Medical Professional	助產師(士)	Midwives	126	100.00	126	100.00	0	0.00
	其他	Others	120	100.00	120	100.00	0	0.00

表1.11a 民國104年出生通報活產、死產按生產方式分-【直欄加總】  
Table 1.11a Live Births and Still Births by Method of Delivery, 2015 (Column Percentage)

生產方式 Method of Delivery	合計 Total			活產 Live Births			死產 Still Births		
	人數 Number	百分比 Percentage		人數 Number	百分比 Percentage		人數 Number	百分比 Percentage	
<b>合計</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>100.00</b>	<b>2,515</b>	<b>100.00</b>	<b>2,515</b>	<b>100.00</b>	<b>100.00</b>
陰道生產	121,017	55.97	118,925	55.65	2,092	83.18			
陰道產鉗生產	338	0.16	338	0.16	0	0.00			
陰道真空吸引生產	16,924	7.83	16,910	7.91	14	0.56			
有剖腹產史之陰道生產	806	0.37	744	0.35	62	2.47			
第一次剖腹產	46,522	21.52	46,305	21.67	217	8.63			
有剖腹產史之剖腹產	30,622	14.16	30,492	14.27	130	5.17			

表1.11b 民國104年出生通報活產、死產按生產方式分-【橫列加總】  
Table 1.11b Live Births and Still Births by Method of Delivery, 2015 (Row Percentage)

生產方式 Method of Delivery	合計 Total			活產 Live Births			死產 Still Births		
	人數 Number	百分比 Percentage		人數 Number	百分比 Percentage		人數 Number	百分比 Percentage	
<b>合計</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>			
陰道生產	121,017	100.00	118,925	98.27	2,092	1.73			
陰道產鉗生產	338	100.00	338	100.00	0	0.00			
陰道真空吸引生產	16,924	100.00	16,910	99.92	14	0.08			
有剖腹產史之陰道生產	806	100.00	744	92.31	62	7.69			
第一次剖腹產	46,522	100.00	46,305	99.53	217	0.47			
有剖腹產史之剖腹產	30,622	100.00	30,492	99.58	130	0.42			

表1.12a 民國104年出生通報活產、死產按出生體重分-【直欄加總】

Table 1.12a Live Births and Still Births by Birth Weight, 2015 (Column Percentage)

出生體重(公克) Birth Weight (gram)	合計 Total		活產 Live Births		死產 Still Births	
	人數	百分比	人數	百分比	人數	百分比
	Number	Percentage	Number	Percentage	Number	Percentage
<b>合計 Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>100.00</b>	<b>2,515</b>	<b>100.00</b>
<1500	4,067	1.88	1,941	0.91	2,126	84.53
1500-2499	17,595	8.14	17,366	8.13	229	9.11
2500-3999	191,627	88.62	191,473	89.59	154	6.12
≥4000	2,940	1.36	2,934	1.37	6	0.24

表1.12b 民國104年出生通報活產、死產按出生體重分-【橫列加總】

Table 1.12b Live Births and Still Births by Birth Weight, 2015 (Row Percentage)

出生體重(公克) Birth Weight (gram)	合計 Total		活產 Live Births		死產 Still Births	
	人數	百分比	人數	百分比	人數	百分比
	Number	Percentage	Number	Percentage	Number	Percentage
<b>合計 Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>
<1500	4,067	100.00	1,941	47.73	2,126	52.27
1500-2499	17,595	100.00	17,366	98.70	229	1.30
2500-3999	191,627	100.00	191,473	99.92	154	0.08
≥4000	2,940	100.00	2,934	99.80	6	0.20

表1.13a 民國104年出生通報活產、死產按懷孕週數分-【直欄加總】

Table 1.13a Live Births and Still Births by Weeks of Pregnancy, 2015 (Column Percentage)

懷孕週數(週) Weeks of Pregnancy	合計 Total		活產 Live Births		死產 Still Births	
	人數	百分比	人數	百分比	人數	百分比
	Number	Percentage	Number	Percentage	Number	Percentage
<b>合計 Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>100.00</b>	<b>2,515</b>	<b>100.00</b>
<37	22,383	10.35	20,033	9.37	2,350	93.44
37-38	93,998	43.47	93,892	43.93	106	4.21
39-40	95,490	44.16	95,434	44.66	56	2.23
41	4,253	1.97	4,250	1.99	3	0.12
≥42	105	0.05	105	0.05	0	0.00

表1.13b 民國104年出生通報活產、死產按懷孕週數分-【橫列加總】

Table 1.13b Live Births and Still Births by Weeks of Pregnancy, 2015 (Row Percentage)

懷孕週數(週) Weeks of Pregnancy	合計 Total		活產 Live Births		死產 Still Births	
	人數	百分比	人數	百分比	人數	百分比
	Number	Percentage	Number	Percentage	Number	Percentage
<b>合計 Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>
<37	22,383	100.00	20,033	89.50	2,350	10.50
37-38	93,998	100.00	93,892	99.89	106	0.11
39-40	95,490	100.00	95,434	99.94	56	0.06
41	4,253	100.00	4,250	99.93	3	0.07
≥42	105	100.00	105	100.00	0	0.00

表1.14a 民國104年出生通報活產、死產按有無先天缺陷分-【直欄加總】  
 Table 1.14a Live Births and Still Births by Presence of Birth Defects, 2015 (Column Percentage)

先天缺陷 Birth Defects	合計 Total		活產 Live Births		死產 Still Births	
	人數	百分比	人數	百分比	人數	百分比
	Number	Percentage	Number	Percentage	Number	Percentage
<b>合計 Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>100.00</b>	<b>2,515</b>	<b>100.00</b>
無缺陷 Without Defects	214,675	99.28	212,689	99.52	1,986	78.97
有缺陷 With Defects	1,554	0.72	1,025	0.48	529	21.03

表1.14b 民國104年出生通報活產、死產按有無先天缺陷分-【橫列加總】  
 Table 1.14b Live Births and Still Births by Presence of Birth Defects, 2015 (Row Percentage)

先天缺陷 Birth Defects	合計 Total		活產 Live Births		死產 Still Births	
	人數	百分比	人數	百分比	人數	百分比
	Number	Percentage	Number	Percentage	Number	Percentage
<b>合計 Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>
無缺陷 Without Defects	214,675	100.00	212,689	99.07	1,986	0.93
有缺陷 With Defects	1,554	100.00	1,025	65.96	529	34.04

表1.15a 民國104年出生通報活產、死產按第一分鐘APGAR SCORE分-【直欄加總】  
Table 1.15a Live Births and Still Births by First Minute APGAR SCORE, 2015 (Column Percentage)

第一分鐘APGAR SCORE First Minute APGAR SCORE	合計 Total		活產 Live Births		死產 Still Births	
	人數	百分比	人數	百分比	人數	百分比
	Number	Percentage	Number	Percentage	Number	Percentage
<b>合計 Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>100.00</b>	<b>2,515</b>	<b>100.00</b>
<7	7,508	3.47	5,001	2.34	2,507	99.68
≥7	208,562	96.45	208,555	97.59	7	0.28
不詳(unknown)	159	0.07	158	0.07	1	0.04

表1.15b 民國104年出生通報活產、死產按第一分鐘APGAR SCORE分-【橫列加總】  
Table 1.15b Live Births and Still Births by First Minute APGAR SCORE, 2015 (Row Percentage)

第一分鐘APGAR SCORE First Minute APGAR SCORE	合計 Total		活產 Live Births		死產 Still Births	
	人數	百分比	人數	百分比	人數	百分比
	Number	Percentage	Number	Percentage	Number	Percentage
<b>合計 Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>
<7	7,508	100.00	5,001	66.61	2,507	33.39
≥7	208,562	100.00	208,555	100.00	7	0.00
不詳(unknown)	159	100.00	158	99.37	1	0.63

表1.16a 民國104年出生通報活產、死產按第五分鐘APGAR SCORE分-【直欄加總】  
Table 1.16a Live Births and Still Births by Fifth Minute APGAR SCORE,2015 (Column Percentage)

第五分鐘APGAR SCORE Fifth Minute APGAR SCORE	合計 Total		活產 Live Births		死產 Still Births	
	人數	百分比	人數	百分比	人數	百分比
	Number	Percentage	Number	Percentage	Number	Percentage
<b>合計 Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>100.00</b>	<b>2,515</b>	<b>100.00</b>
<7	3,511	1.62	1,004	0.47	2,507	99.68
≥7	212,570	98.31	212,563	99.46	7	0.28
不詳(unknown)	148	0.07	147	0.07	1	0.04

表1.16b 民國104年出生通報活產、死產按第五分鐘APGAR SCORE分-【橫列加總】  
Table 1.16b Live Births and Still Births by Fifth Minute APGAR SCORE,2015 (Row Percentage)

第五分鐘APGAR SCORE Fifth Minute APGAR SCORE	合計 Total		活產 Live Births		死產 Still Births	
	人數	百分比	人數	百分比	人數	百分比
	Number	Percentage	Number	Percentage	Number	Percentage
<b>合計 Total</b>	<b>216,229</b>	<b>100.00</b>	<b>213,714</b>	<b>98.84</b>	<b>2,515</b>	<b>1.16</b>
<7	3,511	100.00	1,004	28.60	2,507	71.40
≥7	212,570	100.00	212,563	100.00	7	0.00
不詳(unknown)	148	100.00	147	99.32	1	0.68

表2.1 民國104年出生通報活產性比例按活產胎次分  
Table 2.1 Sex Ratio of Live Births by Live Birth Order, 2015

活產胎次 Live Birth Order		合計 Total		性別 Sex				性比例 Sex Ratio
				男 Male		女 Female		
		人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	
<b>合計</b>	<b>Total</b>	<b>213,709</b>	<b>100.00</b>	<b>111,137</b>	<b>52.00</b>	<b>102,572</b>	<b>48.00</b>	<b>108.35</b>
第一胎	1st	108,335	100.00	56,089	51.77	52,246	48.23	107.36
第二胎	2nd	81,707	100.00	42,491	52.00	39,216	48.00	108.35
第三胎	3rd	19,253	100.00	10,275	53.37	8,978	46.63	114.45
第四胎及以上	≥4th	4,414	100.00	2,282	51.70	2,132	48.30	107.04

備註：1. 產婦活產胎次不詳共4案，分別為男1案，女3案。

2. 性別不明1案，為第四胎及以上1案。

Note: 1. Live birth order unknown: 4 cases, which sex of live birth were 1 male and 3 females respectively.

2. Sex of live birth unknown: 1 case, which live birth order was ≥4th.

表2.2 民國104年出生通報活產性比例按產婦現住地之縣市別分

Table 2.2 Sex Ratio of Live Births by City/County (Current Residence of the Parturient), 2015

產婦現住地 Current Residence of the Parturient		合計 Total		性別 Sex				性比例 Sex Ratio
				男 Male		女 Female		
		人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	
<b>合計</b>	<b>Total</b>	<b>213,713</b>	<b>100.00</b>	<b>111,138</b>	<b>52.00</b>	<b>102,575</b>	<b>48.00</b>	<b>108.35</b>
台北市	Taipei City	24,931	100.00	12,932	51.87	11,999	48.13	107.78
新北市	New Taipei City	39,078	100.00	20,317	51.99	18,761	48.01	108.29
桃園市	Taoyuan City	22,422	100.00	11,614	51.80	10,808	48.20	107.46
台中市	Taichung City	27,530	100.00	14,413	52.35	13,117	47.65	109.88
原台中市	Former Taichung City	11,599	100.00	6,129	52.84	5,470	47.16	112.05
原台中縣	Former Taichung County	15,931	100.00	8,284	52.00	7,647	48.00	108.33
台南市	Tainan City	16,213	100.00	8,445	52.09	7,768	47.91	108.72
原台南市	Former Tainan City	7,042	100.00	3,714	52.74	3,328	47.26	111.60
原台南縣	Former Tainan County	9,171	100.00	4,731	51.59	4,440	48.41	106.55
高雄市	Kaohsiung City	23,208	100.00	12,085	52.07	11,123	47.93	108.65
原高雄市	Former Kaohsiung City	12,385	100.00	6,444	52.03	5,941	47.97	108.47
原高雄縣	Former Kaohsiung County	10,823	100.00	5,641	52.12	5,182	47.88	108.86
基隆市	Keelung City	2,536	100.00	1,351	53.27	1,185	46.73	114.01
新竹市	Hsinchu City	5,386	100.00	2,809	52.15	2,577	47.85	109.00
嘉義市	Chiai City	2,129	100.00	1,058	49.69	1,071	50.31	98.79
新竹縣	Hsinchu County	6,309	100.00	3,294	52.21	3,015	47.79	109.25
苗栗縣	Miaoli County	5,363	100.00	2,783	51.89	2,580	48.11	107.87
彰化縣	Changhua County	11,515	100.00	6,014	52.23	5,501	47.77	109.33
南投縣	Nantou County	3,696	100.00	1,890	51.14	1,806	48.86	104.65
雲林縣	Yunlin County	4,893	100.00	2,505	51.20	2,388	48.80	104.90
嘉義縣	Chiai County	3,432	100.00	1,783	51.95	1,649	48.05	108.13
屏東縣	Pingtung County	5,934	100.00	3,092	52.11	2,842	47.89	108.80
宜蘭縣	Ilan County	3,350	100.00	1,743	52.03	1,607	47.97	108.46
花蓮縣	Hualien County	2,678	100.00	1,412	52.73	1,266	47.27	111.53
台東縣	Taitung County	1,606	100.00	794	49.44	812	50.56	97.78
澎湖縣	Penghu County	638	100.00	356	55.80	282	44.20	126.24
金門縣	Kinmen County	782	100.00	406	51.92	376	48.08	107.98
連江縣	Lianjiang County	75	100.00	41	54.67	34	45.33	120.59
其他	Others	9	100.00	1	11.11	8	88.89	12.50

備註：性別不明1案，為屏東縣1案。

Note: Sex of live birth unknown: 1 case, which current residence of the parturient was Pingtung County.

表2.3 民國104年出生通報活產性比例按產婦配偶戶籍地之縣市別分

Table 2.3 Sex Ratio of Live Births by City/County (Registered Household of the Spouse of the Parturient), 2015

產婦配偶戶籍地 Registered Household of the Spouse of the Parturient		合計 Total		性別 Sex				性比例 Sex Ratio
				男 Male		女 Female		
		人數	百分比	人數	百分比	人數	百分比	
		Number	Percentage	Number	Percentage	Number	Percentage	
<b>合計</b>	<b>Total</b>	<b>213,713</b>	<b>100.00</b>	<b>111,138</b>	<b>52.00</b>	<b>102,575</b>	<b>48.00</b>	<b>108.35</b>
台北市	Taipei City	27,579	100.00	14,313	51.90	13,266	48.10	107.89
新北市	New Taipei City	33,844	100.00	17,515	51.75	16,329	48.25	107.26
桃園市	Taoyuan City	21,500	100.00	11,161	51.91	10,339	48.09	107.95
台中市	Taichung City	26,465	100.00	13,842	52.30	12,623	47.70	109.66
原台中市	Former Taichung City	10,577	100.00	5,584	52.79	4,993	47.21	111.84
原台中縣	Former Taichung County	15,888	100.00	8,258	51.98	7,630	48.02	108.23
台南市	Tainan City	16,329	100.00	8,473	51.89	7,856	48.11	107.85
原台南市	Former Tainan City	6,925	100.00	3,619	52.26	3,306	47.74	109.47
原台南縣	Former Tainan County	9,404	100.00	4,854	51.62	4,550	48.38	106.68
高雄市	Kaohsiung City	23,264	100.00	12,116	52.08	11,148	47.92	108.68
原高雄市	Former Kaohsiung City	12,210	100.00	6,352	52.02	5,858	47.98	108.43
原高雄縣	Former Kaohsiung County	11,054	100.00	5,764	52.14	5,290	47.86	108.96
基隆市	Keelung City	2,686	100.00	1,431	53.28	1,255	46.72	114.02
新竹市	Hsinchu City	4,622	100.00	2,434	52.66	2,188	47.34	111.24
嘉義市	Chiai City	2,031	100.00	1,019	50.17	1,012	49.83	100.69
新竹縣	Hsinchu County	5,716	100.00	3,013	52.71	2,703	47.29	111.47
苗栗縣	Miaoli County	5,611	100.00	2,893	51.56	2,718	48.44	106.44
彰化縣	Changhua County	12,012	100.00	6,270	52.20	5,742	47.80	109.20
南投縣	Nantou County	4,303	100.00	2,218	51.55	2,085	48.45	106.38
雲林縣	Yunlin County	5,749	100.00	3,012	52.39	2,737	47.61	110.05
嘉義縣	Chiai County	4,127	100.00	2,135	51.73	1,992	48.27	107.18
屏東縣	Pingtung County	6,754	100.00	3,523	52.16	3,231	47.84	109.04
宜蘭縣	Ilan County	3,741	100.00	1,949	52.10	1,792	47.90	108.76
花蓮縣	Hualien County	2,902	100.00	1,522	52.45	1,380	47.55	110.29
台東縣	Taitung County	1,936	100.00	962	49.69	974	50.31	98.77
澎湖縣	Penghu County	948	100.00	491	51.79	457	48.21	107.44
金門縣	Kinmen County	1,396	100.00	752	53.87	644	46.13	116.77
連江縣	Lianjiang County	158	100.00	80	50.63	78	49.37	102.56
其他	Others	40	100.00	14	35.00	26	65.00	53.85

備註：性別不明1案，為屏東縣1案。

Note: Sex of live birth unknown: 1 case, which current residence of the parturient was Pingtung County.

表2.4 民國104年出生通報活產性比例按產婦年齡分

Table 2.4 Sex Ratio of Live Births by Age of the Parturient, 2015

產婦年齡 Age of the Parturient	合計 Total		性別 Sex				性比例 Sex Ratio
			男 Male		女 Female		
	人數	百分比	人數	百分比	人數	百分比	
	Number	Percentage	Number	Percentage	Number	Percentage	
<b>合計 Total</b>	<b>213,709</b>	<b>100.00</b>	<b>111,137</b>	<b>52.00</b>	<b>102,572</b>	<b>48.00</b>	<b>108.35</b>
<20	3,162	100.00	1,650	52.18	1,512	47.82	109.13
20-24	17,354	100.00	8,942	51.53	8,412	48.47	106.30
25-29	51,504	100.00	26,742	51.92	24,762	48.08	108.00
30-34	88,390	100.00	45,935	51.97	42,455	48.03	108.20
35-39	46,287	100.00	24,188	52.26	22,099	47.74	109.45
40-44	6,773	100.00	3,541	52.28	3,232	47.72	109.56
45-49	224	100.00	132	58.93	92	41.07	143.48
≥50	15	100.00	7	46.67	8	53.33	87.50

備註：1. 產婦年齡不詳共4案，分別為男1案，女3案。

2. 性別不明者1案，為30-34歲1案。

Note: 1. Age of the parturient unknown: 4 cases, which sex of live birth were 1 male and 3 females respectively.

2. Sex of live birth unknown: 1 case, which age of the parturient was 30-34.

表2.5 民國104年出生通報活產性比例按出生場所及接生者分

Table 2.5 Sex Ratio of Live Births by Birth Delivery Place and Medical Professional, 2015

出生場所及接生者 Birth Delivery Place and Medical Professional	合計 Total		性別 Sex				性比例 Sex Ratio
	人數 Number	百分比 Percentage	男 Male		女 Female		
			人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	
	Number	Percentage	Number	Percentage	Number	Percentage	
<b>合計 Total</b>	<b>213,713</b>	<b>100.00</b>	<b>111,138</b>	<b>52.00</b>	<b>102,575</b>	<b>48.00</b>	<b>108.35</b>
出生場所 醫院	153,393	100.00	79,749	51.99	73,644	48.01	108.29
Birth Delivery Place 診所	59,948	100.00	31,196	52.04	28,752	47.96	108.50
助產所 Midwife Clinics	23	100.00	11	47.83	12	52.17	91.67
自宅 Home of the Parturient	271	100.00	142	52.40	129	47.60	110.08
其他 Others	78	100.00	40	51.28	38	48.72	105.26
接生者 醫師	213,467	100.00	111,005	52.00	102,462	48.00	108.34
Medical Professional 助產師(士) Midwives	126	100.00	73	57.94	53	42.06	137.74
其他 Others	120	100.00	60	50.00	60	50.00	100.00

備註：性別不明者1案，為醫院出生及醫師接生1案。

Note: Sex of live birth unknown: 1 case, which birth delivery place was hospital, and medical professional was physician.

表3.1 民國104年出生通報活產出生體重按活產胎次分  
Table 3.1 Birth Weight of Live Births by Live Birth Order, 2015

活產胎次 Live Birth Order	合計 Total		出生體重(公克) Birth Weight (Gram)							
	人數 Number	百分比 Percentage	<1500		1500-2499		2500-3999		≥4000	
			人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>合計</b>	<b>213,710</b>	<b>100.00</b>	<b>1,941</b>	<b>0.91</b>	<b>17,364</b>	<b>8.13</b>	<b>191,471</b>	<b>89.59</b>	<b>2,934</b>	<b>1.37</b>
第一胎	108,335	100.00	923	0.85	8,361	7.72	97,703	90.19	1,348	1.24
第二胎	81,707	100.00	764	0.94	6,630	8.11	73,204	89.59	1,109	1.36
第三胎	19,253	100.00	193	1.00	1,794	9.32	16,875	87.65	391	2.03
第四胎及以上	4,415	100.00	61	1.38	579	13.11	3,689	83.56	86	1.95

備註：產婦活產胎次不詳共4案，分別為出生體重1500-2499公克2案，2500-3999公克2案。

Note: Live birth order unknown: 4 cases, with 2 cases in 1500-2499 grams, and 2 cases in 2500-3999 grams of birth weight.

表3.2 民國104年出生通報活產出生體重按產婦現住地之縣市別分

Table 3.2 Birth Weight of Live Births by City/County (Current Residence of the Parturient), 2015

產婦現住地 Current Residence of the Parturient		合計 Total		出生體重(公克) Birth Weight (Gram)							
				<1500		1500-2499		2500-3999		≥4000	
		人數	百分比	人數	百分比	人數	百分比	人數	百分比	人數	百分比
合計	Total	213,714	100.00	1,941	0.91	17,366	8.13	191,473	89.59	2,934	1.37
台北市	Taipei City	24,931	100.00	248	0.99	1,980	7.94	22,359	89.68	344	1.38
新北市	New Taipei City	39,078	100.00	354	0.91	3,134	8.02	35,022	89.62	568	1.45
桃園市	Taoyuan City	22,422	100.00	214	0.95	1,732	7.72	20,142	89.83	334	1.49
台中市	Taichung City	27,530	100.00	228	0.83	2,255	8.19	24,700	89.72	347	1.26
原台中市	Former Taichung City	11,599	100.00	108	0.93	981	8.46	10,377	89.46	133	1.15
原台中縣	Former Taichung County	15,931	100.00	120	0.75	1,274	8.00	14,323	89.91	214	1.34
台南市	Tainan City	16,213	100.00	151	0.93	1,364	8.41	14,510	89.50	188	1.16
原台南市	Former Tainan City	7,042	100.00	63	0.89	584	8.29	6,317	89.70	78	1.11
原台南縣	Former Tainan County	9,171	100.00	88	0.96	780	8.51	8,193	89.34	110	1.20
高雄市	Kaohsiung City	23,208	100.00	215	0.93	1,882	8.11	20,801	89.63	310	1.34
原高雄市	Former Kaohsiung City	12,385	100.00	94	0.76	975	7.87	11,160	90.11	156	1.26
原高雄縣	Former Kaohsiung County	10,823	100.00	121	1.12	907	8.38	9,641	89.08	154	1.42
基隆市	Keelung City	2,536	100.00	24	0.95	210	8.28	2,263	89.24	39	1.54
新竹市	Hsinchu City	5,386	100.00	37	0.69	427	7.93	4,853	90.10	69	1.28
嘉義市	Chiai City	2,129	100.00	22	1.03	181	8.50	1,910	89.71	16	0.75
新竹縣	Hsinchu County	6,309	100.00	68	1.08	502	7.96	5,663	89.76	76	1.20
苗栗縣	Miaoli County	5,363	100.00	41	0.76	450	8.39	4,799	89.48	73	1.36
彰化縣	Changhua County	11,515	100.00	92	0.80	951	8.26	10,309	89.53	163	1.42
南投縣	Nantou County	3,696	100.00	26	0.70	341	9.23	3,284	88.85	45	1.22
雲林縣	Yunlin County	4,893	100.00	44	0.90	400	8.17	4,371	89.33	78	1.59
嘉義縣	Chiai County	3,432	100.00	34	0.99	273	7.95	3,074	89.57	51	1.49
屏東縣	Pingtung County	5,935	100.00	58	0.98	515	8.68	5,279	88.95	83	1.40
宜蘭縣	Ilan County	3,350	100.00	26	0.78	263	7.85	3,012	89.91	49	1.46
花蓮縣	Hualien County	2,678	100.00	34	1.27	219	8.18	2,376	88.72	49	1.83
台東縣	Taitung County	1,606	100.00	13	0.81	159	9.90	1,405	87.48	29	1.81
澎湖縣	Penghu County	638	100.00	3	0.47	51	7.99	579	90.75	5	0.78
金門縣	Kinmen County	782	100.00	8	1.02	73	9.34	687	87.85	14	1.79
連江縣	Lianjiang County	75	100.00	1	1.33	2	2.67	68	90.67	4	5.33
其他	Others	9	100.00	0	0.00	2	22.22	7	77.78	0	0.00

表3.3 民國104年出生通報活產出生體重按產婦配偶戶籍地之縣市別分

Table 3.3 Birth Weight of Live Births by City/County (Registered Household of the Spouse of the Parturient), 2015

產婦配偶戶籍地 Registered Household of the Spouse of the Parturient		合計 Total		出生體重(公克) Birth Weight (Gram)							
				<1500		1500-2499		2500-3999		≥4000	
		人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>合計</b>	<b>Total</b>	<b>213,714</b>	<b>100.00</b>	<b>1,941</b>	<b>0.91</b>	<b>17,366</b>	<b>8.13</b>	<b>191,473</b>	<b>89.59</b>	<b>2,934</b>	<b>1.37</b>
台北市	Taipei City	27,579	100.00	262	0.95	2,154	7.81	24,776	89.84	387	1.40
新北市	New Taipei City	33,844	100.00	306	0.90	2,761	8.16	30,301	89.53	476	1.41
桃園市	Taoyuan City	21,500	100.00	193	0.90	1,666	7.75	19,320	89.86	321	1.49
台中市	Taichung City	26,465	100.00	218	0.82	2,172	8.21	23,745	89.72	330	1.25
原台中市	Former Taichung City	10,577	100.00	101	0.95	915	8.65	9,442	89.27	119	1.13
原台中縣	Former Taichung County	15,888	100.00	117	0.74	1,257	7.91	14,303	90.02	211	1.33
台南市	Tainan City	16,329	100.00	158	0.97	1,362	8.34	14,613	89.49	196	1.20
原台南市	Former Tainan City	6,925	100.00	68	0.98	580	8.38	6,204	89.59	73	1.05
原台南縣	Former Tainan County	9,404	100.00	90	0.96	782	8.32	8,409	89.42	123	1.31
高雄市	Kaohsiung City	23,264	100.00	206	0.89	1,877	8.07	20,878	89.74	303	1.30
原高雄市	Former Kaohsiung City	12,210	100.00	95	0.78	947	7.76	11,021	90.26	147	1.20
原高雄縣	Former Kaohsiung County	11,054	100.00	111	1.00	930	8.41	9,857	89.17	156	1.41
基隆市	Keelung City	2,686	100.00	30	1.12	219	8.15	2,394	89.13	43	1.60
新竹市	Hsinchu City	4,622	100.00	36	0.78	382	8.26	4,146	89.70	58	1.25
嘉義市	Chiai City	2,031	100.00	27	1.33	156	7.68	1,833	90.25	15	0.74
新竹縣	Hsinchu County	5,716	100.00	66	1.15	439	7.68	5,136	89.85	75	1.31
苗栗縣	Miaoli County	5,611	100.00	43	0.77	485	8.64	5,007	89.24	76	1.35
彰化縣	Changhua County	12,012	100.00	99	0.82	983	8.18	10,757	89.55	173	1.44
南投縣	Nantou County	4,303	100.00	28	0.65	400	9.30	3,825	88.89	50	1.16
雲林縣	Yunlin County	5,749	100.00	60	1.04	460	8.00	5,136	89.34	93	1.62
嘉義縣	Chiai County	4,127	100.00	41	0.99	315	7.63	3,712	89.94	59	1.43
屏東縣	Pingtung County	6,755	100.00	59	0.87	583	8.63	6,012	89.00	101	1.50
宜蘭縣	Ilan County	3,741	100.00	32	0.86	296	7.91	3,364	89.92	49	1.31
花蓮縣	Hualien County	2,902	100.00	35	1.21	239	8.24	2,575	88.73	53	1.83
台東縣	Taitung County	1,936	100.00	15	0.77	193	9.97	1,694	87.50	34	1.76
澎湖縣	Penghu County	948	100.00	9	0.95	78	8.23	854	90.08	7	0.74
金門縣	Kinmen County	1,396	100.00	14	1.00	133	9.53	1,227	87.89	22	1.58
連江縣	Lianjiang County	158	100.00	4	2.53	10	6.33	136	86.08	8	5.06
其他	Others	40	100.00	0	0.00	3	7.50	32	80.00	5	12.50

表3.4 民國104年出生通報活產出生體重按產婦年齡分  
Table 3.4 Birth Weight of Live Births by Age of the Parturient, 2015

產婦年齡 Age of the Parturient	合計 Total		出生體重(公克) Birth Weight (Gram)							
	人數 Number	百分比 Percentage	<1500		1500-2499		2500-3999		≥4000	
			人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>合計 Total</b>	<b>213,710</b>	<b>100.00</b>	<b>1,941</b>	<b>0.91</b>	<b>17,364</b>	<b>8.13</b>	<b>191,471</b>	<b>89.59</b>	<b>2,934</b>	<b>1.37</b>
<20	3,162	100.00	45	1.42	338	10.69	2,758	87.22	21	0.66
20-24	17,354	100.00	124	0.71	1,389	8.00	15,674	90.32	167	0.96
25-29	51,504	100.00	338	0.66	3,682	7.15	46,858	90.98	626	1.22
30-34	88,391	100.00	753	0.85	6,872	7.77	79,506	89.95	1,260	1.43
35-39	46,287	100.00	551	1.19	4,339	9.37	40,682	87.89	715	1.54
40-44	6,773	100.00	118	1.74	696	10.28	5,815	85.86	144	2.13
45-49	224	100.00	12	5.36	39	17.41	172	76.79	1	0.45
≥50	15	100.00	0	0.00	9	60.00	6	40.00	0	0.00

備註：產婦年齡不詳共4案，分為出生體重1500-2499公克2案、2500-3999公克2案。

Note: Age of the parturient unknown: 4 cases, with 2 cases in 1500-2499 grams, and 2 cases in 2500-3999 grams of birth weight.

表3.5 民國104年出生通報活產出生體重按出生場所及接生者分

Table 3.5 Birth Weight of Live Births by Birth Delivery Place and Medical Professional, 2015

出生場所及接生者 Birth Delivery Place and Medical Professional	合計 Total			出生體重(公克) Birth Weight (Gram)						
	人數 Number	百分比 Percentage	1500-2499 人數 Number	百分比 Percentage	2500-3999		≥4000			
					人數 Number	百分比 Percentage	人數 Number	百分比 Percentage		
<b>合計 Total</b>	<b>213,714</b>	<b>100.00</b>	<b>1,941</b>	<b>0.91</b>	<b>17,366</b>	<b>8.13</b>	<b>191,473</b>	<b>89.59</b>	<b>2,934</b>	<b>1.37</b>
出生場所 Hospital	153,394	100.00	1,878	1.22	13,911	9.07	135,644	88.43	1,961	1.28
Birth Delivery Place Clinics	59,948	100.00	47	0.08	3,388	5.65	55,542	92.65	971	1.62
助產所 Midwife Clinics	23	100.00	0	0.00	1	4.35	22	95.65	0	0.00
自宅 Home of the Parturient	271	100.00	11	4.06	48	17.71	210	77.49	2	0.74
其他 Others	78	100.00	5	6.41	18	23.08	55	70.51	0	0.00
接生者 Physicians	213,468	100.00	1,938	0.91	17,329	8.12	191,269	89.60	2,932	1.37
Medical Professional 助產師(士) Midwives	126	100.00	0	0.00	5	3.97	119	94.44	2	1.59
其他 Others	120	100.00	3	2.50	32	26.67	85	70.83	0	0.00

表3.6 民國104年出生通報活產出生體重按生產方式分  
Table 3.6 Birth Weight of Live Births by Method of Delivery, 2015

生產方式 Method of Delivery	合計 Total		出生體重(公克) Birth Weight (Gram)							
	人數 Number	百分比 Percentage	<1500		1500-2499		2500-3999		≥4000	
			人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>合計</b>	<b>213,714</b>	<b>100.00</b>	<b>1,941</b>	<b>0.91</b>	<b>17,366</b>	<b>8.13</b>	<b>191,473</b>	<b>89.59</b>	<b>2,934</b>	<b>1.37</b>
陰道生產	118,925	100.00	667	0.56	7,299	6.14	109,879	92.39	1,080	0.91
陰道產鉗生產	338	100.00	1	0.30	14	4.14	320	94.67	3	0.89
陰道真空吸引生產	16,910	100.00	4	0.02	587	3.47	16,110	95.27	209	1.24
有剖腹產史之陰道生產	744	100.00	33	4.44	96	12.90	606	81.45	9	1.21
第一次剖腹產	46,305	100.00	1,039	2.24	7,137	15.41	36,987	79.88	1,142	2.47
有剖腹產史之剖腹產	30,492	100.00	197	0.65	2,233	7.32	27,571	90.42	491	1.61

表4.1 民國104年出生通報活產懷孕週數按活產胎次分  
Table 4.1 Weeks of Pregnancy of Live Births by Live Birth Order, 2015

活產胎次 Live Birth Order	合計 Total		懷孕週數(週) Weeks of Pregnancy									
	人數 Number	百分比 Percentage	<37		37-38		39-40		41		≥42	
			人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>合計</b>	<b>213,710</b>	<b>100.00</b>	<b>20,032</b>	<b>9.37</b>	<b>93,892</b>	<b>43.93</b>	<b>95,431</b>	<b>44.65</b>	<b>4,250</b>	<b>1.99</b>	<b>105</b>	<b>0.05</b>
第一胎	108,335	100.00	8,361	7.72	40,756	37.62	56,128	51.81	3,030	2.80	60	0.06
第二胎	81,707	100.00	8,371	10.25	41,195	50.42	31,190	38.17	925	1.13	26	0.03
第三胎	19,253	100.00	2,532	13.15	9,695	50.36	6,771	35.17	243	1.26	12	0.06
第四胎及以上 ≥4th	4,415	100.00	768	17.40	2,246	50.87	1,342	30.40	52	1.18	7	0.16

備註：產婦活產胎次不詳共4案，分別為懷孕週數<37週1案，39-40週3案。

Note: Live birth order unknown : 4 cases, with 1 case in <37 weeks, and 3 cases in 39-40 weeks of pregnancy.

表4.2 民國104年出生通報活產懷孕週數按產婦現住地之縣市別分

Table 4.2 Weeks of Pregnancy of Live Births by City/County (Current Residence of the Parturient), 2015

產婦現住地 Current Residence of the Parturient		合計 Total		懷孕週數(週) Weeks of Pregnancy									
				<37		37-38		39-40		41		≥42	
		人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>合計</b>	<b>Total</b>	<b>213,714</b>	<b>100.00</b>	<b>20,033</b>	<b>9.37</b>	<b>93,892</b>	<b>43.93</b>	<b>95,434</b>	<b>44.66</b>	<b>4,250</b>	<b>1.99</b>	<b>105</b>	<b>0.05</b>
台北市	Taipei City	24,931	100.00	2,204	8.84	10,297	41.30	11,853	47.54	564	2.26	13	0.05
新北市	New Taipei City	39,078	100.00	3,562	9.12	17,059	43.65	17,726	45.36	712	1.82	19	0.05
桃園市	Taoyuan City	22,422	100.00	2,022	9.02	9,948	44.37	10,073	44.92	369	1.65	10	0.04
台中市	Taichung City	27,530	100.00	2,801	10.17	11,892	43.20	12,257	44.52	572	2.08	8	0.03
原台中市	Former Taichung City	11,599	100.00	1,234	10.64	5,067	43.68	5,065	43.67	228	1.97	5	0.04
原台中縣	Former Taichung County	15,931	100.00	1,567	9.84	6,825	42.84	7,192	45.14	344	2.16	3	0.02
台南市	Tainan City	16,213	100.00	1,597	9.85	7,156	44.14	7,195	44.38	256	1.58	9	0.06
原台南市	Former Tainan City	7,042	100.00	690	9.80	3,048	43.28	3,190	45.30	111	1.58	3	0.04
原台南縣	Former Tainan County	9,171	100.00	907	9.89	4,108	44.79	4,005	43.67	145	1.58	6	0.07
高雄市	Kaohsiung City	23,208	100.00	2,111	9.10	10,963	47.24	9,737	41.96	385	1.66	12	0.05
原高雄市	Former Kaohsiung City	12,385	100.00	1,107	8.94	5,923	47.82	5,139	41.49	209	1.69	7	0.06
原高雄縣	Former Kaohsiung County	10,823	100.00	1,004	9.28	5,040	46.57	4,598	42.48	176	1.63	5	0.05
基隆市	Keelung City	2,536	100.00	277	10.92	1,248	49.21	974	38.41	34	1.34	3	0.12
新竹市	Hsinchu City	5,386	100.00	480	8.91	2,144	39.81	2,625	48.74	136	2.53	1	0.02
嘉義市	Chiayi City	2,129	100.00	187	8.78	958	45.00	930	43.68	53	2.49	1	0.05
新竹縣	Hsinchu County	6,309	100.00	618	9.80	2,662	42.19	2,878	45.62	148	2.35	3	0.05
苗栗縣	Miaoli County	5,363	100.00	469	8.75	2,335	43.54	2,402	44.79	154	2.87	3	0.06
彰化縣	Changhua County	11,515	100.00	1,110	9.64	5,051	43.86	5,054	43.89	293	2.54	7	0.06
南投縣	Nantou County	3,696	100.00	406	10.98	1,634	44.21	1,554	42.05	102	2.76	0	0.00
雲林縣	Yunlin County	4,893	100.00	495	10.12	2,240	45.78	2,042	41.73	113	2.31	3	0.06
嘉義縣	Chiayi County	3,432	100.00	334	9.73	1,444	42.07	1,573	45.83	80	2.33	1	0.03
屏東縣	Pingtung County	5,935	100.00	526	8.86	2,896	48.80	2,426	40.88	85	1.43	2	0.03
宜蘭縣	Ilan County	3,350	100.00	298	8.90	1,429	42.66	1,538	45.91	81	2.42	4	0.12
花蓮縣	Hualien County	2,678	100.00	250	9.34	1,144	42.72	1,232	46.00	51	1.90	1	0.04
台東縣	Taitung County	1,606	100.00	159	9.90	732	45.58	685	42.65	27	1.68	3	0.19
澎湖縣	Penghu County	638	100.00	45	7.05	313	49.06	272	42.63	8	1.25	0	0.00
金門縣	Kinmen County	782	100.00	72	9.21	315	40.28	367	46.93	26	3.32	2	0.26
連江縣	Lianjiang County	75	100.00	8	10.67	28	37.33	38	50.67	1	1.33	0	0.00
其他	Others	9	100.00	2	22.22	4	44.44	3	33.33	0	0.00	0	0.00

表4.3 民國104年出生通報活產懷孕週數按產婦配偶戶籍地之縣市別分

Table 4.3 Weeks of Pregnancy of Live Births by City/County (Registered Household of the Spouse of the Parturient), 2015

產婦配偶戶籍地 Registered Household of the Spouse of the Parturient		合計 Total		懷孕週數(週) Weeks of Pregnancy									
				<37		37-38		39-40		41		≥42	
		人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>合計</b>	<b>Total</b>	<b>213,714</b>	<b>100.00</b>	<b>20,033</b>	<b>9.37</b>	<b>93,892</b>	<b>43.93</b>	<b>95,434</b>	<b>44.66</b>	<b>4,250</b>	<b>1.99</b>	<b>105</b>	<b>0.05</b>
台北市	Taipei City	27,579	100.00	2,371	8.60	11,444	41.50	13,086	47.45	659	2.39	19	0.07
新北市	New Taipei City	33,844	100.00	3,134	9.26	14,896	44.01	15,198	44.91	595	1.76	21	0.06
桃園市	Taoyuan City	21,500	100.00	1,939	9.02	9,502	44.20	9,698	45.11	353	1.64	8	0.04
台中市	Taichung City	26,465	100.00	2,650	10.01	11,387	43.03	11,873	44.86	547	2.07	8	0.03
原台中市	Former Taichung City	10,577	100.00	1,113	10.52	4,579	43.29	4,681	44.26	199	1.88	5	0.05
原台中縣	Former Taichung County	15,888	100.00	1,537	9.67	6,808	42.85	7,192	45.27	348	2.19	3	0.02
台南市	Tainan City	16,329	100.00	1,610	9.86	7,235	44.31	7,205	44.12	271	1.66	8	0.05
原台南市	Former Tainan City	6,925	100.00	686	9.91	3,027	43.71	3,101	44.78	108	1.56	3	0.04
原台南縣	Former Tainan County	9,404	100.00	924	9.83	4,208	44.75	4,104	43.64	163	1.73	5	0.05
高雄市	Kaohsiung City	23,264	100.00	2,110	9.07	10,958	47.10	9,791	42.09	396	1.70	9	0.04
原高雄市	Former Kaohsiung City	12,210	100.00	1,079	8.84	5,810	47.58	5,099	41.76	216	1.77	6	0.05
原高雄縣	Former Kaohsiung County	11,054	100.00	1,031	9.33	5,148	46.57	4,692	42.45	180	1.63	3	0.03
基隆市	Keelung City	2,686	100.00	287	10.69	1,311	48.81	1,052	39.17	35	1.30	1	0.04
新竹市	Hsinchu City	4,622	100.00	426	9.22	1,872	40.50	2,201	47.62	123	2.66	0	0.00
嘉義市	Chiai City	2,031	100.00	176	8.67	903	44.46	904	44.51	47	2.31	1	0.05
新竹縣	Hsinchu County	5,716	100.00	553	9.67	2,421	42.35	2,626	45.94	114	1.99	2	0.03
苗栗縣	Miaoli County	5,611	100.00	515	9.18	2,417	43.08	2,516	44.84	160	2.85	3	0.05
彰化縣	Changhua County	12,012	100.00	1,147	9.55	5,237	43.60	5,330	44.37	291	2.42	7	0.06
南投縣	Nantou County	4,303	100.00	473	10.99	1,907	44.32	1,815	42.18	108	2.51	0	0.00
雲林縣	Yunlin County	5,749	100.00	577	10.04	2,559	44.51	2,484	43.21	127	2.21	2	0.03
嘉義縣	Chiai County	4,127	100.00	401	9.72	1,729	41.89	1,888	45.75	107	2.59	2	0.05
屏東縣	Pingtung County	6,755	100.00	614	9.09	3,262	48.29	2,780	41.15	96	1.42	3	0.04
宜蘭縣	Ilan County	3,741	100.00	344	9.20	1,581	42.26	1,727	46.16	85	2.27	4	0.11
花蓮縣	Hualien County	2,902	100.00	264	9.10	1,277	44.00	1,308	45.07	52	1.79	1	0.03
台東縣	Taitung County	1,936	100.00	203	10.49	873	45.09	826	42.67	31	1.60	3	0.15
澎湖縣	Penghu County	948	100.00	79	8.33	452	47.68	403	42.51	14	1.48	0	0.00
金門縣	Kinmen County	1,396	100.00	138	9.89	598	42.84	624	44.70	33	2.36	3	0.21
連江縣	Lianjiang County	158	100.00	18	11.39	57	36.08	80	50.63	3	1.90	0	0.00
其他	Others	40	100.00	4	10.00	14	35.00	19	47.50	3	7.50	0	0.00

表4.4 民國104年出生通報活產懷孕週數按產婦年齡分

Table 4.4 Weeks of Pregnancy of Live Births by Age of the Parturient, 2015

產婦年齡 Age of the Parturient	合計 Total		懷孕週數(週) Weeks of Pregnancy											
	人數 Number	百分比 Percentage	<37		37-38		39-40		41		≥42			
			人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage		
<b>合計</b>	<b>213,710</b>	<b>100.00</b>	<b>20,032</b>	<b>9.37</b>	<b>93,892</b>	<b>43.93</b>	<b>95,431</b>	<b>44.65</b>	<b>4,250</b>	<b>1.99</b>	<b>105</b>	<b>0.05</b>		
<20	3,162	100.00	377	11.92	1,248	39.47	1,462	46.24	73	2.31	2	0.06		
20-24	17,354	100.00	1,375	7.92	7,054	40.65	8,512	49.05	405	2.33	8	0.05		
25-29	51,504	100.00	3,860	7.49	21,422	41.59	25,061	48.66	1,134	2.20	27	0.05		
30-34	88,391	100.00	8,024	9.08	38,515	43.57	40,033	45.29	1,775	2.01	44	0.05		
35-39	46,287	100.00	5,371	11.60	22,149	47.85	17,975	38.83	774	1.67	18	0.04		
40-44	6,773	100.00	948	14.00	3,398	50.17	2,336	34.49	85	1.25	6	0.09		
45-49	224	100.00	70	31.25	100	44.64	51	22.77	3	1.34	0	0.00		
≥50	15	100.00	7	46.67	6	40.00	1	6.67	1	6.67	0	0.00		

備註：產婦活產胎次不詳共4案，分別為懷孕週數<37週1案，39-40週3案。

Note: Live birth order unknown : 4 cases, with 1 case in <37 weeks , and 3 cases in 39-40 weeks of pregnancy.

表4.5 民國104年出生通報活產懷孕週數按出生場所及接生者分

Table 4.5 Weeks of Pregnancy of Live Births by Birth Delivery Place and Medical Professional, 2015

出生場所及接生者 Birth Delivery Place and Medical Professional		合計 Total		懷孕週數(週) Weeks of Pregnancy														
				<37			37-38			39-40			41			≥42		
				人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage			
<b>合計 Total</b>	<b>213,714</b>	<b>100.00</b>	<b>20,033</b>	<b>9.37</b>	<b>93,892</b>	<b>43.93</b>	<b>95,434</b>	<b>44.66</b>	<b>4,250</b>	<b>1.99</b>	<b>105</b>	<b>0.05</b>						
出生場所 Hospital	153,394	100.00	16,189	10.55	64,881	42.30	69,154	45.08	3,094	2.02	76	0.05						
Birth Delivery Place Clinics	59,948	100.00	3,768	6.29	28,888	48.19	26,114	43.56	1,149	1.92	29	0.05						
助產所 Midwife's Clinics	23	100.00	0	0.00	5	21.74	17	73.91	1	4.35	0	0.00						
自宅 Home of the Parturient	271	100.00	57	21.03	82	30.26	126	46.49	6	2.21	0	0.00						
其他 Others	78	100.00	19	24.36	36	46.15	23	29.49	0	0.00	0	0.00						
接生者 Physicians	213,468	100.00	20,002	9.37	93,811	43.95	95,307	44.65	4,243	1.99	105	0.05						
Medical Professional 助產師(士) Midwives	126	100.00	1	0.79	31	24.60	88	69.84	6	4.76	0	0.00						
其他 Others	120	100.00	30	25.00	50	41.67	39	32.50	1	0.83	0	0.00						

表4.6 民國104年出生通報活產懷孕週數按生產方式分  
Table 4.6 Weeks of Pregnancy of Live Births by Method of Delivery, 2015

生產方式 Method of Delivery	合計 Total		懷孕週數(週) Weeks of Pregnancy									
	人數 Number	百分比 Percentage	<37		37-38		39-40		41		≥42	
			人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>合計</b>	<b>213,714</b>	<b>100.00</b>	<b>20,033</b>	<b>9.37</b>	<b>93,892</b>	<b>43.93</b>	<b>95,434</b>	<b>44.66</b>	<b>4,250</b>	<b>1.99</b>	<b>105</b>	<b>0.05</b>
陰道生產	118,925	100.00	7,684	6.46	43,946	36.95	64,722	54.42	2,511	2.11	62	0.05
陰道產鉗生產	338	100.00	18	5.33	98	28.99	215	63.61	7	2.07	0	0.00
陰道真空吸引生產	16,910	100.00	605	3.58	5,278	31.21	10,441	61.74	571	3.38	15	0.09
有剖腹產史之陰道生產	744	100.00	138	18.55	358	48.12	229	30.78	19	2.55	0	0.00
第一次剖腹產	46,305	100.00	8,243	17.80	21,297	45.99	15,634	33.76	1,105	2.39	26	0.06
有剖腹產史之剖腹產	30,492	100.00	3,345	10.97	22,915	75.15	4,193	13.75	37	0.12	2	0.01

表5.1 民國104年出生通報活產有無先天缺陷按活產胎次分

Table 5.1 Presence of Birth Defects of Live Births by Live Birth Order, 2015

活產胎次 Live Birth Order	合計 Total		有無先天缺陷 Presence of Birth Defects				
			無缺陷 Without		有缺陷 With		
	人數	百分比	人數	百分比	人數	百分比	
	Number	Percentage	Number	Percentage	Number	Percentage	
<b>合計</b>	<b>Total</b>	<b>213,710</b>	<b>100.00</b>	<b>212,685</b>	<b>99.52</b>	<b>1,025</b>	<b>0.48</b>
第一胎	1st	108,335	100.00	107,802	99.51	533	0.49
第二胎	2nd	81,707	100.00	81,343	99.55	364	0.45
第三胎	3rd	19,253	100.00	19,151	99.47	102	0.53
第四胎及以上	≥4th	4,415	100.00	4,389	99.41	26	0.59

備註：產婦活產胎次不詳共4案，為無缺陷4案。

Note: Live birth order unknown : 4 cases, which were born without birth defects.

表5.2 民國104年出生通報活產有無先天缺陷按產婦現住地之縣市別分  
 Table 5.2 Presence of Birth Defects of Live Births by City/County (Current Residence of the Parturient), 2015

產婦現住地 Current Residence of the Parturient		合計 Total		有無先天缺陷 Presence of Birth Defects			
				無缺陷 Without		有缺陷 With	
		人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>合計</b>	<b>Total</b>	<b>213,714</b>	<b>100.00</b>	<b>212,689</b>	<b>99.52</b>	<b>1,025</b>	<b>0.48</b>
台北市	Taipei City	24,931	100.00	24,809	99.51	122	0.49
新北市	New Taipei City	39,078	100.00	38,935	99.63	143	0.37
桃園市	Taoyuan City	22,422	100.00	22,344	99.65	78	0.35
台中市	Taichung City	27,530	100.00	27,421	99.60	109	0.40
原台中市	Former Taichung City	11,599	100.00	11,550	99.58	49	0.42
原台中縣	Former Taichung County	15,931	100.00	15,871	99.62	60	0.38
台南市	Tainan City	16,213	100.00	16,060	99.06	153	0.94
原台南市	Former Tainan City	7,042	100.00	6,990	99.26	52	0.74
原台南縣	Former Tainan County	9,171	100.00	9,070	98.90	101	1.10
高雄市	Kaohsiung City	23,208	100.00	23,110	99.58	98	0.42
原高雄市	Former Kaohsiung City	12,385	100.00	12,332	99.57	53	0.43
原高雄縣	Former Kaohsiung County	10,823	100.00	10,778	99.58	45	0.42
基隆市	Keelung City	2,536	100.00	2,534	99.92	2	0.08
新竹市	Hsinchu City	5,386	100.00	5,363	99.57	23	0.43
嘉義市	Chiai City	2,129	100.00	2,118	99.48	11	0.52
新竹縣	Hsinchu County	6,309	100.00	6,290	99.70	19	0.30
苗栗縣	Miaoli County	5,363	100.00	5,339	99.55	24	0.45
彰化縣	Changhua County	11,515	100.00	11,436	99.31	79	0.69
南投縣	Nantou County	3,696	100.00	3,665	99.16	31	0.84
雲林縣	Yunlin County	4,893	100.00	4,863	99.39	30	0.61
嘉義縣	Chiai County	3,432	100.00	3,406	99.24	26	0.76
屏東縣	Pingtung County	5,935	100.00	5,908	99.55	27	0.45
宜蘭縣	Ilan County	3,350	100.00	3,324	99.22	26	0.78
花蓮縣	Hualien County	2,678	100.00	2,669	99.66	9	0.34
台東縣	Taitung County	1,606	100.00	1,597	99.44	9	0.56
澎湖縣	Penghu County	638	100.00	635	99.53	3	0.47
金門縣	Kinmen County	782	100.00	781	99.87	1	0.13
連江縣	Lianjiang County	75	100.00	73	97.33	2	2.67
其他	Others	9	100.00	9	100.00	0	0.00

表5.3 民國104年出生通報活產有無先天缺陷按產婦配偶戶籍地之縣市別分

Table 5.3 Presence of Birth Defects of Live Births by City/County (Registered Household of the Spouse of the Parturient), 2015

產婦配偶戶籍地 Registered Household of the Spouse of the Parturient		合計 Total		有無先天缺陷 Presence of Birth Defects			
				無缺陷 Without		有缺陷 With	
		人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>合計</b>	<b>Total</b>	<b>213,714</b>	<b>100.00</b>	<b>212,689</b>	<b>99.52</b>	<b>1,025</b>	<b>0.48</b>
台北市	Taipei City	27,579	100.00	27,452	99.54	127	0.46
新北市	New Taipei City	33,844	100.00	33,714	99.62	130	0.38
桃園市	Taoyuan City	21,500	100.00	21,420	99.63	80	0.37
台中市	Taichung City	26,465	100.00	26,344	99.54	121	0.46
原台中市	Former Taichung City	10,577	100.00	10,521	99.47	56	0.53
原台中縣	Former Taichung County	15,888	100.00	15,823	99.59	65	0.41
台南市	Tainan City	16,329	100.00	16,199	99.20	130	0.80
原台南市	Former Tainan City	6,925	100.00	6,878	99.32	47	0.68
原台南縣	Former Tainan County	9,404	100.00	9,321	99.12	83	0.88
高雄市	Kaohsiung City	23,264	100.00	23,160	99.55	104	0.45
原高雄市	Former Kaohsiung City	12,210	100.00	12,153	99.53	57	0.47
原高雄縣	Former Kaohsiung County	11,054	100.00	11,007	99.57	47	0.43
基隆市	Keelung City	2,686	100.00	2,680	99.78	6	0.22
新竹市	Hsinchu City	4,622	100.00	4,608	99.70	14	0.30
嘉義市	Chiai City	2,031	100.00	2,021	99.51	10	0.49
新竹縣	Hsinchu County	5,716	100.00	5,695	99.63	21	0.37
苗栗縣	Miaoli County	5,611	100.00	5,585	99.54	26	0.46
彰化縣	Changhua County	12,012	100.00	11,940	99.40	72	0.60
南投縣	Nantou County	4,303	100.00	4,273	99.30	30	0.70
雲林縣	Yunlin County	5,749	100.00	5,711	99.34	38	0.66
嘉義縣	Chiai County	4,127	100.00	4,101	99.37	26	0.63
屏東縣	Pingtung County	6,755	100.00	6,719	99.47	36	0.53
宜蘭縣	Ilan County	3,741	100.00	3,713	99.25	28	0.75
花蓮縣	Hualien County	2,902	100.00	2,890	99.59	12	0.41
台東縣	Taitung County	1,936	100.00	1,928	99.59	8	0.41
澎湖縣	Penghu County	948	100.00	945	99.68	3	0.32
金門縣	Kinmen County	1,396	100.00	1,395	99.93	1	0.07
連江縣	Lianjiang County	158	100.00	156	98.73	2	1.27
其他	Others	40	100.00	40	100.00	0	0.00

表5.4 民國104年出生通報活產有無先天缺陷按產婦年齡分

Table 5.4 Presence of Birth Defects of Live Births by Age of the Parturient, 2015

產婦年齡 Age of the Parturient	合計 Total		有無先天缺陷 Presence of Birth Defects				
			無缺陷 Without		有缺陷 With		
	人數	百分比	人數	百分比	人數	百分比	
	Number	Percentage	Number	Percentage	Number	Percentage	
<b>合計</b>	<b>Total</b>	<b>213,710</b>	<b>100.00</b>	<b>212,685</b>	<b>99.52</b>	<b>1,025</b>	<b>0.48</b>
<20		3,162	100.00	3,146	99.49	16	0.51
20-24		17,354	100.00	17,276	99.55	78	0.45
25-29		51,504	100.00	51,294	99.59	210	0.41
30-34		88,391	100.00	87,957	99.51	434	0.49
35-39		46,287	100.00	46,061	99.51	226	0.49
40-44		6,773	100.00	6,714	99.13	59	0.87
45-49		224	100.00	222	99.11	2	0.89
≥50		15	100.00	15	100.00	0	0.00

備註：產婦年齡不詳共4案，為無缺陷4案。

Note: Age of the parturient unknown: 4 cases, which were born without birth defects.

表5.5 民國104年出生通報活產有無先天缺陷按出生場所及接生者分

Table 5.5 Presence of Birth Defects of Live Births by Birth Delivery Place and Medical Professional, 2015

出生場所 Birth Delivery Place	接生者 Medical Professional	合計 Total		有無先天缺陷 Presence of Birth Defects			
		無缺陷 Without		有缺陷 With		人數 Number	百分比 Percentage
		人數 Number	百分比 Percentage	人數 Number	百分比 Percentage		
<b>合計 Total</b>		<b>213,714</b>	<b>100.00</b>	<b>212,689</b>	<b>99.52</b>	<b>1,025</b>	<b>0.48</b>
醫院 Hospitals		153,394	100.00	152,462	99.39	932	0.61
診所 Clinics		59,948	100.00	59,857	99.85	91	0.15
助產所 Midwifery Clinics		23	100.00	22	95.65	1	4.35
自宅 Home of the Parturient		271	100.00	270	99.63	1	0.37
其他 Others		78	100.00	78	100.00	0	0.00
醫師 Physicians		213,468	100.00	212,444	99.52	1,024	0.48
助產師(士) Midwives		126	100.00	125	99.21	1	0.79
其他 Others		120	100.00	120	100.00	0	0.00

表5.6 民國104年出生通報活產有無先天缺陷按生產方式分  
 Table 5.6 Presence of Birth Defects of Live Births by Method of Delivery, 2015

生產方式 Method of Delivery	合計 Total		有無先天缺陷 Presence of Birth Defects			
	人數 Number	百分比 Percentage	無缺陷 Without		有缺陷 With	
			人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>Total</b>	<b>213,714</b>	<b>100.00</b>	<b>212,689</b>	<b>99.52</b>	<b>1,025</b>	<b>0.48</b>
陰道生產	118,925	100.00	118,424	99.58	501	0.42
陰道產鉗生產	338	100.00	338	100.00	0	0.00
陰道真空吸引生產	16,910	100.00	16,827	99.51	83	0.49
有剖腹產史之陰道生產	744	100.00	732	98.39	12	1.61
第一次剖腹產	46,305	100.00	46,022	99.39	283	0.61
有剖腹產史之剖腹產	30,492	100.00	30,346	99.52	146	0.48

表6.1 民國104年出生通報活產缺陷類別按產婦現住地之縣市別分

Table 6.1 Types of Birth Defects of Live Births by City/County (Current Residence of the Parturient), 2015

產婦現住地 Current Residence of the Parturient		缺陷類別 Types of Birth Defects									
		神經系統 Nervous system	眼顔面系統 Eye and face system	心臟血管系統 Heart and circulatory system	消化系統 Digestive system	泌尿生殖系統 Urogenital system	骨骼肌肉系統 Musculoskeletal system	呼吸系統 Respiratory system	染色體異常 Chromosomal abnormality	其他 Other	
		人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	
台北市	Taipei City	1	31	16	13	15	28	3	12	7	
新北市	New Taipei City	4	28	30	12	18	42	2	9	4	
桃園市	Taoyuan City	2	14	4	9	13	22	1	4	11	
台中市	Taichung City	1	24	22	7	14	33	2	2	10	
原台中市	Former Taichung City	0	6	9	4	6	20	1	1	4	
原台中縣	Former Taichung County	1	18	13	3	8	13	1	1	6	
台南市	Tainan City	2	32	5	4	7	9	4	2	89	
原台南市	Former Tainan City	0	10	4	2	4	3	0	0	29	
原台南縣	Former Tainan County	2	22	1	2	3	6	4	2	60	
高雄市	Kaohsiung City	6	18	8	9	14	23	0	5	20	
原高雄市	Former Kaohsiung City	3	9	5	8	6	13	0	3	8	
原高雄縣	Former Kaohsiung County	3	9	3	1	8	10	0	2	12	
基隆市	Keelung City	0	0	1	0	0	1	0	0	0	
新竹市	Hsinchu City	1	4	2	2	5	7	1	0	1	
嘉義市	Chiayi City	0	5	1	0	0	4	1	0	0	
新竹縣	Hsinchu County	0	5	2	1	0	7	0	0	4	
苗栗縣	Miaoli County	0	7	4	2	2	8	0	1	1	
彰化縣	Changhua County	1	12	38	9	4	18	1	2	1	
南投縣	Nantou County	2	8	3	4	4	6	3	1	1	
雲林縣	Yulin County	2	7	5	2	6	7	0	2	0	
嘉義縣	Chiayi County	0	7	1	2	1	14	1	0	1	
屏東縣	Pingtung County	1	9	0	4	4	7	1	0	2	
宜蘭縣	Ilan County	2	9	1	0	4	5	2	2	4	
花蓮縣	Hualien County	0	2	2	1	0	3	0	0	1	
台東縣	Taitung County	0	4	0	1	0	2	2	0	1	
澎湖縣	Penghu County	0	1	1	1	0	0	0	1	0	
金門縣	Kinmen County	0	0	0	0	0	0	0	0	1	
連江縣	Lianjiang County	0	0	0	0	0	1	0	0	1	
其他	Others	0	0	0	0	0	0	0	0	0	
合計	Total	25	227	146	83	111	247	24	43	160	

表6.2 民國104年出生通報活產缺陷類別按產婦配偶戶籍地之縣市別分  
 Table 6.2 Types of Birth Defects of Live Births by City/County (Registered Household of the Parturient), 2015

產婦配偶戶籍地 Current Residence of the Parturient	缺陷類別 Types of Birth Defects										
	神經系統 Nervous system	眼顔面系統 Eye and face system	心臟血管系統 Heart and circulatory system	消化系統 Digestive system	泌尿生殖系統 Urogenital system	骨骼肌肉系統 Musculoskeletal system	呼吸系統 Respiratory system	染色體異常 Chromosomal abnormality	其他 Other		
	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount		
台北市	1	28	19	12	15	30	2	12	9		
新北市	4	26	26	11	14	36	2	9	6		
桃園市	2	20	5	7	14	20	0	4	10		
台中市	1	25	23	8	17	34	4	1	15		
原台中市	0	9	12	4	6	18	2	0	8		
原台中縣	1	16	11	4	11	16	2	1	7		
台南市	1	27	5	3	8	11	3	2	72		
原台南市	0	11	3	1	4	3	2	0	24		
原台南縣	1	16	2	2	4	8	1	2	48		
高雄市	6	18	9	11	12	25	0	5	23		
原高雄市	3	9	4	8	6	15	0	3	11		
原高雄縣	3	9	5	3	6	10	0	2	12		
基隆市	0	2	2	0	0	3	0	1	0		
新竹市	1	1	1	2	4	4	1	0	0		
嘉義市	0	3	1	0	0	4	2	0	0		
新竹縣	0	4	3	1	2	6	0	0	5		
苗栗縣	1	8	3	2	1	9	0	1	2		
彰化縣	1	13	31	11	4	16	0	2	1		
南投縣	2	8	3	3	3	6	3	1	2		
雲林縣	2	8	6	2	6	10	1	2	2		
嘉義縣	0	9	1	2	1	12	1	0	1		
屏東縣	1	11	3	4	4	10	2	0	2		
宜蘭縣	2	9	1	0	4	6	2	2	5		
花蓮縣	0	3	3	2	1	3	1	0	1		
台東縣	0	3	0	1	1	1	0	0	2		
澎湖縣	0	1	1	1	0	0	0	1	0		
金門縣	0	0	0	0	0	0	0	0	1		
連江縣	0	0	0	0	0	1	0	0	1		
其他	0	0	0	0	0	0	0	0	0		
合計	25	227	146	83	111	247	24	43	160		

表 7.1 民國 104 年出生通報活產產婦年齡按產婦原始國籍分  
Table 7.1 Age of the Parturient of Live Births by Original Nationality of the Parturient, 2015

產婦原始國籍 Original Nationality of the Parturient	產婦年齡 Age of the Parturient																	
	<20		20-24		25-29		30-34		35-39		40-44		45-49		≥50			
	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage		
<b>合計</b> <b>Total</b>	<b>213,710</b>	<b>100.00</b>	<b>3,162</b>	<b>1.48</b>	<b>17,354</b>	<b>8.12</b>	<b>51,504</b>	<b>24.10</b>	<b>41,36</b>	<b>46,287</b>	<b>21.66</b>	<b>6,773</b>	<b>3.17</b>	<b>224</b>	<b>0.10</b>	<b>15</b>	<b>0.01</b>	
本國 ROC Citizens	200,664	100.00	3,096	1.54	16,129	8.04	47,281	23.56	83,467	41.60	44,098	21.98	6,369	3.17	209	0.10	15	0.01
外籍 Foreign Nationality	13,046	100.00	66	0.51	1,225	9.39	4,223	32.37	4,924	37.74	2,189	16.78	404	3.10	15	0.11	0	0.00
大陸 (含港澳) Mainland China (including HK, Macao)	6,876	100.00	4	0.06	455	6.62	2,614	38.02	2,506	36.45	1,091	15.87	198	2.88	8	0.12	0	0.00
越南 Vietnam	3,612	100.00	40	1.11	610	16.89	1,045	28.93	1,341	37.13	493	13.65	79	2.19	4	0.11	0	0.00
印尼 Indonesia	945	100.00	17	1.80	112	11.85	220	23.28	385	40.74	174	18.41	36	3.81	1	0.11	0	0.00
柬埔寨 Cambodia	102	100.00	0	0.00	1	0.98	4	3.92	55	53.92	38	37.25	4	3.92	0	0.00	0	0.00
菲律賓 Philippines	377	100.00	4	1.06	7	1.86	112	29.71	149	39.52	85	22.55	20	5.31	0	0.00	0	0.00
泰國 Thailand	148	100.00	0	0.00	10	6.76	31	20.95	58	39.19	39	26.35	10	6.76	0	0.00	0	0.00
緬甸 Myanmar	189	100.00	0	0.00	4	2.12	42	22.22	81	42.86	52	27.51	10	5.29	0	0.00	0	0.00
馬來西亞 Malaysia	171	100.00	1	0.58	7	4.09	37	21.64	81	47.37	36	21.05	9	5.26	0	0.00	0	0.00
其他 Others	626	100.00	0	0.00	19	3.04	118	18.85	268	42.81	181	28.91	38	6.07	2	0.32	0	0.00

備註：產婦原始國籍及產婦年齡不詳共 4 案。

Note: Original nationality and age of the parturient unknown: 4 cases.

表7.2 民國104年出生通報活產方式按產婦原始國籍分  
Table 7.2 Method of Delivery of Live Births by Original Nationality of the Parturient, 2015

產婦原始國籍 Original Nationality of the Parturient	合計 Total		生產方式 Method of Delivery											
	人數 Number	百分比 Percentage	陰道生產 Vaginal Delivery		陰道產鉗生產 Forceps Delivery		陰道真空吸引生產 Vacuum Extractor Delivery		有剖腹產史之陰道 生產 Vaginal Birth After Cesarean		第一次剖腹產 Cesarean Section		有剖腹產史之剖腹產 History of Cesarean	
			人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>合計</b>	<b>213,710</b>	<b>100.00</b>	<b>118,921</b>	<b>55.65</b>	<b>338</b>	<b>0.16</b>	<b>16,910</b>	<b>7.91</b>	<b>744</b>	<b>0.35</b>	<b>46,305</b>	<b>21.67</b>	<b>30,492</b>	<b>14.27</b>
本國	200,664	100.00	111,337	55.48	318	0.16	15,899	7.92	688	0.34	43,708	21.78	28,714	14.31
外籍	13,046	100.00	7,584	58.13	20	0.15	1,011	7.75	56	0.43	2,597	19.91	1,778	13.63
大陸 (含港澳)	6,876	100.00	3,854	56.05	15	0.22	506	7.36	35	0.51	1,452	21.12	1,014	14.75
越南	3,612	100.00	2,208	61.13	1	0.03	286	7.92	6	0.17	686	18.99	425	11.77
印尼	945	100.00	610	64.55	0	0.00	70	7.41	6	0.63	132	13.97	127	13.44
柬埔寨	102	100.00	62	60.78	0	0.00	6	5.88	0	0.00	15	14.71	19	18.63
菲律賓	377	100.00	203	53.85	0	0.00	36	9.55	2	0.53	79	20.95	57	15.12
泰國	148	100.00	77	52.03	0	0.00	14	9.46	1	0.68	31	20.95	25	16.89
緬甸	189	100.00	95	50.26	0	0.00	9	4.76	0	0.00	56	29.63	29	15.34
馬來西亞	171	100.00	94	54.97	0	0.00	17	9.94	0	0.00	41	23.98	19	11.11
其他	626	100.00	381	60.86	4	0.64	67	10.70	6	0.96	105	16.77	63	10.06

備註：產婦原始國籍不詳共4案，為陰道生產4案。

Note: Original nationality of the parturient unknown: 4 cases, which were vaginal delivery.

表7.3 民國104年出生通報活產性比例按產婦原始國籍分  
Table 7.3 Sex Ratio of Live Births by Original Nationality of the Parturient, 2015

產婦原始國籍 Original Nationality of the Parturient	合計 Total		男 Male		女 Female		性比例 Sex Ratio
	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	
<b>合計</b>	<b>213,709</b>	<b>100.00</b>	<b>111,137</b>	<b>52.00</b>	<b>102,572</b>	<b>48.00</b>	<b>108.35</b>
本國	200,663	100.00	104,307	51.98	96,356	48.02	108.25
外籍	13,046	100.00	6,830	52.35	6,216	47.65	109.88
大陸 (含港澳)	6,876	100.00	3,622	52.68	3,254	47.32	111.31
越南	3,612	100.00	1,880	52.05	1,732	47.95	108.55
印尼	945	100.00	499	52.80	446	47.20	111.88
柬埔寨	102	100.00	49	48.04	53	51.96	92.45
菲律賓	377	100.00	200	53.05	177	46.95	112.99
泰國	148	100.00	78	52.70	70	47.30	111.43
緬甸	189	100.00	97	51.32	92	48.68	105.43
馬來西亞	171	100.00	91	53.22	80	46.78	113.75
其他	626	100.00	314	50.16	312	49.84	100.64

備註：1. 產婦原始國籍不詳共4案，分別為男1案，女3案。

2. 性別不明者1案，為本國籍1案。

Note: 1. Original nationality of the parturient unknown: 4 cases, which sex of live birth were 1 male and 3 females respectively.

2. Sex of live birth unknown: 1 case, which original nationality of the parturient was ROC Citizen.

表7.4 民國104年出生通報活產出生體重按產婦原始國籍分

Table 7.4 Birth Weight of Live Births by Original Nationality of the Parturient, 2015

產婦原國籍 Original Nationality of the Parturient	合計 Total		出生體重(公克) Birth Weight (Gram)							
	人數 Number	百分比 Percentage	<1500		1500-2499		2500-3999		≥4000	
			人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>合計</b>	<b>213,710</b>	<b>100.00</b>	<b>1,941</b>	<b>0.91</b>	<b>17,364</b>	<b>8.13</b>	<b>191,471</b>	<b>89.59</b>	<b>2,934</b>	<b>1.37</b>
本國	200,664	100.00	1,874	0.93	16,582	8.26	179,590	89.50	2,618	1.30
外籍	13,046	100.00	67	0.51	782	5.99	11,881	91.07	316	2.42
大陸 (含港澳)	6,876	100.00	34	0.49	426	6.20	6,236	90.69	180	2.62
越南	3,612	100.00	16	0.44	197	5.45	3,317	91.83	82	2.27
印尼	945	100.00	2	0.21	52	5.50	870	92.06	21	2.22
柬埔寨	102	100.00	0	0.00	6	5.88	94	92.16	2	1.96
菲律賓	377	100.00	3	0.80	24	6.37	343	90.98	7	1.86
泰國	148	100.00	3	2.03	5	3.38	138	93.24	2	1.35
緬甸	189	100.00	1	0.53	13	6.88	173	91.53	2	1.06
馬來西亞	171	100.00	3	1.75	23	13.45	145	84.80	0	0.00
其他	626	100.00	5	0.80	36	5.75	565	90.26	20	3.19

備註：產婦原始國籍不詳共4案，分別為出生體重1500-2499公克2案，2500-3999公克2案。

Note: Original nationality of the parturient unknown: 4 cases, with 2 cases in 1500-2499 grams, and 2 cases in 2500-3999 grams of birth weight.

表7.5 民國104年出生通報活產懷孕週數按產婦原始國籍分  
Table 7.5 Weeks of Pregnancy of Live Births by Original Nationality of the Parturient, 2015

產婦原始國籍 Original Nationality of the Parturient	合計 Total		懷孕週數(週) Weeks of Pregnancy														
			<37			37-38			39-40			41			≥42		
			人數 Number	百分比 Percentage	百分比 Percentage	人數 Number	百分比 Percentage	百分比 Percentage	人數 Number	百分比 Percentage	百分比 Percentage	人數 Number	百分比 Percentage	百分比 Percentage	人數 Number	百分比 Percentage	百分比 Percentage
<b>合計</b>	<b>213,710</b>	<b>100.00</b>	<b>20,032</b>	<b>9.37</b>	<b>93,892</b>	<b>43.93</b>	<b>95,431</b>	<b>44.65</b>	<b>4,250</b>	<b>1.99</b>	<b>105</b>	<b>0.05</b>					
本國 ROC Citizens	200,664	100.00	18,993	9.47	88,409	44.06	89,322	44.51	3,858	1.92	82	0.04					
外籍 Foreign Nationality	13,046	100.00	1,039	7.96	5,483	42.03	6,109	46.83	392	3.00	23	0.18					
大陸 (含港澳) Mainland China (including HK, Macao)	6,876	100.00	548	7.97	2,819	41.00	3,290	47.85	209	3.04	10	0.15					
越南 Vietnam	3,612	100.00	272	7.53	1,630	45.13	1,613	44.66	95	2.63	2	0.06					
印尼 Indonesia	945	100.00	81	8.57	394	41.69	432	45.71	32	3.39	6	0.63					
柬埔寨 Cambodia	102	100.00	13	12.75	58	56.86	28	27.45	3	2.94	0	0.00					
菲律賓 Philippines	377	100.00	34	9.02	165	43.77	164	43.50	11	2.92	3	0.80					
泰國 Thailand	148	100.00	7	4.73	83	56.08	52	35.14	5	3.38	1	0.68					
緬甸 Myanmar	189	100.00	14	7.41	74	39.15	96	50.79	5	2.65	0	0.00					
馬來西亞 Malaysia	171	100.00	25	14.62	59	34.50	83	48.54	4	2.34	0	0.00					
其他 Others	626	100.00	45	7.19	201	32.11	351	56.07	28	4.47	1	0.16					

備註：產婦原始國籍不詳共4案，分別為懷孕週數<37週1案，39-40週3案。

Note: Original nationality of the parturient unknown: 4 cases, with 1 case in <37 weeks, and 3 cases in 39-40 weeks of pregnancy.

表7.6 民國104年出生通報活產有無先天缺陷按產婦原始國籍分  
Table 7.6 Presence of Birth Defects of Live Births by Original Nationality of the Parturient, 2015

產婦原始國籍 Original Nationality of the Parturient	合計 Total		有無缺陷 Presence of Birth Defects			
	人數 Number	百分比 Percentage	無缺陷 Without		有缺陷 With	
			人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
<b>合計</b>	<b>213,710</b>	<b>100.00</b>	<b>212,685</b>	<b>99.52</b>	<b>1025</b>	<b>0.48</b>
本國	200,664	100.00	199,705	99.52	959	0.48
外籍	13,046	100.00	12,980	99.49	66	0.51
大陸 (含港澳)	6,876	100.00	6,838	99.45	38	0.55
越南	3,612	100.00	3,595	99.53	17	0.47
印尼	945	100.00	942	99.68	3	0.32
柬埔寨	102	100.00	102	100.00	0	0.00
菲律賓	377	100.00	375	99.47	2	0.53
泰國	148	100.00	146	98.65	2	1.35
緬甸	189	100.00	189	100.00	0	0.00
馬來西亞	171	100.00	170	99.42	1	0.58
其他	626	100.00	623	99.52	3	0.48

備註：產婦原始國籍不詳者共4案，為無缺陷4案。

Note: Original nationality of the parturient unknown: 4 cases, which were born without birth defects.

表8.1 民國93至104年出生通報活產新生兒性比例  
Table 8.1 Sex Ratio of Live Births, 2004-2015

出生年 Year of Birth	合計 Total		性別 Sex						性比例 Sex Ratio
			男 Male		女 Female		性別不明 Unknown		
	人數	百分比	人數	百分比	人數	百分比	人數	百分比	
	Number	Percentage	Number	Percentage	Number	Percentage	Number	Percentage	
93年	217,386	100.00	114,239	52.55	103,141	47.45	6	0.00	110.76
94年	206,925	100.00	107,972	52.18	98,951	47.82	2	0.00	109.12
95年	205,026	100.00	107,214	52.29	97,812	47.71	0	0.00	109.61
96年	203,377	100.00	106,422	52.33	96,953	47.67	2	0.00	109.77
97年	196,373	100.00	102,700	52.30	93,673	47.70	0	0.00	109.64
98年	192,465	100.00	100,155	52.04	92,310	47.96	0	0.00	108.50
99年	166,630	100.00	86,885	52.14	79,745	47.86	0	0.00	108.95
100年	198,387	100.00	102,947	51.89	95,439	48.11	1	0.00	107.87
101年	234,575	100.00	121,462	51.78	113,113	48.22	0	0.00	107.38
102年	195,251	100.00	101,295	51.88	93,955	48.12	1	0.00	107.81
103年	211,734	100.00	109,411	51.67	102,323	48.33	0	0.00	106.93
104年	213,714	100.00	111,138	52.00	102,575	48.00	1	0.00	108.35

表8.2 民國93至104年出生通報活產新生兒出生體重  
Table 8.2 Live Births by Birth Weight, 2004-2015

出生年 Year of Birth	合計 Total		出生體重(公克) Birth Weight (Gram)									
			<1500			1500-2499			2500-3999			≥4000
	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage
93年	217,386	100.00	1,659	0.76	14,365	6.61	196,307	90.30	5,055	2.33		
94年	206,925	100.00	1,551	0.75	13,771	6.66	187,274	90.50	4,329	2.09		
95年	205,026	100.00	1,526	0.74	13,503	6.59	185,544	90.50	4,453	2.17		
96年	203,377	100.00	1,591	0.78	13,858	6.81	183,906	90.43	4,022	1.98		
97年	196,373	100.00	1,562	0.80	13,472	6.86	177,645	90.46	3,694	1.88		
98年	192,465	100.00	1,511	0.79	13,513	7.02	174,021	90.42	3,420	1.78		
99年	166,630	100.00	1,411	0.85	12,427	7.46	149,933	89.98	2,859	1.72		
100年	198,387	100.00	1,785	0.90	14,530	7.32	178,721	90.09	3,351	1.69		
101年	234,575	100.00	1,922	0.82	17,799	7.59	211,005	89.95	3,849	1.64		
102年	195,251	100.00	1,664	0.85	15,141	7.75	175,638	89.95	2,808	1.44		
103年	211,734	100.00	1,826	0.86	16,242	7.67	190,672	90.05	2,994	1.41		
104年	213,714	100.00	1,941	0.91	17,366	8.13	191,473	89.59	2,934	1.37		

表8.3 民國93至104年出生通報活產新生兒懷孕週數  
Table 8.3 Live Births by Weeks of Pregnancy, 2004-2015

出生年 Year of Birth	合計 Total		懷孕週數(週) Weeks of Pregnancy													
			<37			37-38			39-40			41			≥42	
			人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage	人數 Number	百分比 Percentage		
93年	217,386	100.00	19,400	8.92	88,025	40.49	100,702	46.32	8,564	3.94	695	0.32				
94年	206,925	100.00	17,759	8.58	83,362	40.29	97,047	46.90	8,188	3.96	569	0.27				
95年	205,026	100.00	17,366	8.47	83,157	40.56	96,049	46.85	8,006	3.90	448	0.22				
96年	203,377	100.00	17,670	8.69	83,974	41.29	94,121	46.28	7,210	3.55	402	0.20				
97年	196,373	100.00	17,632	8.98	83,691	42.62	88,783	45.21	6,019	3.07	248	0.13				
98年	192,465	100.00	16,899	8.78	81,962	42.59	87,395	45.41	5,957	3.10	252	0.13				
99年	166,630	100.00	15,557	9.34	72,398	43.45	73,797	44.29	4,703	2.82	175	0.11				
100年	198,387	100.00	18,108	9.13	84,987	42.84	89,603	45.17	5,484	2.76	205	0.10				
101年	234,575	100.00	21,236	9.05	102,518	43.70	104,819	44.68	5,836	2.49	166	0.07				
102年	195,251	100.00	17,665	9.05	84,467	43.26	88,413	45.28	4,588	2.35	118	0.06				
103年	211,734	100.00	18,940	8.95	92,876	43.86	95,159	44.94	4,651	2.20	108	0.05				
104年	213,714	100.00	20,033	9.37	93,892	43.93	95,434	44.66	4,250	1.99	105	0.05				

表8.4 民國93至104年出生通報活產新生兒有無先天缺陷  
 Table 8.4 Live Births Presence of Birth Defects, 2004-2015

出生年 Year of Birth	合計 Total		先天缺陷 Birth Defects			
			無缺陷 With Defects		有缺陷 Without Defects	
	人數	百分比	人數	百分比	人數	百分比
	Number	Percentage	Number	Percentage	Number	Percentage
93年	217,386	100.00	215,901	99.32	1,485	0.68
94年	206,925	100.00	205,552	99.34	1,373	0.66
95年	205,026	100.00	203,894	99.45	1,132	0.55
96年	203,377	100.00	202,253	99.45	1,124	0.55
97年	196,373	100.00	195,367	99.49	1,006	0.51
98年	192,465	100.00	191,589	99.54	876	0.46
99年	166,630	100.00	165,826	99.52	804	0.48
100年	198,387	100.00	197,485	99.55	902	0.45
101年	234,575	100.00	233,633	99.60	942	0.40
102年	195,251	100.00	194,363	99.55	888	0.45
103年	211,734	100.00	210,692	99.51	1,042	0.49
104年	213,714	100.00	212,689	99.52	1,025	0.48

表8.5 民國93至104年出生通報活產新生兒缺陷類別  
Table 8.5 Live Births by Type of Birth Defects, 2004-2015

出生年 Year of Birth	缺陷類別 Types of Birth Defects										
	骨骼肌肉系統 Musculoskeletal system	眼顏面系統 Eye and face system	心臟血管系統 Heart and circulatory system	泌尿生殖系統 Urogenital system	消化系統 Digestive system	神經系統 Nervous system	染色體異常 Chromosomal abnormality	呼吸系統 Respiratory system	其他 Other		
	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount	人次 Headcount		
93年	445	427	242	181	114	79	47	47	85		
94年	427	347	238	160	150	57	59	59	106		
95年	413	262	156	140	126	43	51	31	82		
96年	342	322	203	132	113	55	36	33	83		
97年	310	295	130	113	122	46	31	28	92		
98年	284	241	137	122	105	41	23	25	62		
99年	256	208	112	99	80	42	22	15	77		
100年	226	229	127	111	104	46	47	20	51		
101年	258	251	134	90	116	35	27	23	58		
102年	243	210	127	88	98	36	38	22	62		
103年	249	232	183	128	105	35	36	21	113		
104年	247	227	146	111	83	25	43	24	160		

表8.6 民國93至104年出生通報活產產婦原始國籍別  
Table 8.6 Original Nationality of the Parturient, 2004-2015

出生年 Year of Birth	產婦原始國籍 Original Nationality of the Parturient													
	合計 Total		本國 (ROC Citizens)		外籍 (Foreign Nationality)		大陸(含港澳) Mainland China (including HK, Macao)		越南 (Vietnam)		印尼 (Indonesia)		其他 (Others)	
	人數	百分比	人數	百分比	人數	百分比	人數	百分比	人數	百分比	人數	百分比	人數	百分比
	Number	Percentage	Number	Percentage	Number	Percentage	Number	Percentage	Number	Percentage	Number	Percentage	Number	Percentage
93年	217,386	100.00	187,430	86.22	29,956	13.78	11,513	5.30	13,323	6.13	2,808	1.29	2,312	1.06
94年	206,925	100.00	179,383	86.69	27,542	13.31	10,142	4.90	12,892	6.23	2,282	1.10	2,226	1.08
95年	205,021	100.00	180,331	87.96	24,690	12.04	10,441	5.09	10,143	4.95	1,928	0.94	2,178	1.06
96年	203,377	100.00	181,957	89.47	21,420	10.53	10,037	4.94	7,752	3.81	1,720	0.85	1,911	0.94
97年	196,373	100.00	176,984	90.13	19,389	9.87	9,631	4.90	6,506	3.31	1,478	0.75	1,774	0.90
98年	192,465	100.00	175,427	91.15	17,038	8.85	8,827	4.59	5,344	2.78	1,270	0.66	1,597	0.83
99年	166,629	100.00	152,026	91.24	14,603	8.76	7,973	4.78	4,068	2.44	1,111	0.67	1,451	0.87
100年	198,387	100.00	183,075	92.28	15,312	7.72	8,658	4.36	4,100	2.07	1,075	0.54	1,479	0.75
101年	234,574	100.00	217,345	92.66	17,229	7.34	9,752	4.16	4,570	1.95	1,175	0.50	1,732	0.74
102年	195,246	100.00	181,789	93.11	13,457	6.89	7,512	3.85	3,426	1.75	980	0.50	1,539	0.79
103年	211,733	100.00	198,018	93.52	13,715	6.48	7,800	3.68	3,367	1.59	925	0.44	1,623	0.77
104年	213,710	100.00	200,664	93.90	13,046	6.10	6,876	3.22	3,612	1.69	945	0.44	1,613	0.75

註：不包括產婦原始國籍不詳者，95年5案、99年1案、101年1案、102年5案、103年1案、104年4案。

Note: Excludes original nationality of the parturient unknown: 5 cases in 2006, 1 case in 2010, 1 case in 2012, 5 cases in 2013, 1 case in 2014, and 4 cases in 2015.



## 附錄 1 統計變項說明

### 一、出生通報：

胎兒出生後七日內，接生人應將其出生之相關資料通報衛生主管機關備查；不論在醫院、診所、助產所或自宅出生之活產新生兒或死產者，且不論產婦或產婦配偶是否具有中華民國國籍，均應辦理出生通報。

### 二、活產：

係指從產婦完全產出或取出之胎兒，不論懷孕期之長短，在與產婦分離後，能呼吸或顯示任何生命現象，如心跳、臍帶搏動或明顯之隨意肌活動，不論臍帶是否已切斷或胎盤是否仍附著，皆視為活產。

### 三、死產：

係指懷孕胎齡滿二十週以上或出生體重達 500 公克以上之胎兒死亡(中、晚期胎兒死亡)，即胎兒在與產婦分離後，不會呼吸或顯示任何生命現象，如心跳、臍帶搏動或明顯之隨意肌活動者，皆視為死產。

### 四、出生月份：

係依新生兒出生月份分，共十二項分類。

### 五、活產胎次：

活產胎次係指含此次生產，為產婦本人累計生育之活產人數。

### 六、縣市別：

民國 99 年 12 月 25 日起，台北縣升格改制為新北市，台中縣市、台南縣市、高雄縣市合併改制為台中市、台南市及高雄市。民國 103 年 12 月 25 日起，桃園縣升格改制為桃園市。本報告係依台閩地區之現行行政區分類，並同時提供改制前縣市資料以供跨年比較。縣市別區分為台北市、新北市(原台北縣)、桃園市(原桃園縣)、台中市(含原台中市及原台中縣)、台南市(含原台南市及原台南縣)、高雄市(含原高雄市及原高雄縣)、基隆市、新竹市、嘉義市、新竹縣、苗栗縣、彰化縣、南投

縣、雲林縣、嘉義縣、屏東縣、宜蘭縣、花蓮縣、台東縣、澎湖縣、金門縣、連江縣、其他等共二十三類。其中「其他」包含外籍及資料不詳者。

縣市別統計表包含四類，一為產婦現住地，二為產婦戶籍地，三為產婦配偶戶籍地，四為新生兒出生地等。產婦配偶戶籍地中如產婦配偶為外籍者、不詳者或空白者則以產婦戶籍地計。

#### 七、產婦配偶：

係指產婦生產當時之法定配偶。

#### 八、城鄉別：

係指依台閩地區縣市鄉鎮區等行政區分為直轄市、省轄市、縣轄市、鎮、鄉、其他等六類，其中「其他」為外籍或資料不詳者。

#### 九、產婦年齡：

係指產婦生產時之實足年齡，未足歲部分則不予計算。

產婦年齡分組為<20歲、20-24歲、25-29歲、30-34歲、35-39歲、40-44歲、45-49歲、 $\geq 50$ 歲等八類。

#### 十、產婦原始國籍：

係依產婦原始國籍別區分為本國及外籍兩大類，外籍中包含大陸(含港澳)、越南、印尼、泰國、菲律賓、緬甸、柬埔寨、其他等共八類。

#### 十一、出生場所：

係將出生場所區分為醫院、診所、助產所、自宅、其他等共五類。

#### 十二、接生者：

係將接生者區分為醫師、助產師(士)、其他等三類。

#### 十三、生產方式：

係將生產方式區分為陰道生產、陰道產鉗生產、陰道真空吸引生產、有剖腹產史之陰道生產、第一次剖腹產、有剖腹產史之剖腹產等六類。

#### 十四、新生兒性別：

係將新生兒性別區分為男、女、不明等三類。

#### 十五、新生兒性比例：

係指新生兒中男性相對於女性人數的比值。即男／女 × 100。

#### 十六、出生體重：

係將出生體重區分為<1500 公克、1500-2499 公克、2500-3999 公克、  
≥4000 公克等四類。

#### 十七、懷孕週數：

係將懷孕週數區分為<37 週、37-38 週、39-40 週、41 週、≥42 週  
等五類。

#### 十八、缺陷類別：

先天缺陷係指新生兒在醫學上初步所見，未做確診之缺陷。有缺陷者依據接生醫師判斷缺陷類別填立。缺陷類別區分為(1)神經系統、(2)眼顏面系統、(3)心臟血管系統、(4)消化系統、(5)泌尿生殖系統、(6)骨骼肌肉系統、(7)呼吸系統、(8)染色體異常、(9)其他等九大類。

若新生兒具有數種先天缺陷時，在每個缺陷類別上將各計算一次，因此當計算合計有缺陷個案數時並不等於不同缺陷分類的個案總和。

#### 十九、有無先天缺陷：

係指依據是否具有任何缺陷類別區分為有缺陷、無缺陷。有缺陷者指具有任一缺陷，無缺陷者指不具任一缺陷。

# **Appendix I**

## **Definition of Variables**

### **1. Birth Reporting:**

The person who delivers the baby shall report the relevant birth information to the health authorities within seven days of the childbirth. Live and still births delivered in the hospital, clinic, midwife station or the parturient's own home shall all be reported, no matter the parturient or her spouse is an ROC citizen or not.

### **2. Live Births:**

Lives births refer to an infant completely delivered by or taken from the parturient, regardless of the length of pregnancy. After being separated from the parturient, a live birth must breathe or demonstrate other signs of living, such as heartbeat, umbilical cord beat or obvious movement of the voluntary muscles, no matter the umbilical cord has been severed or the placenta is still attached.

### **3. Still Births:**

Still births refer to those whose pregnancy is longer than 20 weeks or whose weight is more than 500 grams (fetal death in medium or late stage). After being separated from the parturient, those that cannot breathe or demonstrate other signs of living, such as heartbeat, umbilical cord beat or obvious movement of the voluntary muscles are regarded as still births.

### **4. Month of Birth:**

Months of birth are divided into twelve categories.

### **5. Live Birth Order**

Live birth order refers to the number of the series of live births the parturient has had, including the one being analyzed in this annual report.

### **6. Birth Place by City/County**

The special municipalities with the upgrading and merger officially taking effect in December 25, 2010, including New Taipei City, upgraded from the former

Taipei County; Taichung City, a merger of the former Taichung City and County; Tainan City, a merger of the former Tainan City and County; and Kaohsiung City, a merger of the former Kaohsiung City and County. Furthermore, Taoyuan City was also elevated to special municipality from the former Taoyuan County in December 25, 2014.

Birth places in the report are categorized according to the current administrative divisions of the ROC, with providing former city/county statistical data in order to compare with each other over the years. The birth places consist of the following 23 categories: Taipei City, New Taipei City (Former Taipei County), Taoyuan City (Former Taoyuan County), Taichung City (Former Taichung City and Former Taichung County), Tainan City (Former Tainan City and Former Tainan County), Kaohsiung City (Former Kaohsiung City and Former Kaohsiung County), Keelung City, Hsinchu City, Chiai City, Hsinchu County, Miaoli County, Changhua County, Nantou County, Yunlin County, Chiai County, Pingtung County, Ilan County, Hualien County, Taitung County, Penghu County, Kinmen County, Lianjiang County, and others. “Others” refer to a foreign territory and unspecified information.

Tables containing city/county statistical data illustrate the following four types of information: (1) current residence of the parturient; (2) registered household of the parturient; (3) registered household of the spouse of the parturient; (4) birth place. If the spouse is non-citizen, unknown or left blank, then the registered household of the parturient will be used as the registered household of her spouse.

## **7. Spouse of the Parturient:**

Spouse of the parturient refers to the spouse under legal terms and conditions at the time the birth was delivered.

## **8. Urban/Rural Areas:**

The ROC distinguishes six levels of central and provincial governments: municipalities under the central government, municipalities under the provincial government, counties, townships, villages, and others. “Others” refers to the overseas territory or unspecified information.

## **9. Age of the Parturient:**

Age of the parturient is the full years of age. Number of days not adding up to a year is ignored.

Age of the parturient is divided into the following eight age groups: <20, 20-24, 25-29, 30-34, 35-39, 40-44, 45-49, and  $\geq 50$ .

## **10. Original Nationality of the Parturient:**

Original nationalities of the parturient are classified into ROC citizens and non-citizens. Non-citizens are further categorized into eight nationalities: Mainland Chinese (including HK and Macao), Vietnamese, Indonesian, Thai, Filipino, Burmese, Cambodian, and others.

## **11. Birth Delivery Place:**

Birth delivery places are classified into seven categories: hospitals, clinics, midwife's station, home of the parturient, and others.

## **12. Birth Delivery Medical Professional:**

Birth delivery medical professionals are classified into three types: physicians, midwives, and others.

## **13. Method of Delivery:**

Methods of delivery are divided into six categories: vaginal delivery, forceps delivery, vacuum extractor delivery, vaginal birth after cesarean, cesarean section, and previous cesarean section.

## **14. Sex of the Birth:**

Sex of the birth can be male, female or unknown.

## **15. Sex Ratio:**

Sex ratio refers to the ratio of the number of male births to that of female births, i.e.  $\text{male birth quantity} / \text{female birth quantity} \times 100$ .

## **16. Birth Weight:**

Birth weight is classified into four ranges: <1500 grams, 1500-2499 grams, 2500-3999 grams, and  $\geq 4000$  grams.

## **17. Weeks of Pregnancy:**

Weeks of pregnancy are classified into three lengths: <37 weeks, 37-38 weeks, 39-40 weeks, 41 weeks, and  $\geq 42$  weeks.

## **18. Types of Birth Defects:**

Birth defects refer to those primarily seen on the new birth from the medical perspective without confirmed diagnosis. Defects are recorded by the birth delivery doctor in the birth defects form, which classifies nine types of defects: (1) the nervous system, (2) the eye and face system, (3) the heart and circulatory system, (4) the digestive system; (5) the urogenital system; (6) the musculoskeletal system, (7) the respiratory system, (8) the chromosomal abnormality, and (9) others.

If a birth had more than one birth defects, then each of the defects must be recorded. Therefore, the total number of births having defects was not equal to the total number of defects under different categories.

## **19. Births Presence Birth Defects:**

Births are classified into two categories: having birth defects and having no birth defects. Births with birth defects could have any birth defects, and births without birth defects have none at all.



## 附錄 2 出生通報背景與發展

### 一、戶籍法下的出生登記制度

自日據時代起即有戶籍登記制度，舉凡人民有結婚、離婚、出生、死亡、認養、收養、遷出、遷入等事宜，均須向戶政事務所辦理登記，政府據以建立完整之人口資料，藉以維護人民的權益。

我國戶籍法於民國 20 年制定，並自民國 35 年起在台施行，其中明文規定新生兒出生時由接生醫師或助產師(士)開具出生證明書，父或母於新生兒出生後 15 天內(民國 97 年戶籍法修正為 60 天)，持出生證明書至戶籍所在地之戶政事務所辦理出生登記，逾期罰款。

### 二、出生通報的源起

我國婦幼衛生保健的推動，原是由基層衛生單位向戶政單位取得新生兒資料後，據以提供各項衛生保健服務。但民眾常因故延遲辦理出生登記，導致衛生單位無法及早獲知新生兒出生，致無法適時提供有效的服務，如預防接種、產後保健、生育調節等；若新生兒不幸於辦理出生登記前死亡，其父母親往往不願據實登記，導致新生兒和嬰兒死亡統計資料有低估之現象。

為了迅速、正確、完整掌握人口出生動態，提高婦幼保健服務時效性，並提升與新生兒有關之各項人口資料的正確性，如：週產期死亡率、新生兒死亡率、嬰兒死亡率等，衛生福利部國民健康署前身機關行政院衛生署（簡稱前行政院衛生署）乃於民國 81 年設計由接生醫療院所主動通報新生兒出生及死產資料之通報流程，並選定宜蘭縣、台中縣及南投縣試辦「出生通報計畫」。

### 三、出生通報的實施

「兒童福利法」於民國 82 年 2 月 5 日修正公布，規定：「兒童出生後 10 日內，接生人應將其出生之相關資料通報戶政及衛生主管機關備查」。

前行政院衛生署為落實出生通報工作，訂定「出生通報作業計畫」，多次與「兒童福利法」主管機關內政部會議協商，由內政部於民國 83 年 9 月 13 日定案公布「出生通報作業流程」。同年 12 月 28 日由行政院衛生署公告發布新修訂之「出生證明書」及「死產證明書」，並於民國 84 年 3 月起實施紙本出生通報作業，且持續沿用。

民國 92 年 5 月 28 日「兒童福利法」及「少年福利法」合併修正公布為「兒童及少年福利法」，其中第 13 條規定：「胎兒出生後 7 日內，接生人應將其出生之相關資料通報戶政及衛生主管機關備查」。民國 100 年 11 月 30 日修正公布「兒童及少年福利與權益保障法」，其中第 14 條規定：「胎兒出生後 7 日內，接生人應將其出生之相關資料通報衛生主管機關備查；其為死產者，亦同」。另非在醫院、診所或助產所出生無法取得出生證明書者，應提憑醫療機構開立之 DNA 親子鑑定報告書或領有證照之醫護人員所開立之出生通報書，辦理出生登記。

#### 四、現行出生通報與出生登記之差別

依「兒童及少年福利與權益保障法」規定，「胎兒出生後七日內，接生人應將其出生之相關資料通報衛生主管機關備查；其為死產者，亦同。接生人無法取得完整資料以填報出生通報者，仍應為前項之通報。衛生主管機關應將第一項通報之新生兒資料轉知戶政主管機關，由其依相關規定辦理」。產婦或其配偶持出生證明書者至戶政事務所辦理出生登記。出生通報與出生登記不同之處，詳如表一。

表一 現行出生登記與出生通報之比較表

		出生登記	出生通報
一、法令依據		戶籍法第 4 條	兒童及少年福利與權益保障法第 14 條
二、主管單位	中央	內政部	衛生福利部
	地方	縣市政府民政局	縣市政府衛生局
三、通報標準		在我國出生之活產新生兒，其父或母為本國籍者	所有在我國出生(不限國籍)之： 1.活產新生兒 2.懷孕 $\geq$ 20 週或體重 $\geq$ 500 公克之死產胎兒
四、行為義務人		新生兒之父或母	接生人
五、行為方式		持出生證明書親臨戶政事務所辦理出生登記	接生人通報衛生主管機關；衛生主管機關將通報資料轉知戶政主管機關
六、法定期限		出生後 60 日內	出生後 7 日內
七、逾期罰鍰		新台幣 300 元~900 元	新台幣 6,000 元~30,000 元
八、出版刊物		台閩地區人口統計	出生通報統計年報

## 五、網路出生通報系統

民國 84 年出生通報辦理初期，每年通報數僅在 9 至 12 萬筆之間，與實際出生登記數懸殊甚多。直至民國 88 年以後，實施出生通報作業改善計畫，遽增至 20 萬筆以上，但與實際出生登記數仍相差約 6 萬筆。有鑒於醫療院所、衛生局所、衛生福利部國民健康署前身行政院衛生署國民健康局（簡稱前國民健康局）等單位，不斷重複記錄、整理內容相同的出生資料，也常因醫療院所郵寄時間延宕、漏寄或遺失等因素，致使用者收到資料已是數月之後，使得醫療行政體系無法適時提供新生兒照顧，亦影響出生通報資料的正確性與實施婦幼衛生保健計畫的時效性。

出生通報資料包許多國民健康資訊，除可供婦幼衛生政策參考外，亦可提供學術研究，實值得積極推展。因此前國民健康局自民國 90 年 7 月接辦出生通報業務以來，為提升出生通報效率，乃參酌高雄市及台中市辦理網路出生通報之經驗，著手研擬出生通報網路化之規劃，建立中央資料庫，收集全國出生通報資料。將出生通報資料透過網路快速匯集至前國民健康局資料庫，再依層級申請授權使用，資料並提供公共衛生學術研究之用，以加強新生兒健康照護，落實人口政策。前國民健康局於民國 91 年 5 月開發架設完成全國 24 小時線上「網路出生通報系統」，並著手辦理相關人員之訓練，於民國 92 年底完成試辦推廣，民國 93 年 1 月正式全面(全國同步)實施出生通報資料網路傳輸。

## 六、出生通報全面無紙化

為使出生通報資料達資源共享之目的，內政部自民國 93 年 4 月起依「出生資料網路通報作業要點」，透過機關與戶役政資訊系統連結介面以檔案傳輸方式開始接收本局出生通報資料，初期紙本與網路雙軌並行，由前國民健康局將出生通報資料依國籍別分成不同檔案傳送內政部戶政司，再由內政部戶政司分別傳送至警政署入出境管理局、外事組（民國 96 年起入出境管理局及外事組整併為移民署）及鄉鎮市區戶政事務所；內政部自民國 94 年起停止紙本出生證明書第二聯（戶政聯）之寄送，使出生通報達到全面無紙化之目標。

「行政院衛生署國民健康局」於民國 102 年 7 月 23 日機關改制為「衛生福利部國民健康署」，繼續承辦出生通報業務。

## 七、網路出生通報系統通過 ISO27001 資安驗證

配合政府對個人隱私資料保護的推動與施行，本系統自民國 93 年起導入醫事憑證 IC 卡驗證，運用「醫療憑證管理中心 Healthcare Certification Authority」(以下簡稱 HCA) 機制，來確保「網路出生通報系統」之資料安全；另也將系統導入傳輸加密的機制，以確保資料傳輸之安全，防止資料外洩，降低系統被入侵之可能性。

此外，網路出生通報系統分別於 97、100 及 103 年度通過 ISO27001 資安驗證，亦於 101、102 及 104 年度通過 ISO27001 資安驗證複評，藉以持續確保出生資料的機密性、完整性及可用性，提升本系統服務品質及營運管理。

## Appendix II

### Birth Reporting Background and Development

#### 1. Birth Registration System under the *Household Registration Act*

The household registration system can be traced back to the era of Japanese occupation (1895-1945). Marriages, divorces, births, deaths, adoptions and address changes had to be registered with the household registration office. The purposes of this system were to allow the government to obtain complete demographic data and to protect the rights of citizens.

The *Household Registration Act* of the Republic of China (ROC) was formulated in 1931, but did not take effect until 1946 in Taiwan. It prescribed that a birth certificate is to be issued by the physician or midwife after delivery. The newborn's parent is to bring the birth certificate to the local household registration office for birth registration within 15 days of the birth (extended to 60 days when the *Household Registration Act* was amended in 2008). Failure to do so could result in a fine.

#### 2. Origin of Birth Reporting

Health care of women and children in the ROC was promoted through local health departments that provided health care services based on information regarding newborns obtained from the household registration office. However, as birth registration was often delayed, services such as vaccination, postnatal health care and birth control were not delivered in a timely manner. If an infant died before his/her birth was registered, the parents were often reluctant to register the birth and death, making it difficult to obtain accurate statistics on infant births and deaths.

To obtain accurate and comprehensive information regarding population dynamics in a timely manner, to raise the effectiveness of women's and children's health care, and to enhance accuracy of birth-related data, such as mortality rate at various times during pregnancy and mortality rates of newborns and infants, the Ministry of Health and Welfare (MOHW) and its predecessor agency, Department of Health (DOH), Executive Yuan, launched a birth reporting system in 1992. This system called for birthing facilities to spontaneously report new births and stillbirths. This system was first tested in Yilan County, Taichung County and Nantou County.

### **3. Implementation of the Birth Reporting System**

*The Child Welfare Act* was amended and promulgated on February 5, 1993. It stipulates that “The person who delivers the baby shall communicate the birth information with household and health authorities within ten days of the childbirth.”

To fully carry out the birth reporting policy, the former DOH prescribed the “birth reporting processing plan”. After a number of discussions with the Ministry of Interior (MOI), the *Child Welfare Act* authority, the MOI finalized and promulgated the “birth reporting procedures” on September 13, 1994. On December 28 of the same year, the former DOH promulgated the newly amended “birth certificate” and “stillbirth certificate”. In March 1995, the paper-form reporting procedures were implemented and remain in effect to now.

On May 28, 2003, *The Child Welfare Act* and *The Youth Welfare Act* were consolidated into *The Child and Youth Welfare Act*. Article 13 of the act stipulates that “The person who delivers the baby shall communicate the birth information with household and health authorities within seven days of the childbirth.” Then the law amended to *The Protection of Children and Youths Welfare and Rights Act* on November 30, 2011. Article 14 of the act stipulates that “The identified person will report to the health authority the relevant birth information seven days after the delivery of the baby. If it was stillborn, the same applies.” For those who were not delivered in hospitals, clinics or midwife clinics, and cannot obtain a birth certificate, a DNA report identifying the parent-child relationship issued by a medical facility or a “birth report form” issued by a certified medical professional shall be presented to register a birth.

### **4. Current Differences between Birth Reporting and Birth Registration**

According to *The Protection of Children and Youths Welfare and Rights Act*, the identified person will report to the health authority the relevant birth information seven days after the delivery of the baby. If it was stillborn, the same applies. If the person who delivers the baby cannot report the birth without complete information, he/she will repost as mentioned above. The relevant health authority will forward the birth report as mentioned in Paragraph 1 of this Article to the household and registration authority to handle it in accordance with the relevant regulations. The mother of the newborn or her spouse can use the birth certificate to register the birth with the household registration office. Differences between birth reporting and birth registration are detailed in Table 1.

**Table 1. Current Comparison of Birth Registration and Birth Reporting**

		<b>Birth Registration</b>	<b>Birth Reporting</b>
1. Legal Source		Article 4 of the <i>Household Registration Act</i>	Article 14 of the <i>Protection of Children and Youths Welfare and Rights Act</i>
2. Governing Authority	Central	Ministry of the Interior	Ministry of Health and Welfare
	Local	Departments of Civil Affairs, County/City Governments	Departments of Health, County/City Governments
3. Criteria		Live births delivered in the ROC, either of the parents being a citizen of the ROC	Delivered in the ROC (any nationality): 1. Live birth 2. Stillbirth with pregnancy $\geq$ 20 weeks, or birth weight $\geq$ 500 gm
4. Person Responsible		Parent of the newborn	The person who delivers the baby
5. Method		Parent personally presents the birth certificate to the household registration office.	The person who delivers the baby will report to the health authority the relevant birth information. The relevant health authority will forward the birth report to the household and registration authority.
6. Time Frame		60 days from the date of birth	7 days from the date of birth
7. Overdue Penalty		NT\$300-900	NT\$6,000-30,000
8. Publication		<i>Statistics of Population in the ROC</i>	<i>Annual Report of the Birth Reporting Statistics</i>

## 5. Web-based Birth Reporting System

In 1995 when the preliminary stage of birth reporting was implemented, the annual number of reports ranged from 90,000 to 120,000, much lower than the birth registration figures. It drastically increased to more than 200,000 after 1999 when the plan for the improvement of birth reporting was carried out. However, the number of birth registrations was 60,000 more than the number of birth reports. Medical facilities, city/county health departments, and the Health Promotion Administration (HPA), Ministry of Health and Welfare and its predecessor Bureau of Health Promotion (BHP), Department of Health, Executive Yuan, often created repetitive records and compiled similar types of data. As medical facilities often postponed mailing or accidentally lost birth information, new birth data were not received until months later, making it impossible for medical administrators to provide timely health care to newborns. Thus, accuracy of birth reporting and women's and children's health care were negatively affected.

Birth reports contain much public health information. The practice of birth reporting is worth encouraging because the information acquired is valuable for women's and children's health policy formulation and academic research. In July

2001 when the former BHP took over the task of handling birth reports, it looked into the practices of Kaohsiung City and Taichung City in online reporting and started planning an online reporting system. The former BHP also built a central database for the collection of nationwide birth information that could be rapidly transmitted through the Internet. Access to the information can only be made with authorization by the appropriate level of administration. The information is also provided for the use of academic research on public health to strengthen health care for newborns and to fully carry out population policy. In May 2002, the former BHP developed and completed a 24-hour Web-based Birth Reporting System and provided training to the personnel concerned. Testing and promotion of the system were completed by the end of 2003. In January 2004, the system was officially in use across the nation. In response to the exponential growth of the number of foreign spouses living in the ROC, the accessibility of the Internet and the database have enabled administrators to share information and fully understand conditions of mothers and newborns at the local level.

## **6. “Paperless” Birth Reporting**

For better resource-sharing and in accordance with the “Birth Data Network Reporting Operational Terms” of the MOI implemented in April 2004 interface links were established between related agencies and the household registration information system for information transmission. In the initial stage, hard copies of documents were printed along with the use of the online network. The former BHP divided birth reporting data by nationality and transmitted related files to the MOI, Immigration Bureau, Foreign Affairs Police and household registration offices. The ultimate goal was to reach paperless birth reporting before January 1, 2005.

In accordance with the organizational restructuring of the Executive Yuan, the Bureau of Health Promotion, Department of Health, was organizationally restructured to the Health Promotion Administration, Ministry of Health and Welfare on July 23, 2013. The Health Promotion Administration takes over and continues to conduct birth reporting system.

## **7. Web-based birth reporting system receives ISO27001 certification**

To comply with the *Personal Information Protection Act*, the web-based birth reporting system can only be accessed with a medical certification identification card. The health care certification authority (HCA) mechanism has been applied to protect information since the beginning of 2004. In addition, an encryption mechanism has been installed to ensure the information security. This has decreased the possibility of hacking and information leaks.

In 2008, 2011 and 2014, the web-based birth reporting system received ISO27001 certification respectively, and continuing assessment in 2012、2013 and 2015. The certification pointed to the confidentiality, completeness and usability of birth data. This certification also symbolizes the excellence in service quality and sustainable management of this system.

### 附錄 3 出生通報作業流程與通報表單

出生通報作業自民國 84 年起正式全面實施；初期由衛生福利部前身行政院衛生署（簡稱前衛生署）會同內政部共同訂定及修訂出生通報程序與出生通報相關資料，分權負責：內政部督導民政局輔導戶政事務所，對逾期未辦理出生登記者催告或逕為出生登記，前衛生署則督導各級衛生主管機關輔導接生醫療院所，依法通報出生資料。民國 90 年因中央主管機關內部整併，將出生通報業務移交整併後成立之前國民健康局主辦。鑒於過去醫療院所出生資料漏報、逾期及填報內容不全等情形嚴重，致使全國性之出生通報統計資料無法完整呈現真相，乃積極輔導縣市衛生局，並重申衛生主管機關之權責，加強督導轄區醫療院所確實依法辦理出生通報。

#### 一、第一階段（民國 84 年至 92 年）：紙本出生通報流程。

凡在醫院、診所或助產所出生之胎兒不論活產或死產(體重滿 500 公克以上或懷孕滿 20 週以上)，胎兒於出生後 10 日內(民國 92 年 5 月修改為 7 日內)，接生人應將出生之相關資料通報當地戶政及衛生主管機關備查；未於法定期間辦理出生通報者處以新臺幣六千元至三萬元之罰鍰。


活產胎兒出生後，由接生醫療院所或接生人員開具出生證明書一式四聯，第一聯交由產婦或其配偶憑以辦理出生登記；第二聯由接生醫療院所郵寄直轄市、縣市政府民政局轉送產婦戶籍所在地之戶政事務所，對於新生兒出生後 30 天內(民國 97 年 5 月修改為 60 天內)未辦理出生登記者，用以催告及逕為登記之依據；第三聯由接生醫療院所郵寄當地衛生主管機關(衛生局)，衛生局點收出生證明書，並影印(或建檔)分送至產婦戶籍所在地之衛生所，俾便產婦及新生兒之健康照護管理，並檢查是否為 7 日內通報，對未於法定期限內通報者開具罰單；第四聯由接生醫療院所留存。

另前衛生署於民國 93 年訂定之「出生通報表」(民國 98 年 1 月 1 日修訂為「出生通報書」)係供非在醫療院所出生，無法取得出生證明書之新生兒，則由協助處理之醫護人員開具，以辦理出生登記。

## 二、第二階段（民國 93 年起）：網路出生通報流程

為達到提高行政效率之目的，衛生福利部國民健康署前身行政院衛生署國民健康局（以下稱前國民健康局）逐步將出生通報電腦化，於民國 92 年網路出生通報推廣初期，採用紙本與網路兩種方式並行，民國 93 年起醫療單位通報聯（第三聯）改行網路通報不再使用紙本，而戶政聯（第二聯）仍採用兩種通報方式並行。經前國民健康局持續與內政部戶政司協調整合，內政部於民國 93 年 4 月訂定「出生資料網路通報作業要點」，透過機關與戶役政資訊系統連結介面，以檔案傳輸方式開始接收前國民健康局出生通報資料，初期紙本與網路雙軌並行，自民國 94 年起全面實施網路出生通報（如圖一），完全免除紙本之寄送。

圖一 網路出生通報流程圖



## **Appendix III**

### **Birth Reporting Procedures and Forms Used for Birth Reporting**

The practice of birth reporting was officially implemented on a nationwide basis in 1995. In the beginning, the procedures and information required for reporting were determined by the Department of Health (DOH, the predecessor agency of the Ministry of Health and Welfare) and Ministry of Interior (MOI), with each agency carrying out different responsibilities. The MOI was responsible for overseeing the local departments of civil affairs which in turn provided guidance and assistance to the household registration offices. For overdue birth registrations, notices were sent out to encourage registration or registration procedures were completed by the household registration office. The former DOH was responsible for providing guidance and assistance to subordinate health agencies to ensure that medical facilities in which infants are born report all births according to related regulations. In 2001, due to restructuring and consolidation of central government agencies, birth reporting duties were transferred to the Bureau of Health Promotion (BHP, the predecessor agency of the Health Promotion Administration). The former BHP found that there were a large number of omitted birth reports and overdue or incomplete birth registrations, making it impossible to understand the real nationwide birth statistics. Therefore, the former BHP proactively guided the local health departments, and reiterated birth reporting responsibilities to all health authorities. It also enhanced oversight of medical facilities under its jurisdiction to ensure that they carried out birth reporting in accordance with the law.

#### **1. Paper-form Birth Reporting Procedures (1995 - 2003)**

For newborns delivered in hospitals, clinics or by midwives, including live births and stillbirths (weighing 500 grams or more and carried for 20 weeks or more), the medical facility in which the child was delivered or the midwife who delivered the newborn is to inform the household registration office and health authorities of the newborn's information within 7 days of its birth. Failure to meet the deadline is subject to a penalty of not less than NT\$6,000 and not more than NT\$30,000.

Following a live birth, the medical facility or the person who delivered the infant shall issue a birth certificate in quadruplicate. The first of the four copies is given to the mother or her spouse as proof of a birth to be used in completing the birth registration. The second is for the medical facility to send to the Department of Civil Affairs of the city/county government, and this is then forwarded to the local household registration office in the district in which the infant's mother has a


registered residence. If birth registration procedures are not completed within 30 days (amended to 60 days in May 2008), this copy will be used to send a reminder or for the household registration office staff to complete the registration procedures on its own. The third is for the medical facility to send to the local health authority (department of health). The local department of health confirms receipt and makes a copy (or creates a file) to send to the health station in the jurisdiction in which the newborn's mother's residence is registered for follow-up health care. The health station also checks if the birth report was made within 7 days of the birth. Failure to meet the deadline is subject to a penalty. The fourth is for the medical facility to keep for its records.

The birth reporting form was drafted by the BHP in 2004 (the term birth reporting form was amended to birth report on January 1, 2009). It provides a means for medical staff to conduct birth registration for newborns not delivered in a medical facility and thus unable to obtain a birth certificate.

## **2. Online Birth Reporting Procedure (Starting from 2004)**

To fulfill the objective of higher administrative efficiency, the Health Promotion Administration (HPA), Ministry of Health and Welfare and its predecessor agency, the Bureau of Health Promotion (BHP), Department of Health, computerized the birth reporting procedures in a step-by-step manner. In 2003, in the early stage of promotion of birth reporting, paper forms and online reporting were available simultaneously. Starting from 2004, the third copy of the birth certificate that was sent by the medical facility to the health authority was replaced by online reporting; and the paper medium was no longer used (see Chart 1). However, the second copy of the birth certificate to be sent to the household registration office could either be sent online or in paper form. The BHP continued to coordinate with the MOI, and in April 2004 the MOI launched an experimental birth reporting procedure according to "Birth Data Network Reporting Operational Terms". The interface links were established between related agencies and the household registration information system for information transmission. In the initial stage, hard copies of documents were printed along with the use of the online network. In 2005, the online birth reporting system was implemented nationwide, and paper forms became obsolete.

**Chart 1. Flowchart of Online Birth Reporting**



通報表單

**Forms Used for Birth Reporting**

# 出生證明書

新生兒姓名		身分證統一編號		病歷號碼： 出生證字第		號
<b>(一) 產婦資料</b>						
姓名		出生年月日	民國	年	月	日
身分證統一編號		統一證號(或護照號碼)：_____				
		目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別_____				
戶籍地：	縣(市)	鄉(鎮市區)	村(里)	鄰	路(街)	段 巷 弄 號之樓之
現居地：	<input type="checkbox"/> 同戶籍所在地					
		縣(市)	鄉(鎮市區)	村(里)	鄰	路(街) 段 巷 弄 號之樓之
聯絡電話	(公)	(宅)	(手機)			
<b>(二) 產婦配偶資料</b> <input type="checkbox"/> 配偶欄空白						
姓名		出生年月日	民國	年	月	日
身分證統一編號		統一證號(或護照號碼)：_____				
		目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別_____				
戶籍地：	<input type="checkbox"/> 同產婦戶籍 <input type="checkbox"/> 同產婦現居地					
		縣(市)	鄉(鎮市區)	村(里)	鄰	路(街) 段 巷 弄 號之樓之
<b>(三) 出生者之性別</b> ① <input type="checkbox"/> 男 ② <input type="checkbox"/> 女 ③ <input type="checkbox"/> 不明			<b>(四) 懷孕週數滿</b> _____週		<b>(五) 出生時之體重</b> _____公克	
<b>(六) 出生時間</b>	民國	年	月	日	上(下)午	時 分
<b>(七) 胎別</b>	① <input type="checkbox"/> 單胎 ② <input type="checkbox"/> 雙胎 ③ <input type="checkbox"/> 參胎 ④ <input type="checkbox"/> 胎 同胎次序：_____					
		計 男：_____名 女：_____名 不明：_____名				
<b>(八) 出生場所及出生地</b>	<input type="checkbox"/> 醫院 <input type="checkbox"/> 診所 <input type="checkbox"/> 助產所 <input type="checkbox"/> 自宅 <input type="checkbox"/> 其他_____ (請註明)					
		省市 縣市				
<b>(九) 接生者</b>	<input type="checkbox"/> 醫師 <input type="checkbox"/> 助產師(士) <input type="checkbox"/> 其他_____ (請註明)					
以上(一)~(二)欄係依據產婦提供資料填具，(三)~(九)欄則依據本次分娩事實填具，特此證明。						
醫師(助產師、士)姓名：_____ 簽章						
證書字號：_____ 字第_____號						
醫療院所(助產院、所)名稱：_____ 簽章						
開業執照字號：_____ 字第_____號						
院所地址：縣(市) 鄉(鎮市區) 村(里) 鄰 路(街) 段 巷 弄 號 樓						
中華民國 年 月 日 列印						

- 注意事項：1、為避免逾期申請戶籍登記遭受罰鍰，請攜此證明書於新生兒出生後60天內向戶籍所在地戶政事務所辦理出生登記。
- 2、出生登記前，應以書面約定子女從父姓或母姓，並提憑姓氏約定書辦理出生登記，或逕行將約定子女從父姓或母姓填入下列空白處(免附姓氏約定書)並由新生兒之父母簽名或蓋章。
- 約定此子女從\_\_\_\_\_姓。
- 約定人：父\_\_\_\_\_ (簽名或蓋章) 母\_\_\_\_\_ (簽名或蓋章)

(第一聯：由出生兒之家屬收執)

# 出生證明書

新生兒姓名		身分證統一編號		病歷號碼： 出生證字第 _____ 號
<b>(一) 產婦資料</b>				
姓名		出生年月日	民國 _____ 年 _____ 月 _____ 日	
身分證統一編號		統一證號(或護照號碼)： _____ 目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____		
戶籍地：	縣(市)	鄉(鎮市區)	村(里)	鄰
現居地：	<input type="checkbox"/> 同戶籍所在地			路(街) 段 巷 弄 號之樓之
	縣(市)	鄉(鎮市區)	村(里)	鄰
聯絡電話	(公)	(宅)	(手機)	
<b>(二) 產婦配偶資料</b> <input type="checkbox"/> 配偶欄空白				
姓名		出生年月日	民國 _____ 年 _____ 月 _____ 日	
身分證統一編號		統一證號(或護照號碼)： _____ 目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____		
戶籍地：	<input type="checkbox"/> 同產婦戶籍		<input type="checkbox"/> 同產婦現居地	
	縣(市)	鄉(鎮市區)	村(里)	鄰
				路(街) 段 巷 弄 號之樓之
<b>(三) 出生者之性別</b>		<input type="checkbox"/> 男 <input type="checkbox"/> 女 <input type="checkbox"/> 不明		<b>(四) 懷孕週數</b> 滿 _____ 週 <b>(五) 出生時之體重</b> _____ 公克
<b>(六) 出生時間</b>	民國 _____ 年 _____ 月 _____ 日	上(下)午	時	分
<b>(七) 胎別</b>	<input type="checkbox"/> 單胎 <input type="checkbox"/> 雙胎 <input type="checkbox"/> 參胎 <input type="checkbox"/> 胎 同胎次序： _____ 計 男： _____ 名 女： _____ 名 不明： _____ 名			
<b>(八) 出生場所及出生地</b>	<input type="checkbox"/> 醫院 <input type="checkbox"/> 診所 <input type="checkbox"/> 助產所 <input type="checkbox"/> 自宅 <input type="checkbox"/> 其他 _____ (請註明) 省市 縣市			
<b>(九) 接生者</b>	<input type="checkbox"/> 醫師 <input type="checkbox"/> 助產師(士) <input type="checkbox"/> 其他 _____ (請註明)			
以上(一)~(二)欄係依據產婦提供資料填具，(三)~(九)欄則依據本次分娩事實填具，特此證明。				
醫師(助產師、士)姓名：		簽章		
證書字號：		字第 _____ 號		
醫療院所(助產院、所)名稱：		簽章		
開業執照字號：		字第 _____ 號		
院所地址： 縣(市) 鄉(鎮市區) 村(里) 鄰 路(街) 段 巷 弄 號 樓				
中華民國 _____ 年 _____ 月 _____ 日 列印				

(第二聯：通報當地民政局轉戶政事務所)  
980101起修訂

# 出生證明書

新生兒姓名	身分證統一編號	病歷號碼： 出生證字第 _____ 號
<b>(一) 產婦資料</b>		
姓名	出生年月日	民國 _____ 年 _____ 月 _____ 日
身分證統一編號	統一證號(或護照號碼)： _____ 目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____	
戶籍地：	縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____ 路(街) _____ 段 _____ 巷 _____ 弄 _____ 號之樓之	
現居地：	<input type="checkbox"/> 同戶籍所在地 縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____ 路(街) _____ 段 _____ 巷 _____ 弄 _____ 號之樓之	
聯絡電話	(公) _____ (宅) _____ (手機) _____	
<b>(二) 產婦配偶資料</b> <input type="checkbox"/> 配偶欄空白		
姓名	出生年月日	民國 _____ 年 _____ 月 _____ 日
身分證統一編號	統一證號(或護照號碼)： _____ 目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____	
戶籍地：	<input type="checkbox"/> 同產婦戶籍 <input type="checkbox"/> 同產婦現居地 縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____ 路(街) _____ 段 _____ 巷 _____ 弄 _____ 號之樓之	
<b>(三) 出生者之性別</b> ① <input type="checkbox"/> 男 ② <input type="checkbox"/> 女 ③ <input type="checkbox"/> 不明		<b>(四) 懷孕週數</b> 滿 _____ 週 <b>(五) 出生時之體重</b> _____ 公克
<b>(六) 出生時間</b>	民國 _____ 年 _____ 月 _____ 日 上(下)午 _____ 時 _____ 分	
<b>(七) 胎別</b>	① <input type="checkbox"/> 單胎 ② <input type="checkbox"/> 雙胎 ③ <input type="checkbox"/> 參胎 ④ <input type="checkbox"/> 胎 同胎次序： _____ 計 男： _____ 名 女： _____ 名 不明： _____ 名	
<b>(八) 出生場所及出生地</b>	<input type="checkbox"/> 醫院 <input type="checkbox"/> 診所 <input type="checkbox"/> 助產所 <input type="checkbox"/> 自宅 <input type="checkbox"/> 其他 _____ (請註明) 省市 縣市	
<b>(九) 接生者</b>	<input type="checkbox"/> 醫師 <input type="checkbox"/> 助產師(士) <input type="checkbox"/> 其他 _____ (請註明)	
以上(一)~(二)欄係依據產婦提供資料填具，(三)~(九)欄則依據本次分娩事實填具，特此證明。		
醫師(助產師、士)姓名： _____ 簽章 _____ 證書字號： _____ 字第 _____ 號		
醫療院所(助產院、所)名稱： _____ 簽章 _____ 開業執照字號： _____ 字第 _____ 號		
院所地址： 縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____ 路(街) _____ 段 _____ 巷 _____ 弄 _____ 號 樓 中華民國 _____ 年 _____ 月 _____ 日 列印		
以下資料請確實填寫：		
<b>(十) 生產方式</b>	① <input type="checkbox"/> 陰道生產 ② <input type="checkbox"/> 陰道產鉗生產 ③ <input type="checkbox"/> 陰道真空吸引生產 ④ <input type="checkbox"/> 有剖腹產史之陰道生產 ⑤ <input type="checkbox"/> 第一次剖腹產 ⑥ <input type="checkbox"/> 有剖腹產史之剖腹產	
<b>(十一) 產婦生產前後及新生兒在醫學上初步所見之特殊情形：</b> (代號請參閱代碼對照表，可複選)		
產婦	1. 此次懷孕健康上之特殊情形代碼為： _____ <input type="checkbox"/> 無 2. 孕程及產程之特殊處理代碼為： _____ <input type="checkbox"/> 無 3. 生產時之併發症代碼為： _____ <input type="checkbox"/> 無	
新生兒	出生時之Apgar Score：第一分鐘分數 _____ 第五分鐘分數 _____ 活產者在本醫療機構內(1) <input type="checkbox"/> 死亡者：其存活期有 _____ 天 _____ 小時 _____ 分鐘 (2) <input type="checkbox"/> 轉院者：其年齡為 _____ 天 _____ 小時 (轉診醫院名稱： _____ ) 4. 先天性缺陷代碼為： _____ <input type="checkbox"/> 尚待確診後填報(未確定診斷者，請勾選) <input type="checkbox"/> 無	
<b>(十二) 總生育活產數(含本次)：</b> _____		<b>(十三) 產婦原始國籍別：</b> <input type="checkbox"/> 本國 <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____

(第三聯：通報當地衛生局)  
980101起修訂

# 出生證明書

新生兒姓名	身分證統一編號	病歷號碼： 出生證字第 _____ 號
<b>(一) 產婦資料</b>		
姓名	出生年月日	民國 _____ 年 _____ 月 _____ 日
身分證統一編號	統一證號(或護照號碼)： _____ 目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____	
戶籍地：	縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____ 路(街) _____ 段 _____ 巷 _____ 弄 _____ 號之樓之	
現居地：	<input type="checkbox"/> 同戶籍所在地 縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____ 路(街) _____ 段 _____ 巷 _____ 弄 _____ 號之樓之	
聯絡電話	(公) _____ (宅) _____ (手機) _____	
<b>(二) 產婦配偶資料</b> <input type="checkbox"/> 配偶欄空白		
姓名	出生年月日	民國 _____ 年 _____ 月 _____ 日
身分證統一編號	統一證號(或護照號碼)： _____ 目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____	
戶籍地：	<input type="checkbox"/> 同產婦戶籍 <input type="checkbox"/> 同產婦現居地 縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____ 路(街) _____ 段 _____ 巷 _____ 弄 _____ 號之樓之	
<b>(三) 出生者之性別</b> ① <input type="checkbox"/> 男 ② <input type="checkbox"/> 女 ③ <input type="checkbox"/> 不明		<b>(四) 懷孕週數</b> 滿 _____ 週 <b>(五) 出生時之體重</b> _____ 公克
<b>(六) 出生時間</b>	民國 _____ 年 _____ 月 _____ 日 上(下)午 _____ 時 _____ 分	
<b>(七) 胎別</b>	① <input type="checkbox"/> 單胎 ② <input type="checkbox"/> 雙胎 ③ <input type="checkbox"/> 參胎 ④ <input type="checkbox"/> 胎 同胎次序： _____ 計 男： _____ 名 女： _____ 名 不明： _____ 名	
<b>(八) 出生場所及出生地</b>	<input type="checkbox"/> 醫院 <input type="checkbox"/> 診所 <input type="checkbox"/> 助產所 <input type="checkbox"/> 自宅 <input type="checkbox"/> 其他 _____ (請註明) 省市 縣市	
<b>(九) 接生者</b>	<input type="checkbox"/> 醫師 <input type="checkbox"/> 助產師(士) <input type="checkbox"/> 其他 _____ (請註明)	
以上(一)~(二)欄係依據產婦提供資料填具，(三)~(九)欄則依據本次分娩事實填具，特此證明。		
醫師(助產師、士)姓名： _____ 簽章 _____ 證書字號： _____ 字第 _____ 號		
醫療院所(助產院、所)名稱： _____ 簽章 _____ 開業執照字號： _____ 字第 _____ 號		
院所地址： 縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____ 路(街) _____ 段 _____ 巷 _____ 弄 _____ 號 樓 中華民國 _____ 年 _____ 月 _____ 日 列印		
以下資料請確實填寫：		
<b>(十) 生產方式</b>	① <input type="checkbox"/> 陰道生產 ② <input type="checkbox"/> 陰道產鉗生產 ③ <input type="checkbox"/> 陰道真空吸引生產 ④ <input type="checkbox"/> 有剖腹產史之陰道生產 ⑤ <input type="checkbox"/> 第一次剖腹產 ⑥ <input type="checkbox"/> 有剖腹產史之剖腹產	
<b>(十一) 產婦生產前後及新生兒在醫學上初步所見之特殊情形：</b> (代號請參閱代碼對照表，可複選)		
產婦	1. 此次懷孕健康上之特殊情形代碼為： _____ <input type="checkbox"/> 無 2. 孕程及產程之特殊處理代碼為： _____ <input type="checkbox"/> 無 3. 生產時之併發症代碼為： _____ <input type="checkbox"/> 無	
新生兒	出生時之Apgar Score：第一分鐘分數 _____ 第五分鐘分數 _____ 活產者在本醫療機構內(1) <input type="checkbox"/> 死亡者：其存活期有 _____ 天 _____ 小時 _____ 分鐘 (2) <input type="checkbox"/> 轉院者：其年齡為 _____ 天 _____ 小時 (轉診醫院名稱： _____ ) 4. 先天性缺陷代碼為： _____ <input type="checkbox"/> 尚待確診後填報(未確定診斷者，請勾選) <input type="checkbox"/> 無	
<b>(十二) 總生育活產數(含本次)：</b> _____		<b>(十三) 產婦原始國籍別：</b> <input type="checkbox"/> 本國 <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____

(第四聯：醫療院所存底並供稽查)

980101起修訂

## 出生證明書填表說明

證明書填表對象：舉凡在醫院、診所或助產所接生之活產新生兒均應填具本證明書。

活產：從產婦完全產出或取出之胎兒，不論懷孕期之長短，在與產婦分離後，能呼吸或顯示任何生命現象，如心跳、臍帶搏動或明顯之隨意肌活動，不論臍帶是否已切斷或胎盤是否仍附著，凡如此出生之嬰兒，皆視為活產。

### 各欄填寫應注意事項：

甲、新生兒出生後即由接生者依格式以正楷清晰填列。

新生兒姓名、身分證統一編號為預留欄位，接生單位免填。

乙、填寫數字請一律以正楷阿拉伯數字為之，以符規定。

丙、填寫時請注意各欄間之相互關係。

丁、本證明書之各欄填寫方式如下：

(一)欄填寫產婦之姓名、出生年月日、身分證統一編號、非本國國民者填寫統一證號，尚無統一證號者填護照號碼，並填列目前國籍別、及詳細之戶籍所在地、現在住址及連絡電話。

(二)欄填寫產婦配偶姓名、出生年月日、身分證統一編號、非本國國民者填寫統一證號，尚無統一證號者則填護照號碼，並填列目前國籍別、及詳細之戶籍所在地。

1. 產婦配偶資料，應依據產婦之國民身分證或戶口名簿、戶籍謄本等證明文件上登載之配偶資料，具實填寫；如遇配偶資料欄空白或不詳時，亦請勾選「配偶欄空白」。

2. 產婦配偶資料欄如不完整，不影響本文書之效力，但應以「配偶姓名」為優先填列。

(三)欄僅就新生兒之出生性別擇一勾選，即在①男②女③不明之內加✓。

(四)欄填寫記本次出生之新生兒其產婦之懷孕總週數（未在院產檢者請依新生兒出生體重及身體狀況推估懷孕週數）。

(五)欄填寫新生兒出生時之體重，以公克為單位。

(六)欄填寫新生兒出生之詳細時間，以中文大寫為之。

(七)欄填寫新生兒胎別；若胎別為①單胎②雙胎③參胎則於其內加✓，若超過參胞胎者請直接在④胎之空白處加填數字，例如伍胞胎則填④伍胎；各種胎別皆需續填計男：\_\_\_名女：\_\_\_名不明：\_\_\_名，並註明「同胎次序」於其後之空白處。

(八)欄填寫新生兒其出生之場所及出生地，若出生地係在醫院、診所或助產所與院所地址相同者可不必填寫；如出生場所為「自宅」或「其他」者，則需詳填出生地。

(九)欄僅就接生者之身分擇一在其內加✓，如勾選「其他」則需加註說明。

(十)欄填寫產婦本次生產之生產方式，擇一最適答案並在內加✓。

(十一)欄填寫產婦生產前後及新生兒在醫學上初步所見之特殊情形，代號請參閱底頁代碼對照表。\*新生兒之Apgar Score以實際分數填列

(十二)欄填寫產婦總生育活產數，含本次生產。

(十三)欄填寫產婦原始國籍別，例如：已取得本國國民身分證之印尼產婦，則填外籍國別印尼。

戊、本證明書填具者請填寫開具單位之醫療院所名稱、地址與開業執照字號及開具證明者之姓名與證書字號。

950101起修訂

# (十一) 欄產婦生產前後及新生兒(胎兒)在醫學上之特殊情形代碼對照表

## 一、產婦部分

### 此次懷孕健康上之危險因子

- |   |                                     |                    |
|---|-------------------------------------|--------------------|
| 01 貧血(除海洋性貧血外之所有貧血)   | 09 慢性高血壓                            | 18 海洋性貧血(確診案,非帶因者) |
| 02 心臟疾病   | 10 懷孕引起之高血壓                         | 19 孕期抽煙            |
| 03 肺病   | 11 妊娠毒血症                            | 20 孕期酗酒            |
| 04 糖尿病  | 12 子宮頸閉鎖不全                          | 21 藥癮              |
| 05 梅毒   | 13 曾生產嬰兒體重4000公克以上                  |                    |
| 06 妊娠糖尿病  | 14 曾生產過早產兒(未滿37週)或體重不足之嬰兒(2500gm以下) |                    |
| 07 羊水過多(AFI $\geq$ 24cm or DP $\geq$ 8cm)或羊水過少(AFI $\leq$ 5cm or DP $\leq$ 1cm) | 15 腎臟疾病                             |                    |
|   | 16 Rh因子過敏                           |                    |
|   | 17 其他(請註明於證明書上)                     |                    |

### 孕程及產程之特殊處置

- |         |            |                         |
|---------|------------|-------------------------|
| 01 羊膜穿刺 | 04 催生      | 08 剖腹探查(含子宮肌瘤切除或卵巢囊腫切除) |
| 02 絨毛檢查 | 05 安胎      | 09 其他(請註明於證明書上)         |
| 03 引產   | 06 子宮頸環紮手術 |                         |

### 生產時之併發

- |                                  |                      |                 |
|----------------------------------|----------------------|-----------------|
| 01 發燒(>38°C)                     | 07 分娩時抽搐             | 12 胎頭骨盆不相稱      |
| 02 羊水中含有胎便,中度/重度                 | 08 急產(<3小時)          | 13 臍帶脫垂         |
| 03 早期破水(>12小時)                   | 09 產程過長(子宮規則宮縮>20小時) | 14 麻醉時之併發症      |
| 04 胎盤早期剝離                        | 10 產程進展不順            | 15 胎兒窘迫         |
| 05 前置胎盤                          | 11 胎位不正              | 16 其他(請註明於證明書上) |
| 06 其他大量出血(陰道生產>500毫升,剖腹產>1000毫升) |                      |                 |

## 二、新生兒(胎兒)部分 (104年7月1日起改以ICD-10-CM代碼通報,下述代碼適用至104年9月30日止)

### 1神經系統

- 0101 無腦症
- 0102 腦膨出
- 0103 脊髓膜膨出
- 0104 脊柱裂
- 0105 先天性水腦症
- 0106 小腦症
- 0107 全前腦症
- 0109 其他(請描述)

### 2眼顏面系統

- 0201 先天性白內障
- 0202 小眼及無眼症
- 0203 唇裂(可併有顎裂)
- 0204 顎裂(無唇裂)
- 0205 後鼻孔閉鎖
- 0206 畸形耳
- 0207 其他(請描述)
- 0208 聲帶麻痺

### 3心臟血管系統

- 0301 心室中膈缺損
- 0302 心房中膈缺損
- 0303 開放性動脈導管
- 0304 法洛氏四重症
- 0305 心內膜墊缺損
- 0306 大血管轉位
- 0308 肺動脈狹窄
- 0309 複雜性先天性心臟病
- 0310 其他(請描述)

### 4消化系統

- 0401 食道閉鎖及膈管
- 0402 巨結腸症
- 0403 肛門閉鎖
- 0404 小腸閉鎖
- 0405 幽門狹窄
- 0406 臍膨出
- 0407 腹裂畸形
- 0408 橫膈疝氣
- 0409 膽道閉鎖
- 0410 膽道擴張或囊腫
- 0411 腹股溝疝氣
- 0412 其他(請描述)

### 5泌尿生殖系統

- 0501 腎臟發育不全
- 0502 阻塞性泌尿道疾病
- 0503 尿道下裂
- 0504 生殖器性別不明
- 0505 多囊腎
- 0506 兩側睪丸未下降
- 0507 其他(請描述)

### 6骨骼肌肉系統

- 0601 畸形足
- 0602 先天性髖關節脫臼
- 0603 多指(趾)症
- 0604 併指(趾)症
- 0605 肢體短小或缺損
- 0606 關節僵硬

- 0607 侏儒症
- 0608 其他(請描述)

### 7呼吸系統

- 0707 其他(請描述)
- 0708 先天性氣管狹窄
- 0709 先天性大葉性肺氣腫
- 0710 先天性肺囊腫
- 0711 先天性囊狀腺瘤樣肺畸形
- 0712 肺隔離
- 0713 肺發育不全

### 8染色體異常

- 0801 三染色體21
- 0802 三染色體13
- 0803 三染色體18
- 0804 其他(請描述)
- 0805 透納氏症, 45X
- 0806 XXY
- 0807 XXX

### 9其他

- 0901 其他(請描述)
- 0902 海洋性貧血(重型)
- 0903 胎兒水腫
- 0904 腹水
- 0905 畸胎瘤
- 0906 大面積的皮膚病
- 0907 囊狀頸部水瘤

930101起修訂

備註: 1. 104年7月1日起, 出生通報系統之新生兒先天性缺陷代碼改以「國際疾病分類第十版」(ICD-10-CM)代碼通報。104年7月~9月為新、舊代碼併行之緩衝期, 上述代碼於104年9月30日起停用。

2. 有關「國際疾病分類第十版」(ICD-10-CM)代碼對照表, 可至衛生福利部中央健康保險署網頁之「國際疾病分類第十版」專區中查詢對照。

網址: [http://www.nhi.gov.tw/webdata/webdata.aspx?menu=20&menu\\_id=1087&webdata\\_id=3986&WD\\_ID=1087](http://www.nhi.gov.tw/webdata/webdata.aspx?menu=20&menu_id=1087&webdata_id=3986&WD_ID=1087)

# 死產證明書

病歷號碼：  
死產證字第 \_\_\_\_\_ 號

(一) 產婦資料			
姓名		出生年月日	民國 _____ 年 _____ 月 _____ 日
身分證統一編號		統一證號(或護照號碼)：	_____
		目前國籍別：	<input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____
戶籍地：	縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____	路(街) _____ 段 _____ 巷 _____ 弄 _____	號之樓之 _____
現居地：	<input type="checkbox"/> 同戶籍所在地		
	縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____	路(街) _____ 段 _____ 巷 _____ 弄 _____	號之樓之 _____
聯絡電話	(公) _____	(宅) _____	(手機) _____
(二) 產婦配偶資料 <input type="checkbox"/> 配偶欄空白			
姓名		出生年月日	民國 _____ 年 _____ 月 _____ 日
身分證統一編號		統一證號(或護照號碼)：	_____
		目前國籍別：	<input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____
戶籍地：	<input type="checkbox"/> 同產婦戶籍 <input type="checkbox"/> 同產婦現居地		
	縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____	路(街) _____ 段 _____ 巷 _____ 弄 _____	號之樓之 _____
(三) 出生者之性別	<input type="checkbox"/> 男 <input type="checkbox"/> 女 <input type="checkbox"/> 不明	(四) 懷孕週數滿 _____ 週	(五) 出生時之體重 _____ 公克
(六) 出生時間	民國 _____ 年 _____ 月 _____ 日 上(下)午 _____ 時 _____ 分		
(七) 胎別	<input type="checkbox"/> 單胎 <input type="checkbox"/> 雙胎 <input type="checkbox"/> 參胎 <input type="checkbox"/> ____胎 同胎次序：_____ 計男：_____名 女：_____名 不明：_____名		
(八) 出生場所及出生地	<input type="checkbox"/> 醫院 <input type="checkbox"/> 診所 <input type="checkbox"/> 助產所 <input type="checkbox"/> 自宅 <input type="checkbox"/> 其他 _____ (請註明) 省市 _____ 縣市 _____		
(九) 接生者	<input type="checkbox"/> 醫師 <input type="checkbox"/> 助產師(士) <input type="checkbox"/> 其他 _____ (請註明)		
以上(一)~(二)欄係依據產婦提供資料填具，(三)~(九)欄則依據本次分娩事實填具，特此證明。			
醫師(助產師、士)姓名：		簽章	
證書字號： _____ 字第 _____ 號			
醫療院所(助產院、所)名稱：		簽章	
開業執照字號： _____ 字第 _____ 號			
院所地址： 縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____ 路(街) _____ 段 _____ 巷 _____ 弄 _____ 號 _____ 樓			
中華民國 _____ 年 _____ 月 _____ 日 列印			

(第一聯：由出生兒之家屬收執)  
950101起修訂

# 死產證明書

病歷號碼：  
死產證字第

號

(一) 產婦資料			
姓名		出生年月日	民國 年 月 日
身分證統一編號		統一證號(或護照號碼)：_____	
		目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別_____	
戶籍地：	縣(市) 鄉(鎮市區) 村(里) 鄰	路(街) 段 巷 弄	號之樓之
現居地：	<input type="checkbox"/> 同戶籍所在地		
	縣(市) 鄉(鎮市區) 村(里) 鄰	路(街) 段 巷 弄	號之樓之
聯絡電話	(公)	(宅)	(手機)
(二) 產婦配偶資料 <input type="checkbox"/> 配偶欄空白			
姓名		出生年月日	民國 年 月 日
身分證統一編號		統一證號(或護照號碼)：_____	
		目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別_____	
戶籍地：	<input type="checkbox"/> 同產婦戶籍 <input type="checkbox"/> 同產婦現居地		
	縣(市) 鄉(鎮市區) 村(里) 鄰	路(街) 段 巷 弄	號之樓之
(三) 出生者之性別		(四) 懷孕週數滿	(五) 出生時之體重
① <input type="checkbox"/> 男 ② <input type="checkbox"/> 女 ③ <input type="checkbox"/> 不明		_____週	_____公克
(六) 出生時間	民國 年 月 日 上(下)午 時 分		
(七) 胎別	① <input type="checkbox"/> 單胎 ② <input type="checkbox"/> 雙胎 ③ <input type="checkbox"/> 參胎 ④ <input type="checkbox"/> 胎 同胎次序：_____		
	計男：_____名 女：_____名 不明：_____名		
(八) 出生場所及出生地	<input type="checkbox"/> 醫院 <input type="checkbox"/> 診所 <input type="checkbox"/> 助產所 <input type="checkbox"/> 自宅 <input type="checkbox"/> 其他_____ (請註明)		
	省市 縣市		
(九) 接生者	<input type="checkbox"/> 醫師 <input type="checkbox"/> 助產師(士) <input type="checkbox"/> 其他_____ (請註明)		
以上(一)~(二)欄係依據產婦提供資料填具，(三)~(九)欄則依據本次分娩事實填具，特此證明。			
醫師(助產師、士)姓名：		簽章	
證書字號： 字第 號			
醫療院所(助產院、所)名稱：		簽章	
開業執照字號： 字第 號			
院所地址： 縣(市) 鄉(鎮市區) 村(里) 鄰 路(街) 段 巷 弄 號 樓			
中華民國 年 月 日 列 印			
以下資料請確實填寫：			
(十) 生產方式	① <input type="checkbox"/> 陰道生產 ② <input type="checkbox"/> 陰道產鉗生產 ③ <input type="checkbox"/> 陰道真空吸引生產		
	④ <input type="checkbox"/> 有剖腹產史之陰道生產 ⑤ <input type="checkbox"/> 第一次剖腹產 ⑥ <input type="checkbox"/> 有剖腹產史之剖腹產		
(十一) 產婦生產前後及胎兒在醫學上初步所見之特殊情形：(代號請參閱代碼對照表，可複選)			
產婦	1. 此次懷孕健康上之特殊情形代碼為：_____ <input type="checkbox"/> 無		
	2. 孕程及產程之特殊處理代碼為：_____ <input type="checkbox"/> 無		
	3. 生產時之併發症代碼為：_____ <input type="checkbox"/> 無		
死產兒	4. 先天性缺陷代碼為：_____ <input type="checkbox"/> 尚待確診後填報(未確定診斷者，請勾選) <input type="checkbox"/> 無		
(十二) 總生育活產數：_____		(十三) 產婦原始國籍別： <input type="checkbox"/> 本國 <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別_____	

(第三聯：通報當地衛生局)

950101起修訂

# 死產證明書

病歷號碼：  
死產證字第 \_\_\_\_\_ 號

(一) 產婦資料			
姓名		出生年月日	民國 _____ 年 _____ 月 _____ 日
身分證統一編號		統一證號(或護照號碼)：	_____
		目前國籍別：	<input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____
戶籍地：	縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____	路(街) _____ 段 _____ 巷 _____ 弄 _____	號之樓之 _____
現居地：	<input type="checkbox"/> 同戶籍所在地		
	縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____	路(街) _____ 段 _____ 巷 _____ 弄 _____	號之樓之 _____
聯絡電話	(公) _____	(宅) _____	(手機) _____
(二) 產婦配偶資料 <input type="checkbox"/> 配偶欄空白			
姓名		出生年月日	民國 _____ 年 _____ 月 _____ 日
身分證統一編號		統一證號(或護照號碼)：	_____
		目前國籍別：	<input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____
戶籍地：	<input type="checkbox"/> 同產婦戶籍 <input type="checkbox"/> 同產婦現居地		
	縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____	路(街) _____ 段 _____ 巷 _____ 弄 _____	號之樓之 _____
(三) 出生者之性別	<input type="checkbox"/> 男 <input type="checkbox"/> 女 <input type="checkbox"/> 不明	(四) 懷孕週數滿 _____ 週	(五) 出生時之體重 _____ 公克
(六) 出生時間	民國 _____ 年 _____ 月 _____ 日 上(下)午 _____ 時 _____ 分		
(七) 胎別	<input type="checkbox"/> 單胎 <input type="checkbox"/> 雙胎 <input type="checkbox"/> 參胎 <input type="checkbox"/> 胎 同胎次序：_____ 計男：_____名 女：_____名 不明：_____名		
(八) 出生場所及出生地	<input type="checkbox"/> 醫院 <input type="checkbox"/> 診所 <input type="checkbox"/> 助產所 <input type="checkbox"/> 自宅 <input type="checkbox"/> 其他 _____ (請註明) 省市 縣市		
(九) 接生者	<input type="checkbox"/> 醫師 <input type="checkbox"/> 助產師(士) <input type="checkbox"/> 其他 _____ (請註明)		
以上(一)~(二)欄係依據產婦提供資料填具，(三)~(九)欄則依據本次分娩事實填具，特此證明。			
醫師(助產師、士)姓名：		簽章	
證書字號： 字第 _____ 號			
醫療院所(助產院、所)名稱：		簽章	
開業執照字號： 字第 _____ 號			
院所地址：		縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____ 路(街) _____ 段 _____ 巷 _____ 弄 _____ 號 _____ 樓	
中華民國 _____ 年 _____ 月 _____ 日 列 印			
以下資料請確實填寫：			
(十) 生產方式	<input type="checkbox"/> 陰道生產 <input type="checkbox"/> 陰道產鉗生產 <input type="checkbox"/> 陰道真空吸引生產 <input type="checkbox"/> 有剖腹產史之陰道生產 <input type="checkbox"/> 第一次剖腹產 <input type="checkbox"/> 有剖腹產史之剖腹產		
(十一) 產婦生產前後及胎兒在醫學上初步所見之特殊情形：(代號請參閱代碼對照表，可複選)			
產婦	1. 此次懷孕健康上之特殊情形代碼為：_____ <input type="checkbox"/> 無		
	2. 孕程及產程之特殊處理代碼為：_____ <input type="checkbox"/> 無		
	3. 生產時之併發症代碼為：_____ <input type="checkbox"/> 無		
死產兒	4. 先天性缺陷代碼為：_____ <input type="checkbox"/> 尚待確診後填報(未確定診斷者，請勾選) <input type="checkbox"/> 無		
(十二) 總生育活產數：	(十三) 產婦原始國籍別： <input type="checkbox"/> 本國 <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____		

(第四聯：醫療院所存底並供稽查)  
950101起修訂

## 死產證明書填表說明

證明書填表對象：舉凡在醫院、診所或助產所接生之死產胎兒均應填具本證明書。

死產：指胎齡滿20週以上或500公克以上之胎兒死亡（中、晚期胎兒死亡），即胎兒在與產婦分離後，不會呼吸或未顯示任何生命現象，如心跳、臍帶搏動或明顯之隨意肌活動者，皆視為死產。

### 各欄填寫應注意事項：

甲、胎兒出生後若屬死產，即由接生者依格式以正楷清晰填列。

乙、填寫數字請一律以正楷阿拉伯數字為之，以符規定。

丙、填寫時請注意各欄間之相互關係。

丁、本證明書之各欄填寫方式如下：

(一)欄填寫產婦之姓名、出生年月日、身分證統一編號及詳細之戶籍所在地、現在住址及連絡電話。非本國國民者填寫統一證號，尚無統一證號者填護照號碼，並填列目前國籍別。

(二)欄填寫產婦配偶姓名、出生年月日、身分證統一編號及詳細之戶籍所在地。非本國國民者填寫統一證號，尚無統一證號者則填護照號碼，並填列目前國籍別。

1. 產婦配偶資料，應依據產婦之國民身分證或戶口名簿（均正本）等證明文件上登載之配偶資料，據實填寫；如遇配偶資料欄空白，請勾選「配偶欄空白」。

2. 產婦證件有配偶者，配偶姓名欄不得空白。其餘配偶資料欄如不完整，不影響本文書之效力。

(三)欄僅就死產兒之出生性別擇一勾選，即在①男②女③不明之內加✓。

(四)欄填本次出生之死產兒其產婦之懷孕總週數。

(五)欄填寫死產兒出生時之體重，以公克為單位。

(六)欄填寫死產兒出生之詳細時間，以中文大寫為之。

(七)欄填寫死產兒胎別：

1. 若胎別為①單胎②雙胎③參胎則於其內加✓，若超過參胞胎者請直接在④胎之空白處加填數字，例如伍胞胎則填④伍胎。

2. 各種胎別皆需續填計男：\_\_\_名 女：\_\_\_名 不明：\_\_\_名，合計應等於胎別數。

3. 同胎次序請填本胎次序。

(八)欄填寫死產兒其出生之場所及出生地，若出生地係在醫院、診所或助產所與院所地址相同者可不必要填寫；如出生場所為「自宅」或「其他」者，則需詳填出生地。

(九)欄僅就接生者之身分擇一在其內加✓，如勾選「其他」則需加註說明。

(十)欄填寫產婦本次生產之生產方式，擇一在內加✓。

(十一)欄填寫產婦生產前後及胎兒在醫學上初步所見之特殊情形，代號請參閱代碼對照表。

(十二)欄填寫產婦總生育活產數。

(十三)欄填寫產婦原始國籍別，例如：已取得本國國民身分證之印尼產婦，則填外籍國別 印尼。

戊、本證明書填具者請填出開具單位之醫療院所名稱、地址與開業執照字號及開具證明者之姓名與證書字號。

# (十一) 欄產婦生產前後及新生兒(胎兒)在醫學上之特殊情形代碼對照表

## 一、產婦部分

### 此次懷孕健康上之危險因子

- |   |                                     |                    |
|---|-------------------------------------|--------------------|
| 01 貧血(除海洋性貧血外之所有貧血)   | 09 慢性高血壓                            | 18 海洋性貧血(確診案,非帶因者) |
| 02 心臟疾病   | 10 懷孕引起之高血壓                         | 19 孕期抽煙            |
| 03 肺病   | 11 妊娠毒血症                            | 20 孕期酗酒            |
| 04 糖尿病  | 12 子宮頸閉鎖不全                          | 21 藥癮              |
| 05 梅毒   | 13 曾生產嬰兒體重4000公克以上                  |                    |
| 06 妊娠糖尿病  | 14 曾生產過早產兒(未滿37週)或體重不足之嬰兒(2500gm以下) |                    |
| 07 羊水過多(AFI $\geq$ 24cm or DP $\geq$ 8cm)或羊水過少(AFI $\leq$ 5cm or DP $\leq$ 1cm) | 15 腎臟疾病                             |                    |
|   | 16 Rh因子過敏                           |                    |
|   | 17 其他(請註明於證明書上)                     |                    |

### 孕程及產程之特殊處置

- |         |            |                         |
|---------|------------|-------------------------|
| 01 羊膜穿刺 | 04 催生      | 08 剖腹探查(含子宮肌瘤切除或卵巢囊腫切除) |
| 02 絨毛檢查 | 05 安胎      | 09 其他(請註明於證明書上)         |
| 03 引產   | 06 子宮頸環紮手術 |                         |

### 生產時之併發

- |                                  |                      |                 |
|----------------------------------|----------------------|-----------------|
| 01 發燒(>38°C)                     | 07 分娩時抽搐             | 12 胎頭骨盆不相稱      |
| 02 羊水中含有胎便,中度/重度                 | 08 急產(<3小時)          | 13 臍帶脫垂         |
| 03 早期破水(>12小時)                   | 09 產程過長(子宮規則宮縮>20小時) | 14 麻醉時之併發症      |
| 04 胎盤早期剝離                        | 10 產程進展不順            | 15 胎兒窘迫         |
| 05 前置胎盤                          | 11 胎位不正              | 16 其他(請註明於證明書上) |
| 06 其他大量出血(陰道生產>500毫升,剖腹產>1000毫升) |                      |                 |

## 二、新生兒(胎兒)部分 (104年7月1日起改以ICD-10-CM代碼通報,下述代碼適用至104年9月30日止)

### 1神經系統

- 0101 無腦症
- 0102 腦膨出
- 0103 脊髓膜膨出
- 0104 脊柱裂
- 0105 先天性水腦症
- 0106 小腦症
- 0107 全前腦症
- 0109 其他(請描述)

### 2眼顏面系統

- 0201 先天性白內障
- 0202 小眼及無眼症
- 0203 唇裂(可併有顎裂)
- 0204 顎裂(無唇裂)
- 0205 後鼻孔閉鎖
- 0206 畸形耳
- 0207 其他(請描述)
- 0208 聲帶麻痺

### 3心臟血管系統

- 0301 心室中膈缺損
- 0302 心房中膈缺損
- 0303 開放性動脈導管
- 0304 法洛氏四重症
- 0305 心內膜墊缺損
- 0306 大血管轉位
- 0308 肺動脈狹窄
- 0309 複雜性先天性心臟病
- 0310 其他(請描述)

### 4消化系統

- 0401 食道閉鎖及膈管
- 0402 巨結腸症
- 0403 肛門閉鎖
- 0404 小腸閉鎖
- 0405 幽門狹窄
- 0406 臍膨出
- 0407 腹裂畸形
- 0408 橫膈疝氣
- 0409 膽道閉鎖
- 0410 膽道擴張或囊腫
- 0411 腹股溝疝氣
- 0412 其他(請描述)

### 5泌尿生殖系統

- 0501 腎臟發育不全
- 0502 阻塞性泌尿道疾病
- 0503 尿道下裂
- 0504 生殖器性別不明
- 0505 多囊腎
- 0506 兩側睪丸未下降
- 0507 其他(請描述)

### 6骨骼肌肉系統

- 0601 畸形足
- 0602 先天性髖關節脫臼
- 0603 多指(趾)症
- 0604 併指(趾)症
- 0605 肢體短小或缺損
- 0606 關節僵硬

- 0607 侏儒症
- 0608 其他(請描述)

### 7呼吸系統

- 0707 其他(請描述)
- 0708 先天性氣管狹窄
- 0709 先天性大葉性肺氣腫
- 0710 先天性肺囊腫
- 0711 先天性囊狀腺瘤樣肺畸形
- 0712 肺隔離
- 0713 肺發育不全

### 8染色體異常

- 0801 三染色體21
- 0802 三染色體13
- 0803 三染色體18
- 0804 其他(請描述)
- 0805 透納氏症,45X
- 0806 XXY
- 0807 XXX

### 9其他

- 0901 其他(請描述)
- 0902 海洋性貧血(重型)
- 0903 胎兒水腫
- 0904 腹水
- 0905 畸胎瘤
- 0906 大面積的皮膚病
- 0907 囊狀頸部水瘤

930101起修訂

備註:1. 104年7月1日起,出生通報系統之新生兒先天性缺陷代碼改以「國際疾病分類第十版」(ICD-10-CM)代碼通報。104年7月~9月為新、舊代碼併行之緩衝期,上述代碼於104年9月30日起停用。

2. 有關「國際疾病分類第十版」(ICD-10-CM)代碼對照表,可至衛生福利部中央健康保險署網頁之「國際疾病分類第十版」專區中查詢對照。

網址: [http://www.nhi.gov.tw/webdata/webdata.aspx?menu=20&menu\\_id=1087&webdata\\_id=3986&WD\\_ID=1087](http://www.nhi.gov.tw/webdata/webdata.aspx?menu=20&menu_id=1087&webdata_id=3986&WD_ID=1087)

# 出生通報書

新生兒姓名		身分證統一編號		病歷號碼： 出生證字第		號
<b>(一) 產婦資料</b>						
姓名		出生年月日	民國	年	月	日
身分證統一編號		統一證號(或護照號碼)：_____				
目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別_____						
戶籍地：	縣(市)	鄉(鎮市區)	村(里)	鄰	路(街)	段 巷 弄 號之樓之
現居地：	<input type="checkbox"/> 同戶籍所在地					
縣(市) 鄉(鎮市區) 村(里) 鄰 路(街) 段 巷 弄 號之樓之						
聯絡電話	(公)	(宅)	(手機)			
<b>(二) 產婦配偶資料</b> <input type="checkbox"/> 配偶欄空白						
姓名		出生年月日	民國	年	月	日
身分證統一編號		統一證號(或護照號碼)：_____				
目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別_____						
戶籍地：	<input type="checkbox"/> 同產婦戶籍 <input type="checkbox"/> 同產婦現居地					
縣(市) 鄉(鎮市區) 村(里) 鄰 路(街) 段 巷 弄 號之樓之						
<b>(三) 出生者之性別</b>		① <input type="checkbox"/> 男 ② <input type="checkbox"/> 女 ③ <input type="checkbox"/> 不明		<b>(四) 懷孕週數滿</b> _____週		<b>(五) 出生時之體重</b> _____公克
<b>(六) 出生時間</b>	民國 年 月 日 上(下)午 時 分					
<b>(七) 胎別</b>	① <input type="checkbox"/> 單胎 ② <input type="checkbox"/> 雙胎 ③ <input type="checkbox"/> 參胎 ④ <input type="checkbox"/> 胎 同胎次序：_____					
計 男：_____名 女：_____名 不明：_____名						
<b>(八) 出生場所及出生地</b>	<input type="checkbox"/> 自宅 <input type="checkbox"/> 其他(請註明) _____					
省市 縣市						
<b>(九) 接生者</b>	<input type="checkbox"/> 產婦本人 <input type="checkbox"/> 其他(請註明)姓名：_____身分證統一編號 _____ 與產婦關係 _____					
<p><b>本次分娩非在本院(所)出生，僅對產婦及新生兒予以協助處理</b></p> <p>以上(一)~(二)欄係依據產婦提供資料填具，(三)~(九)欄則依據本次分娩事實填具，特此證明。</p> <p>通報醫師(護理人員)姓名：_____ 簽章 _____ 號 _____</p> <p>證書字號：_____</p> <p>通報醫療院所(助產院、所)名稱：_____ 簽章 _____ 號 _____</p> <p>開業執照字號：_____</p> <p>院所地址：縣(市) 鄉(鎮市區) 村(里) 鄰 路(街) 段 巷 弄 號 樓</p> <p style="text-align: center;">中華民國 年 月 日 列印</p>						

備註：非在醫療院所、助產所出生，未開具出生證明書之新生兒，由領有證照之醫護人員填報。

注意事項：1、為避免逾期申請戶籍登記遭受罰鍰，請攜此證明書於新生兒出生後60天內向戶籍所在地戶政事務所辦理出生登記。

2、出生登記前，應以書面約定子女從父姓或母姓，並提憑姓氏約定書辦理出生登記，或逕行將約定子女從父姓或母姓填入下列空白處(免附姓氏約定書)並由新生兒之父母簽名或蓋章。

約定此子女從\_\_\_\_\_姓。

約定人：父\_\_\_\_\_ (簽名或蓋章) 母\_\_\_\_\_ (簽名或蓋章)

(第一聯：由出生兒之家屬收執)

980101起修訂

# 出生通報書

新生兒姓名		身分證統一編號		病歷號碼： 出生證字第		號
<b>(一) 產婦資料</b>						
姓名		出生年月日	民國	年	月	日
身分證統一編號		統一證號(或護照號碼)：_____				
目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別_____						
戶籍地：	縣(市)	鄉(鎮市區)	村(里)	鄰	路(街)	段 巷 弄 號之樓之
現居地：	<input type="checkbox"/> 同戶籍所在地					
縣(市) 鄉(鎮市區) 村(里) 鄰 路(街) 段 巷 弄 號之樓之						
聯絡電話	(公)	(宅)	(手機)			
<b>(二) 產婦配偶資料</b> <input type="checkbox"/> 配偶欄空白						
姓名		出生年月日	民國	年	月	日
身分證統一編號		統一證號(或護照號碼)：_____				
目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別_____						
戶籍地：	<input type="checkbox"/> 同產婦戶籍 <input type="checkbox"/> 同產婦現居地					
縣(市) 鄉(鎮市區) 村(里) 鄰 路(街) 段 巷 弄 號之樓之						
<b>(三) 出生者之性別</b>		① <input type="checkbox"/> 男 ② <input type="checkbox"/> 女 ③ <input type="checkbox"/> 不明		<b>(四) 懷孕週數滿</b> _____週		<b>(五) 出生時之體重</b> _____公克
<b>(六) 出生時間</b>	民國 年 月 日 上(下)午 時 分					
<b>(七) 胎別</b>	① <input type="checkbox"/> 單胎 ② <input type="checkbox"/> 雙胎 ③ <input type="checkbox"/> 參胎 ④ <input type="checkbox"/> 胎 同胎次序：_____					
計 男：_____名 女：_____名 不明：_____名						
<b>(八) 出生場所及出生地</b>	<input type="checkbox"/> 自宅 <input type="checkbox"/> 其他(請註明) _____					
省市 縣市						
<b>(九) 接生者</b>	<input type="checkbox"/> 產婦本人 <input type="checkbox"/> 其他(請註明)姓名：_____身分證統一編號 _____ 與產婦關係 _____					
<p><b>本次分娩非在本院(所)出生，僅對產婦及新生兒予以協助處理</b></p> <p>以上(一)~(二)欄係依據產婦提供資料填具，(三)~(九)欄則依據本次分娩事實填具，特此證明。</p> <p>通報醫師(護理人員)姓名：_____ 簽章 _____ 號 _____</p> <p>證書字號：_____ 字第 _____ 號</p> <p>通報醫療院所(助產院、所)名稱：_____ 簽章 _____ 號 _____</p> <p>開業執照字號：_____ 字第 _____ 號</p> <p>院所地址：縣(市) 鄉(鎮市區) 村(里) 鄰 路(街) 段 巷 弄 號 樓</p> <p style="text-align: center;">中華民國 年 月 日 列印</p>						

備註：非在醫療院所、助產所出生，未開具出生證明書之新生兒，由領有證照之醫護人員填報  
(第二聯：通報當地民政局轉戶政事務所)  
980101起修訂

# 出生通報書

新生兒姓名	身分證統一編號	病歷號碼： 出生證字第 _____ 號
<b>(一) 產婦資料</b>		
姓名	出生年月日	民國 _____ 年 _____ 月 _____ 日
身分證統一編號	統一證號(或護照號碼)： _____ 目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____	
戶籍地：	縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____ 路(街) _____ 段 _____ 巷 _____ 弄 _____ 號之樓之	
現居地：	<input type="checkbox"/> 同戶籍所在地 縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____ 路(街) _____ 段 _____ 巷 _____ 弄 _____ 號之樓之	
聯絡電話	(公) _____ (宅) _____ (手機) _____	
<b>(二) 產婦配偶資料</b> <input type="checkbox"/> 配偶欄空白		
姓名	出生年月日	民國 _____ 年 _____ 月 _____ 日
身分證統一編號	統一證號(或護照號碼)： _____ 目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____	
戶籍地：	<input type="checkbox"/> 同產婦戶籍 <input type="checkbox"/> 同產婦現居地 縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____ 路(街) _____ 段 _____ 巷 _____ 弄 _____ 號之樓之	
(三)出生者之性別	<input type="checkbox"/> 男 <input type="checkbox"/> 女 <input type="checkbox"/> 不明	(四)懷孕週數滿 _____ 週 (五)出生時之體重 _____ 公克
(六)出生時間	民國 _____ 年 _____ 月 _____ 日 上(下)午 _____ 時 _____ 分	
(七)胎別	<input type="checkbox"/> 單胎 <input type="checkbox"/> 雙胎 <input type="checkbox"/> 參胎 <input type="checkbox"/> 胎 同胎次序： _____ 計 男： _____ 名 女： _____ 名 不明： _____ 名	
(八)出生場所及出生地	<input type="checkbox"/> 自宅 <input type="checkbox"/> 其他 _____ (請註明) 省市 _____ 縣市 _____	
(九)接生者	<input type="checkbox"/> 產婦本人 <input type="checkbox"/> 其他(請註明)姓名： _____ 身分證統一編號 _____ 與產婦關係 _____	
<b>本次分娩非在本院(所)出生，僅對產婦及新生兒予以協助處理</b>		
以上(一)~(二)欄係依據產婦提供資料填具，(三)~(九)欄則依據本次分娩事實填具，特此證明。		
通報醫師(護理人員)姓名：	簽章 _____	證書字號： _____ 字第 _____ 號
通報醫療院所(助產院、所)名稱：	簽章 _____	開業執照字號： _____ 字第 _____ 號
院所地址：	縣(市) _____ 鄉(鎮市區) _____ 村(里) _____ 鄰 _____ 路(街) _____ 段 _____ 巷 _____ 弄 _____ 號 樓	
中華民國 _____ 年 _____ 月 _____ 日 列印		
(十)生產方式	<input type="checkbox"/> 陰道生產	
(十一)產婦特殊情形描述：  新生兒特殊情形描述：  活產者在本醫療機構內(1) <input type="checkbox"/> 死亡者：其存活期有 _____ 天 _____ 小時 _____ 分鐘 (2) <input type="checkbox"/> 轉院者：其年齡為 _____ 天 _____ 小時(轉診醫院名稱： _____) 先天性缺陷代碼為： _____ <input type="checkbox"/> 尚待確診後填報(未確定診斷者，請勾選) <input type="checkbox"/> 無		
(十二)總生育活產數(含本次)：	(十三)產婦原始國籍別： <input type="checkbox"/> 本國 <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別 _____	

備註：非在醫療院所、助產所出生，未開具出生證明書之新生兒，由領有證照之醫護人員填報  
(第三聯：通報當地衛生局)  
980101起修訂

# 出生通報書

新生兒姓名		身分證統一編號		病歷號碼： 出生證字第		號
<b>(一) 產婦資料</b>						
姓名		出生年月日	民國	年	月	日
身分證統一編號		統一證號(或護照號碼)：_____				
目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別_____						
戶籍地：	縣(市)	鄉(鎮市區)	村(里)	鄰	路(街)	段 巷 弄 號之樓之
現居地：	<input type="checkbox"/> 同戶籍所在地					
縣(市) 鄉(鎮市區) 村(里) 鄰 路(街) 段 巷 弄 號之樓之						
聯絡電話	(公)	(宅)	(手機)			
<b>(二) 產婦配偶資料</b> <input type="checkbox"/> 配偶欄空白						
姓名		出生年月日	民國	年	月	日
身分證統一編號		統一證號(或護照號碼)：_____				
目前國籍別： <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別_____						
戶籍地：	<input type="checkbox"/> 同產婦戶籍 <input type="checkbox"/> 同產婦現居地					
縣(市) 鄉(鎮市區) 村(里) 鄰 路(街) 段 巷 弄 號之樓之						
<b>(三) 出生者之性別</b> <input type="checkbox"/> 男 <input type="checkbox"/> 女 <input type="checkbox"/> 不明			<b>(四) 懷孕週數滿</b> _____週		<b>(五) 出生時之體重</b> _____公克	
<b>(六) 出生時間</b>	民國	年	月	日	上(下)午	時 分
<b>(七) 胎別</b>	<input type="checkbox"/> 單胎 <input type="checkbox"/> 雙胎 <input type="checkbox"/> 參胎 <input type="checkbox"/> 胎 同胎次序：_____					
計 男：_____名 女：_____名 不明：_____名						
<b>(八) 出生場所及出生地</b>	<input type="checkbox"/> 自宅 <input type="checkbox"/> 其他(請註明)_____					
省市 縣市						
<b>(九) 接生者</b>	<input type="checkbox"/> 產婦本人 <input type="checkbox"/> 其他(請註明)姓名：_____身分證統一編號_____與產婦關係_____					
<b>本次分娩非在本院(所)出生，僅對產婦及新生兒予以協助處理</b>						
以上(一)~(二)欄係依據產婦提供資料填具，(三)~(九)欄則依據本次分娩事實填具，特此證明。						
通報醫師(護理人員)姓名：	簽章	證書字號：	字第	號		
通報醫療院所(助產院、所)名稱：	簽章	開業執照字號：	字第	號		
院所地址：	縣(市)	鄉(鎮市區)	村(里)	鄰	路(街)	段 巷 弄 號 樓
中華民國 年 月 日 列印						
<b>(十) 生產方式</b>	<input type="checkbox"/> 陰道生產					
<b>(十一) 產婦特殊情形描述：</b>						
<b>新生兒特殊情形描述：</b>						
活產者在本醫療機構內(1) <input type="checkbox"/> 死亡者：其存活期有_____天_____小時_____分鐘						
(2) <input type="checkbox"/> 轉院者：其年齡為_____天_____小時(轉診醫院名稱：_____)						
先天性缺陷代碼為：_____ <input type="checkbox"/> 尚待確診後填報(未確定診斷者，請勾選) <input type="checkbox"/> 無						
<b>(十二) 總生育活產數(含本次)：</b> _____				<b>(十三) 產婦原始國籍別：</b> <input type="checkbox"/> 本國 <input type="checkbox"/> 中國大陸 <input type="checkbox"/> 外籍國別_____		

備註：非在醫療院所、助產所出生，未開具出生證明書之新生兒，由領有證照之醫護人員填報  
(第四聯：醫療院所存底並供稽查)  
980101起修訂

## 出生通報書填寫說明

出生通報書填表對象：舉凡非在醫院、診所或助產所接生之活產新生兒（胎兒出生後一個月內稱為新生兒）均應填具本證明書。

填寫應注意事項：

- 甲、如無法在胎兒出生後一個月內提出申請者，不適用本出生通報書，建請醫療院所或衛生局(所)醫護人員聯繫社政單位，依戶籍法相關規定辦理通報。
- 乙、有關「依據產婦提供資料及本次事實填具」所指為產婦提供證件如身分證、產檢資料、孕婦手冊，或實際訪查經由轄區警員、鄰里長、鄰居證明為事實依據。
- 丙、有關新生兒之基本資料（出生時間、出生地、胎別……等）係以當事人口頭陳述及所提相關證明資料並經由通報單位實際訪問相關證人後填載。如後續相關單位發現有明顯之錯誤時，可查證通報單位做合理之更正。
- 丁、填報「出生通報書」同時並請通報當地衛生局。

刊名：出生通報統計年報  
出版機關：衛生福利部國民健康署  
地址：10341 台北市大同區塔城街 36 號  
網址：<http://www.hpa.gov.tw/>  
電話：(02) 2522-0888 轉 856  
編者：衛生福利部國民健康署  
出版年月：中華民國 105 年 6 月  
創刊年月：中華民國 95 年 6 月  
刊期頻率：年刊  
定價：新台幣 250 元整  
展售處：台北 國家書店  
地址 10485 台北市松江路 209 號 1 樓  
電話 (02) 2518-0207  
台中 五南文化廣場  
地址 40042 台中市中區中山路 6 號  
電話 (04) 2226-0330

**GPN：2009502148**

**ISSN：1991-4725**

本書同時登載於國民健康署網站，網址 <http://www.hpa.gov.tw/>

著作財產權人：衛生福利部國民健康署

本書保留所有權利。欲利用本書全部或部分內容者，須徵求著作財產權人衛生福利部國民健康署同意或書面授權。請洽衛生福利部國民健康署（電話：02-2522-0888）。

© All rights reserved. Any forms of using or quotation, part or all should be authorized by copyright holder Health Promotion Administration, Ministry of Health and Welfare, R.O.C.. Please contact with Health Promotion Administration, Ministry of Health and Welfare, R.O.C.. (TEL：886-2-25220888)



守護健康

衛生福利部 國民健康署

Health Promotion Administration,  
Ministry of Health and Welfare

ISSN 1991-4725



GPN : 2009502148

定價：新台幣 250 元整